PC-GIVE AND DAVID HENDRY'S ECONOMETRIC METHODOLOGY*

Neil R. Ericsson,*
Julia Campos,** and
Hong-Anh Tran***

Resumo

(PC-GIVE e Metodologia Econométrica de David Hendry)

Este artigo resume a metodologia econométrica empírica de David Hendry, unificando e discutindo os diversos artigos, escritos por ele e seus colaboradores. A seguir, descreve-se como esta metodologia pode ser implementada utilizando-se os programas de computador incluídos no pacote PC-GIVE. Por último, esta metodologia e os programas, são ilustrados através de três exemplos empíricos: Demanda por M_1 na Inglaterra para o período pós-guerra, determinação da renda nominal para Inglaterra de Friedman e Schwartz (1982) e gastos de consumo na Venezuela. Estes exemplos, ajudam a clarificar os conceitos centrais desta metodologia, que incluem: co-integração, mecanismo de correção dos erros, modelagem do geral-para-particular, especificação dinâmica, avaliação e testes de modelos, constância de parâmetros e exogeneidade.

*The first two authors are staff economists in the Division of International Finance, Federal Reserve Board, and at the Banco Central de Venezuela respectively; and the third author is a research assistant in the Division of International Finance, Federal Reserve Board. The views expressed in this paper are solely the responsibility of the authors and should not be interpreted as reflecting those of the Board of Governors of the Federal Reserve System, the Banco Central de Venezuela, or other members of their staffs. Specifically, this paper does not represent an endorsement of any software package by the Board of Governors of the Federal Reserve System, the Banco Central de Venezuela, or members of their staffs. Helpful discussions with and comments from Hali Edison, Dale Henderson, David Hendry, David Howard, Søren Johansen, Deb Lindner, Jaime Marquez, and Pedro Valls Pereira are gratefully acknowledged. We note that Hendry is a professional colleague and personal friend of the authors. In addition, Hendry was a Ph.D. adviser for Campos and Ericsson, and has co-authored papers with them. However, we believe that these associations do not cloud the objective analysis of this paper. All numerical results were obtained using PC-GIVE Version 6.01; cf. Hendry (1989b).

*International Finance Division, Federal Reserve Board, Washington, D.C. 20551 U.S.A. .

**Banco Central de Venezuela, Carmelitas, Caracas 1010, Venezuela

***International Finance Division, Federal Reserve Board, Washington, D.C. 20551 U.S.A.

Palavras Chaves: Co-integração, modelos condicionais, especificação dinâmica, "encompassing," modelos de correção dos erros, exogeneidade, modelagem do geral-para-particular, Hendry, avaliação de modelos, constância de parâmetros, redução sequencial, testes.

Abstract

This paper summarizes David Hendry's empirical econometric methodology, unifying discussions in many of his and his co-authors' papers. Then, we describe how Hendry's suite of computer programs PC-GIVE helps users implement that methodology. Finally, we illustrate that methodology and the programs with three empirical examples: post-war narrow money demand in the United Kingdom, nominal income determination in the United Kingdom from Friedman and Schwartz (1982), and consumers' expenditure in Venezuela. These examples help clarify the methodology's central concepts, which include cointegration, error-correction, general-to-simple modelling, dynamic specification, model evaluation and testing, parameter constancy, and exogeneity.

Keywords and phrases: cointegration, conditional models, dynamic specification, encompassing, error-correction models, exogeneity, general-to-simple modeling, Hendry, model evaluation, parameter constancy, sequential reduction, testing.

1. Introduction.

In economics, it is common for researchers to develop an economic theory, find data which appear to correspond to the associated economic theoretic constructs, estimate the model with that data, and conduct inferences therefrom. While theory, data, and estimation are important issues in empirical modeling, they are not sufficient to insure that inferences from empirical models are reliable. Several econometric methodologies attempt to address problems arising in this "textbook" approach to modeling: one of those methodologies is associated with David Hendry, its most vocal advocate and contributor.¹ Hendry has embodied this

¹ The "Hendry methodology" is also sometimes referred to as "British econometrics" or econometrics in the LSE (London School of Economics) tradition, reflecting the nationality and affiliation of major contributors to its formulation; see Gilbert (1989) for an historical perspective. While any list of contributors invariably excludes important participants, several contributors should be noted: James Davidson, Jim Durbin, Rob Engle, Clive Granger, Andrew Harvey, Søren Johansen, Grayham Mizon, Adrian Pagan, Bill Phillips, Peter Phillips, Jean-François Richard, Denis Sargan, Pravin Trivedi, Ken Wallis, and Hal White, not all of whom are British or have been associated with the LSE.

methodology in a suite of computer programs called PC-GIVE, making the methodology easily accessible for practical use. This paper describes Hendry's methodology and its implementation in PC-GIVE, and motivates the methodology and programs via several empirical examples.

Section 2 summarizes Hendry's econometric methodology, focusing on the status of empirical models; their evaluation, design, and structure; modelling strategies; and estimation and testing.

Section 3 discusses the structure of Hendry's two primary empirical programs, PCFIML and PCGIVE, and includes a brief history of PC-GIVE.

Section 4 illustrates the major concepts involved with new empirical analyses of data from Hendry's and our research. First, with Hendry and Ericsson's (1991b) post-war quarterly data on narrow money demand in the United Kingdom, we examine issues of cointegration, error-correction, general-to-simple modelling, dynamic specification, and sequential reduction. Second, with Friedman and Schwartz's (1982) phase-average data, we use test statistics as criteria to evaluate Friedman and Schwartz's model of nominal income in the United Kingdom. Finally, with Campos and Ericsson's (1988) annual data on consumers' expenditure in Venezuela, we test for (and find) super exogeneity of prices and incomes in Campos and Ericsson's conditional error-correction model of consumers' expenditure.

The Appendix includes a complete chronological bibliography for David Hendry, and categorizes each paper by its focus, whether empirical, Monte Carlo, on computer programs, or on econometric theory. To economize on space, references authored or co-authored by Hendry are not included in the regular list of references.

Sections within this paper extensively cross-reference each other to highlight and clarify the links between methodology, software, and empirical practice. Further, the sections are reasonably modular, so (*e.g.*) a reader primarily interested in the application of the methodology can skip to Section 4 directly, referring to earlier sections only as needed.

2. Econometric Methodology.

In this section, empirical econometric models are seen to be

simplifications of the underlying data generation process. Related test statistics serve in both evaluation and design of the model, with the hypotheses being tested corresponding to statistical reductions of the data generation process to the model. This interpretation of models and test statistics leads naturally to a general-to-specific modeling strategy, and helps establish a taxonomy of model classes. The latter ties in closely with the recent literature on cointegration. Model estimation via maximum likelihood follows from the probability approach to models adopted at the outset, and recursive techniques are highly informative in the determination of parameter constancy. Thus, the initial overview immediately below serves to guide and motivate the more formal presentation on the status of models (Section 2.A), the uses of test statistics in practice (Section 2.B), model classes (Section 2.C), modeling strategies (Section 2.D), and estimation (Section 2.E). The final subsection (2.F) summarizes and ties together the various themes.

Modelling is considered as an attempt to characterize data properties in simple parametric relationships which remain reasonably constant over time, account for the findings of pre-existing models, and are interpretable in the light of the subject matter. The data arise from the economic activities of the relevant groups of agents, filtered by a measurement process which itself is often of human design (as with systems of national accounts). The joint effect of activity and measurement is referred to as the data generation process (abbreviated DGP). Existing theories to account for economic phenomena are generally part of a sequence, and are modified and extended by empirical evidence and new insights. The empirical econometric model seeks to characterize the empirical evidence in terms of existing and new insights. It also leaves open the possibility that the existing theory may not be the most useful way of summarizing the empirical evidence, and that may be discovered by testing.

If the DGP were known (as in a Monte Carlo experiment where it is formulated by the investigator), then the population outcome of any combination of prior model specification and estimation method could be deduced analytically. Alternatively expressed, the DGP entails the empirical model. The required analytical derivation would involve transforming and reducing the DGP till the model resulted. Thus, empirical econometric models

are implicitly being derived from the economic DGP by sequences of *transformations* and *reductions*. Typical transformations include aggregation (over space, time, agents, and goods) as well as the standard mathematical operations of division, logarithms, etc. Typical reductions comprise (i) eliminating unwanted variables (e.g., disaggregated information), usually referred to as marginalizing (from its origins in tabular presentations), and (ii) conditioning the analysis on other variables which are not to be explained (as in regression). Every transformation and reduction applied to the data series entails a corresponding transformation and reduction of the original parameters of the DGP. Thus, an empirical model is associated with a set of transformations and reductions of the DGP, with those transformations and reductions producing the (reduced) parameterization of the econometric model. An important implication of this is shown below: given the observed data and some formal model specification, then the model's error process is also a derived function (rather than an autonomous innovation). By construction, that error must contain everything in the data which is not explicitly allowed for by the model.

Statistical tests aim to detect whether or not various reductions are valid, corresponding to whether or not *no* loss of information occurred in the reduction. Equally, models are open to design possibilities whereby undesirable features of either the error process or the parameterization can be eliminated by appropriate re-specification. Often, this is again an implicit rather than an explicit aspect of a modeling strategy, as when residual autocorrelation (manifested perhaps in a low Durbin-Watson statistic) is removed by a Cochrane-Orcutt transformation. In that instance, the design criterion is a Durbin-Watson value of around 2 and the procedure is to generate a new derived error process by extracting from the previous one any components thereof which could be predicted from their own past values. While this example may be optimal in some circumstances, generally it is predicated on a *non sequitur*, i.e., adopting the alternative against which the null was rejected. Rather obviously, a final Durbin-Watson value of 2 is no evidence that the adopted procedure was sensible since 2 is the stopping criterion. In technical terms, the "insignificance" of the Durbin-Watson statistic does not imply that valid common-factor restrictions have been imposed (see Sargan (1980c) and Hendry and Mizon (1978) for detailed analyses).

The discussion in this section is drawn from joint work with Hendry, especially several versions of a paper analyzing Friedman and Schwartz (1982) (*i.e.*, Hendry and Ericsson (1983, 1985, 1987), published as Hendry and Ericsson (1991a) and Campos, Ericsson, and Hendry (1990)); a contributed paper on house prices (Ericsson and Hendry (1985)); and our own work (Campos (1988) and Campos and Ericsson (1988)). For a general exposition and bibliographic perspective on this methodology, see Hendry and Richard (1982, 1983), Hendry (1983b), Hendry and Wallis (1984a), Spanos (1986), Gilbert (1986, 1989), Hendry (1987a), Phillips (1988), the PC-GIVE manual (Hendry (1989b)), Hendry, Qin, and Favero (1990), and Hendry (1991a). The methodology is heavily based on Haavelmo (1944), as is apparent from Hendry, Spanos, and Ericsson's (1989) summary of Haavelmo's (1944) contributions.

While we have attempted to keep our notation as closely in line with that in Hendry's (and other authors') papers, some minor changes have been necessary. Also, with such a broad review, some conflicts in notation invariably arise: we point them out where they occur, and the context of usage should avoid ambiguities.²

A. The Status of Empirical Models: Derived, not Autonomous

This subsection formally derives the relationship between the DGP and the empirical economic model. The various steps from one to the other are marginalization, sequential conditioning, distributional assumptions (*e.g.*, normality), linearization, lag truncation, contemporaneous conditioning, and parameter constancy. We consider the effects of each of these in turn.

²The primary conflicts in notation are as follows. First, the parameters α and/or β appear in standard regression analysis ($y_t = \beta'x_t + e_t$), the taxonomy of autoregressive distributed lag models (α as a constant, $\{\beta_i\}$ as coefficients), and Johansen's analysis of cointegration (α as the weighting matrix, β' as the matrix of cointegration vectors). Second, the variables y and x appear in standard regression analysis, and in a system's structure (where $x'_t = (y'_t : z'_t)$). Third, upper and lower case denote matrices and vectors respectively (*e.g.*, X_{t-1} and x_t in the analysis of systems), but also levels and logarithms (*e.g.*, $z = \ln(Z)$ in the error-correction model, and $m = \ln(M)$ in the analyses of money demand). Finally, a few symbols for economic variables in Section 4 conflict with notation in Sections 2 and 3 (*e.g.*, Y , y , p). For the most part, the context in which each symbol is used should clarify which meaning it has.

The DGP. The observed data $(w_1 \dots w_T)$ are regarded as a realization from an unknown dynamic economic mechanism (the DGP) represented by the joint density function:

$$F_W(w_1 \dots w_T | W_0; \psi) \quad \psi \in \Psi, \quad (1)$$

where $F_W(\dots|\dots)$ denotes the density function for $\{w_t\}$, T is the number of observations on variable w , W_0 denotes the initial conditions, ψ is the relevant parameterization (which could include transients and parameters dependent on time t), and Ψ is the parameter space of ψ . The density $F_W(w_1 \dots w_T | W_0; \psi)$ is a function of great complexity and high dimensionality, summarizing myriads of disparate transactions by economic agents and involving relatively heterogeneous commodities and prices, as well as different locations and time periods. Limitations in data, time, and knowledge preclude estimating the complete mechanism.

Marginalization. An empirical econometric model for a vector of observable variables $\{x_t\}$ can be conceptualized as arising by first transforming w_t so that x_t is a sub-vector of w_t , then (implicitly) marginalizing the joint density $F_W(w_1 \dots w_T | W_0; \psi)$ with respect to all variables in w_t other than x_t . Letting $w'_t = (w_t^*, x'_t)$ where the variables w_t^* are not considered in the analysis, that marginalization eliminates w_t^* from $F_W(w_1 \dots w_T | W_0; \psi)$ to produce a reduced density:

$$F_X(x_1 \dots x_T | X_0; \theta) = \int F_W(w_1 \dots w_T | W_0; \psi) d\{W_1^* \dots w_T^*\} \quad \theta \in \Theta, \quad (2)$$

where θ is an induced function of ψ , and Θ is the (induced) parameter space for θ .

Sequential conditioning. Given the sequential nature of economic transactions, the density $F_X(x_1 \dots x_T | X_0; \theta)$ is sequentially factorized. Without loss of generality, each x_t is conditioned on past observables X_{t-1} to yield:

$$F_X(X_T^1 | X_0; \theta) = \prod_1^T F_x(x_t | X_{t-1}; \lambda_t). \quad (3)$$

In a convenient notation, $X_j^i = (x_i \dots x_j)$ ($T \geq j > i \geq 1$) so that X_T^1 is the complete sample of data, and $X_{t-1} = (X_0 \ x_1 \dots x_{t-1})$ is a subsample that includes the initial conditions X_0 . The vector $(\lambda'_1 \dots \lambda'_T)' = \lambda = f(\theta)$ is the corresponding reparameterization arising from the sequential factorization.

Distributional properties, functional form, and linearity. The distribution $F_x(x_t|X_{t-1}; \lambda_t)$ in (3) is related to the functional form of the moments of x_t in terms of X_{t-1} , with transformations of x_t to achieve a certain distribution for $F_x(\cdot|\cdot)$ directly affecting the functional form, and vice versa. Although the choice of functional form is of considerable importance, it depends intimately on the nature of the problem. Thus, for this general analysis, we assume that the time series x_t has been appropriately transformed to make the assumption of a linear conditional expectation from a normal distribution reasonable, so x_t may involve (*e.g.*) logarithms and ratios of the original variables. Under the assumption of linear conditional normality, $F_x(x_t|X_{t-1}; \lambda_t)$ in (3) can be rewritten as:

$$x_t|X_{t-1} \sim N(\mu_t, \Omega_t), \quad (4)$$

where the conditional mean and variance of x_t are μ_t and Ω_t respectively. The parameter λ_t in (3) comprises the non-redundant elements of μ_t and Ω_t . Defining ϵ_t as $x_t - \mu_t$, then $\{\epsilon_t\}$ is a sequence of martingale differences, from which it follows that ϵ_t is an innovation with respect to X_{t-1} , and hence is white noise. However, ϵ_t need not be an innovation with respect to information outside X_{t-1} (*e.g.*, W_{t-1}^*): this is important for testing, see Section 2.B.

The assumption of conditional linearity entails that μ_t is linear in X_{t-1} . This assumption is easily relaxed to allow for nonlinear models, but doing so poses severe problems for empirical modeling unless the exact nonlinear functions and dynamics are well characterized *a priori* by theory. The assumption of conditional normality also is in part for convenience. However, non-normality has implications for inference, both asymptotically and in finite samples; and mis-specified non-normality for nonlinear models can imply inconsistency of some estimators; cf. Amemiya (1977) and Phillips (1982).

Lag truncation. For an empirically testable model to be for-

mulated, it must be assumed that X_{t-1} in (4) can be adequately approximated by X_{t-1}^{ℓ} (where ℓ is the fixed longest lag considered) without invalidating the innovation properties of the $\{\epsilon_t\}$. Thus, we postulate:

$$x_t = \sum_{i=1}^{\ell} \pi_{it} x_{t-i} + \epsilon_t \quad \epsilon_t \sim IN(0, \Omega_t), \quad t = 1, \dots, T, \quad (5)$$

where μ_t is $\sum_{i=1}^{\ell} \pi_{it} x_{t-i}$. In practice, (5) may include a constant and dummies as well.

Equation (5) is a vector autoregression (or VAR), and typically is the most unrestricted set of equations estimated in a modeling exercise, the comments above on reduction notwithstanding. Equation (5) is sometimes referred to as the *unrestricted reduced form* (Hendry (1976)), the *observable system* (as opposed to the model; Hendry (1989b, p. 64)), or the *statistical model* (Spanos (1986, p. 218)). Estimation of (5) provides baseline innovation standard errors for the x_{it} . Additionally, (5) is the basis for cointegration analysis; see Section 2.C for the background theory and Section 4.A for an empirical example.

The length ℓ depends upon the economic problem being investigated and the frequency of observation, so it is difficult to specify ℓ *a priori*. Sargan (1980a, pp. 116-121) and Hendry, Pagan, and Sargan (1984) discuss the selection of ℓ in greater detail.³

Contemporaneous conditioning and exogeneity. If (5) is not rejected at the outset, one can turn to modeling μ_t . There are many basic approaches to doing so, including causal chains, simultaneous systems, block recursive models, and various simplifications based directly on (5). An important potential problem with a VAR such as (5) being a derived representation is that not all of the $\{\pi_i\}$ may be constant; yet functions of them could

³Also, from Monte Carlo and analytical results, Sargan (1980c, p. 880) suggests in a closely related problem that: "... the sample size should be greater than $2\frac{1}{2}$ times the number of variables [in a given equation, including lags] ... if the latent roots of the system are not too close to the unit circle." For a given number of variables in x_t and a given sample size T , that rule of thumb implies a maximum practical ℓ .

be. This arises when a subset of interdependent behavioral equations are nonconstant so that interrelated reduced forms become nonconstant also.

One approach to isolating the invariants is to partition x_t into $(y'_t, z'_t)'$ and explain y_t conditional on z_t , corresponding to the factorization:

$$F_x(x_t|X_{t-1}; \lambda_t) = F_{y|z}(y_t|z_t, X_{t-1}; \lambda_{1t}) \cdot F_z(z_t|X_{t-1}; \lambda_{2t}) \quad (6a)$$

where the induced parameterization is $(\lambda'_{1t} : \lambda'_{2t}) = g(\lambda_t)'$. For ease of exposition, we employ the representation in (3) rather than (5); also, this choice is permitted by several equivalent reduction paths from the DGP to the empirical model. Equation (6a) factorizes the density of x_t into the conditional density of y_t given z_t and the marginal density of z_t : this is without loss of generality. Equally, there is an alternative factorization with z_t conditional on y_t :

$$F_x(x_t|X_{t-1}; \lambda_t) = F_{z|y}(z_t|y_t, X_{t-1}; \phi_{1t}) \cdot F_y(y_t|X_{t-1}; \phi_{2t}) \quad (6b)$$

where the parameterization is $(\phi'_{1t} : \phi'_{2t}) = g^*(\lambda_t)'$, and so there is a one-to-one mapping between $(\lambda'_{1t} : \lambda'_{2t})$ and $(\phi'_{1t} : \phi'_{2t})$. While (6b) is not of interest for the most part, given our (assumed) interest in explaining y_t conditional upon z_t , this unique mapping will be important in discussions of super exogeneity and the inversion of conditional equations below.

To reiterate, the factorization (6a) is without loss of generality. By contrast, ignoring the marginal density for z_t in (6a) and modeling the conditional density $F_{y|z}(y_t|z_t, X_{t-1}; \lambda_{1t})$ alone is *with* loss of generality. Doing so entails a corresponding loss of information except under certain conditions, which depend upon the purpose(s) of the modeling exercise. The nature of these conditions leads naturally (and necessarily) to a discussion of exogeneity.

Engle, Hendry, and Richard (1983) discuss four distinct concepts of exogeneity, namely weak, strong, super, and strict. These concepts correspond to different notions of being "determined outside the model under consideration" according to the purposes of

the inferences being conducted, *i.e.*, conditional inference, prediction, policy analysis, and forecasting, respectively.

The essential concept is *weak exogeneity*, which requires that λ_{1t} and λ_{2t} from the factorization in (6a) are *variation-free*, and that all the *parameters of interest* φ (say) can be obtained from λ_{1t} alone.⁴ If z_t is weakly exogenous for λ_{1t} (and so for φ), λ_{2t} provides no additional information on λ_{1t} , so only the conditional model $F_{y|z}(y_t|z_t, X_{t-1}; \lambda_{1t})$ needs to be analyzed for conditional inference (estimation and testing). That greatly simplifies modeling if there are many variables in z_t . Often, and relatedly, the factorization (6a) aims *inter alia* to isolate the nonconstancies of the full vector of parameters λ_t as the sub-vector λ_{2t} (the parameters of the density of the non-modeled variables). Section 4.D illustrates.

Valid prediction of y_t from its conditional model requires more than weak exogeneity. With weak exogeneity alone, lagged y_t still could influence z_t via X_{t-1} in the marginal model for z_t , in which case z_t in the conditional model $F_{y|z}(y_t|z_t, X_{t-1}; \lambda_{1t})$ could not be treated as “fixed” for prediction. The requisite additional restriction is that y_t does not Granger-cause z_t . Granger non-causality plus weak exogeneity generate the concept *strong exogeneity*. Unlike weak exogeneity, Granger causality by itself involves no assumptions about parameters of interest.

Policy analysis (or counter-factual analysis) often involves changing the marginal process for z_t . For the conditional model to be valid under such changes, we require that the parameters λ_{1t} be *invariant* to those changes (or class of in-

⁴The concept variation-free has the following meaning. Let A_{1t} and A_{2t} denote the spaces over which the parameters λ_{1t} and λ_{2t} range, *i.e.*, $\lambda_{1t} \in A_{1t}$ and $\lambda_{2t} \in A_{2t}$. Then λ_{1t} and λ_{2t} are variation-free if the parameter space A_{1t} is not a function of the parameter λ_{2t} , and the parameter space A_{2t} is not a function of the parameter λ_{1t} . Being variation-free implies that λ_{1t} and λ_{2t} come from a product space, *i.e.*, $(\lambda_{1t}, \lambda_{2t}) \in A_{1t} \times A_{2t}$. Expressed slightly differently, knowledge about the value of one parameter provides no information on the other parameter's range of potential values.

A more stringent concept, invariance, is introduced in the context of super exogeneity (below). The parameter λ_{1t} is invariant to a class of interventions (*i.e.*, changes) in λ_{2t} if λ_{1t} is not a function of λ_{2t} for that class of interventions. For invariance, lack of dependence between the parameters themselves matters, and not just lack of dependence between parameters and parameter spaces.

terventions). The relevant concept is *super exogeneity*, whereby z_t is weakly exogenous for the parameters of interest φ and λ_{1t} is invariant to the class of interventions to λ_{2t} under consideration. Section 4.D describes and implements tests for super exogeneity in a model of consumers' expenditure.

Super exogeneity has several important implications. First, the empirical presence of super exogeneity refutes the Lucas (1976) critique; see Hendry (1988c), Engle and Hendry (1989), Ericsson and Hendry (1989), and Favero and Hendry (1989). Suppose the conditional and marginal models represent agents' and policy maker's decision rules respectively. Then the agents' parameter vector λ_{1t} is invariant to changes in the marginal process for z_t (changes in policy maker's rules), which is opposite to the implication of the Lucas critique. Second, if the factorization (6a) has constant conditional parameters $\lambda_{1t} = \lambda_1$ but the marginal parameters λ_{2t} are changing over time, the reverse factorization (6b) entails that *both* ϕ_{1t} and ϕ_{2t} are nonconstant over time. That follows because each is a function of both λ_1 (constant) and λ_{2t} (nonconstant). While (6b) is peculiar at first glance, it is precisely what occurs when (*e.g.*) estimated money-demand functions are "inverted" to obtain prices as a function of money (common among macro-economists) or to obtain interest rates as a function of money (common among macro-modelers). The resulting non-constancy of the equation for z_t conditional on y_t can be demonstrated both analytically and empirically; cf. Hendry (1985) and Hendry and Ericsson (1991a, 1991b). Third, super exogeneity can identify parameters, in the sense of uniqueness. "[T]hat [constant conditional] relationship cannot be confounded with any shifting [marginal] relations" (Hendry (1987a, p. 40)) because any (non-trivial) combination of the conditional and marginal equations would be nonconstant. Finally, policy analysis does not require Granger non-causality on the part of y_t , and contrasts with a common approach to exogeneity. With super exogeneity, lagged y_t may still influence current z_t in the marginal equation for z_t . In other words, Granger non-causality is not the relevant concept of exogeneity for policy analysis.

These concepts of exogeneity are discussed more fully in Engle, Hendry, and Richard (1983) and Florens and Mouchart (1985a, 1985b), and build on the work of Koopmans (1950) and Barndorff-Nielsen (1978). Strict exogeneity is not of immediate

interest in the present context because it is defined without reference to parameters of interest.

Before returning to the reduction process, two comments are in order about exogeneity. First, in no case is it legitimate to “make variables exogenous” simply by not modeling them. Whether a variable is exogenous or not depends upon the variables considered (and excluded) and the purpose of the analysis. Second, the “causality” of one variable y_t for another z_t has no necessary connection with their respective exogeneity status in that z_t being “exogenous” or endogenous is neither necessary nor sufficient for it to influence y_t (except for the trivial case that by definition strictly exogenous variables cannot be Granger-caused by endogenous variables). For a useful discussion of the concept of causality in econometrics, see Zellner (1979).

Parameter constancy. In the factorization (6a), we have allowed λ_{1t} and λ_{2t} to be time-dependent. To estimate either or both of these parameters and conduct inferences about them, some assumption must be made about that dependence. Commonly, we assume no time dependence, *i.e.*, $\lambda_{1t} = \lambda_1$ for all t . Whether or not this specification is reasonable depends upon the data transformations selected to obtain (4) with conditional linear normality. Relatedly, randomly varying coefficients models and the like do *not* introduce any greater generality here, noting that these models have “meta-parameters” which themselves are assumed constant (and which could be interpreted as λ_1 , say). Because of this assumption of constancy, and in order to simplify notation, parameters below will not be subscripted by t unless explicitly required.

Distributional properties, functional form, and lag truncation revisited. Given the assumptions above on distributional properties, functional form, linearity, lag length, and constancy, the conditional model $F_{y|z}(y_t|z_t, X_{t-1}; \lambda_1)$ can be written as the subsystem:

$$y_t = B_0 z_t + \sum_{i=1}^{\ell} B_i x_{t-i} + \nu_{1t} \quad \nu_{1t} \sim IN(0, \Sigma_{11}), \quad t = 1, \dots, T. \quad (7)$$

Here and below, matrices and vectors have been partitioned conformably with $x'_t = (y'_t : z'_t)$. From properties of the normal distribution, it follows that $B_0 = \Omega_{12}\Omega_{22}^{-1}$, $B_i = \pi_{1i} - \Omega_{12}\Omega_{22}^{-1}\pi_{2i}$, $\nu_{1t} = \epsilon_{1t} - \Omega_{12}\Omega_{22}^{-1}\epsilon_{2t}$, and (so) $\Sigma_{11} = \Omega_{11} - \Omega_{12}\Omega_{22}^{-1}\Omega_{21}$; see Engle, Hendry, and Richard (1983, p. 297). Even so, there is no immediate determination as to whether the parameters of interest come from the parameters in (5) or from only those in (7). If the conditional model (7) is viewed as coming directly from (6a) without the distributional and other assumptions, then those assumptions are required at this stage to derive the empirically estimable conditional model, which is (7).

Equation (7) is commonly referred to as an autoregressive distributed lag (AD). It is autoregressive because lagged y_t enter via x_{t-i} , and it is a distributed lag because both current and lagged z_t appear. Section 2.C below discusses the properties of AD models in greater detail.

In conditional analysis, (7) provides the general maintained model for y_t , while noting its relationship to the VAR (5) and given the same caveats that apply to the VAR. Specifically, the parameters (B_0 , $\{B_i\}$, Σ_{11}) and the disturbance ν_{1t} are *derived* (and derivable) from the DGP, are not autonomous, and may depend upon time even though we have dropped the time subscript (for ease of reading). Further, numerous *a priori* assumptions have to be made in order to formalize (7), the usefulness of which will depend upon those assumptions. Many of those assumptions entail restrictions on the observables and hence have testable implications, but need not be valid empirically. Consequently, we now consider how to evaluate empirical econometric models.

B. Evaluation and Design of Empirical Models

Statistical inference in multivariate time-series processes is a hazardous and contentious issue. From the time of Hooker (1901) and especially Yule (1926) onwards, the enormous difficulties inherent in conducting valid inference in such processes have gradually become documented. Presently, econometricians are more aware of the pitfalls in analyzing economic time series than of methods which ensure, with any reasonable likelihood, that sensible and sustainable conclusions can be reached. An empirical "conclusion" is deemed sustainable only if it satisfies a range of criteria discussed in detail below. Most of those criteria are well-

known and widely accepted, we consider all of them to be justifiable, and we contend that satisfying such criteria constitutes a minimal necessary condition for judging an empirical model to be credible.

The main criteria in question relate to goodness-of-fit, absence of residual autocorrelation and heteroscedasticity, valid exogeneity, predictive ability, parameter constancy, the statistical and economic interpretation of estimated coefficients, and the validity of *a priori* restrictions. Rather than discuss each of those issues in an *ad hoc* manner, below we adopt the taxonomy in Hendry and Richard (1982) in which design criteria are related to particular types of information available to the modeler. Further, we consider the relationship between these types of information and the reductions from the DGP entailed by a specified empirical model, and we motivate how the associated tests can be employed in both model evaluation and model design.

A taxonomy. As formulated, (7) entails restrictions relative to four distinct sources of information, which are summarized as:

- (A) the data of one's own model, conveniently partitioned into:
 - (A1) the relative past of the $\{x_t\}$ process, denoted by X_{t-1} (namely, only $X_{t-1}^{t-\ell}$ is relevant if (7) is valid);
 - (A2) the relative present of x_t (namely, it is valid to condition y_t on z_t);
 - (A3) the relative future of the $\{x_t\}$ process (namely, the parameters remain constant on X_T^{t+1});
- (B) the structure of the measurement system (*e.g.*, definitional constraints must not be violated);
- (C') the subject-matter theory (so that (7) is consistent with the available theory); and
- (D) alternative models' data, denoted $\{\zeta_t\}$ (which should contain no additional information relevant to explaining $\{y_t\}$), which may be partitioned as in (A):
 - (D1) the relative past of the $\{\zeta_0\zeta_1 \dots \zeta_{t-1}\}$ process (namely, $\{\zeta_t\}$ is irrelevant in explaining y_t , conditional upon $X_{t-1}^{t-\ell}$);
 - (D2) the relative present of ζ_t (namely, it is valid to condition y_t on (z_t, ζ_t));

- (D3) the relative future of the $\{\zeta_t\}$ process (namely, the forecast errors of the conditional model are innovations with respect to the information available in $\{\zeta_t\}$ at the time of forecast).

That the past is immutable, the present is occurring, and the future is uncertain are among the basic tenets of economics, so it is unsurprising that procedures for model evaluation should focus separately on those various subsets, as they do in (A1)-(A3) and (D1)-(D3).

Model evaluation. Corresponding to that two-tier partition of the information, we have the following eight evaluation criteria: innovation errors, weak exogeneity, parameter constancy, data admissibility, theory consistency, parameter encompassing, exogeneity encompassing, and forecast-model encompassing. In statistical terms, each criterion yields a testable null hypothesis (subject to identification requirements), and above in (A)-(D) those criteria are stated in terms of their corresponding null hypotheses. Even so, departures from each null could take many forms. Table 1 lists the main test statistics reported herein. Most of these tests are applied in the Lagrange Multiplier spirit, with all the data used in the coefficient estimates quoted. For instance, the Chow statistic acts as a post-estimation diagnostic for predictive failure over a designated final subset of observations. Joint tests could be constructed, as in Jarque and Bera (1980); and, as Kiviet and Phillips (1986) also note, many of the statistics are asymptotically independent so that their χ^2 -forms could be added together to construct a “portmanteau” mis-specification statistic. Clearly, care should be taken to control for Type I errors over the set of tests.

Statistical criteria and reductions. Each criterion in Table 1 matches some reduction in deriving the empirical model (7) from the DGP in (1). Conversely, each reduction corresponds to one or more criteria, depending upon the particular choice of information set being excluded. The following discussion of reductions should clarify these correspondences.

First, the usefulness of the marginalized process (2) depends on the actual irrelevance of the marginalized variables $\{w_t^*\}$, and on the suitability of the parameterization θ . As the choice of $\{w_t^*\}$

(and so $\{x_{it}\}$) varies, so will θ and $\{\epsilon_t\}$. Exclusion of an alternative model's data (D) from analysis is this sort of reduction, with invalid exclusion characterized by the standard textbook analysis of omitted variables; cf. Johnston (1972, pp. 168-169). Also, and relatedly, marginalization could either lose or deliver constancy in θ (and so λ), irrespective of the constancy of elements of ψ (in the DGP (1)). Indeed, since a primary objective of most modeling exercises is obtaining a set of constant parameters, this consideration is a major influence on the choice of reductions and hence of parameterizations and model specifications to be adopted.

Second, sequential factorization is not a reduction *per se*, but is without loss of generality: the mapping from θ to λ in (3) is one-to-one. However, the re-parameterization generating λ may be economically important. For instance, all elements in θ might be nonconstant, but the re-parameterization could isolate nonconstancy to a very few elements of λ , leaving the remaining elements constant.

Third, the assumed distributional form of $F_X(X_T^1|X_0; \theta)$ and (relatedly) the transformations applied to x_t may be inappropriate. If so, the assumed conditional normality in (4) ignores information on higher moments of the data. Jarque and Bera's (1980) test in (A1) aims to detect this loss of information. Further, an improper distributional assumption may violate data admissibility in (B). For example, a linear model of the *level* of prices with normal disturbances would predict negative prices with positive probability.

Fourth, if the lag length ℓ is chosen too small, ϵ_t will not be an innovation, nor need it be white noise. Several of the tests in (A1) aim at detecting precisely these phenomena.

Fifth, linearity is testable as zero restrictions on nonlinear terms, either generally (as in some of White's tests) or for specific nonlinearity (as with RESET). Both correspond to the information set (A1).

Sixth, the validity of conditioning (A2) is testable, albeit often indirectly via showing super exogeneity. For the latter, both tests of constancy (next) and direct tests of invariance are helpful; cf. Hendry (1988c) and Engle and Hendry (1989). How x'_t is partitioned into (y'_t, z'_t) clearly depends upon the relevant subject matter. Even so, data can provide some guidance on partitioning of x_t via the empirical constancy or otherwise of λ_1 . For in-

Table 1.
Evaluation/design Criteria

Information Set	Null Hypothesis	Alternative Hypothesis	Sources
(A) own model's data			
(A1) relative past	innovation errors	first-order residual autocorrelation	Durbin and Watson (1950, 1951)
"	"	j th -order residual autocorrelation	Box and Pierce (1970); Godfrey (1978), Harvey (1981, p.173)
"	"	invalid parameter restrictions	Johnston (1963, p.126)
"	"	j th -order ARCH	Engle (1982)
"	"	heteroscedasticity	White (1980, p. 825),
"	"	quadratic in regressors	Nicholls and Pagan (1983)
"	"	j th -order RESET	Ramsey (1969)
"	normality of the errors	skewness (SK) and excess kurtosis (EK)	Jarque and Bera (1980)
(A2) relative present	weakly exogenous regressors	invalid conditioning	Sargan (1958, 1980b), Engle, Hendry, and Richard (1983)
(A3) relative future	constant parameters, adequate forecasts	parameter nonconstancy, predictive failure	Fisher (1922), Chow (1960), Brown, Durbin, and Evans (1975), Hendry (1979b)
(B) measurement system	data admissibility	"impossible" predictions of observables	
(C) economic theory	theory consistency; cointegration	"implausible" coefficients, predictions; no cointegration	Engle and Granger (1987)
(D) alternative model's data			
(D1) relative past	variance dominance	relative poor fit	Hendry and Richard (1982)
"	variance encompassing	inexplicable observed error variance	Cox (1961, 1962), Pesaran (1974), Hendry (1983a)
"	parameter encompassing	significant additional variables	Johnston (1963, p. 126), Mizon and Richard (1986)
(D2) relative present	exogeneity	inexplicable condition propertie	Hendry (1988c)
(D3) relative future	MSFE dominance	relative poor forecasts	Granger (1989; pp.186-187)
"	forecast encompassing	informative forecasts from alternative model	Chong and Hendry (1986)
"	forecast-model encompassing	regressors from alternative model valuable for forecasting	Ericsson (1992)

stance, Hendry and Ericsson (1991a, 1991b) find a constant model of money conditional on prices, but show that a model of prices conditional on money is nonconstant.

Seventh, the assumption that $(B_0, \{B_i\}, \Sigma_{11}) (= \lambda_{1t})$ in (7) is constant involves an implicit marginalization with respect to subsets of data. Specifically, given knowledge of $(\lambda_{1i}, i = 1, \dots, t)$, the remaining parameters $(\lambda_{1i}, i = t + 1, \dots, T)$ are redundant. If not, predictive failure should be observable in subsamples.

Finally, certain values of coefficients may be economically "implausible", in which case parametric restrictions (and so reductions) provide evidence on economic theory (C).

Empirically, Section 4.A tests for theory consistency via tests of cointegration. Sections 4.B and 4.C test for the validity of various marginalizations, assumed distributional form, lag length, linearity, parameter constancy, and economic plausibility (in the sense of coefficients with proper sign and magnitude). In Section 4.D, we test for the validity of conditioning via testing for super exogeneity. In Sections 4.A, 4.C, and 4.D, tests help evaluate the model at hand, whereas in Section 4.B, tests serve primarily to design a more parsimonious model, starting with an unrestricted AD model.

An example. The standard linear model estimated by least squares well illustrates the role of reduction in empirical modeling. At the outset, it is important to distinguish between the economic theory-model and the empirical model that the former serves to interpret. A *theory model* is freely created by the human imagination, e.g.,

$$y_t = b'x_t, \quad (8)$$

where $b = \partial y_t / \partial x_t$, and y_t and x_t (in roman type) denote the economic theoretic variables. (In (8) and in (9) below, we have used a standard notation, but one in conflict with that used for the discussion of reduction above.)

A corresponding empirical model is anything but freely created. Rather, as the theory of reduction has shown, the properties of the empirical model are determined by the DGP. To demonstrate, consider the *empirical model*:

$$y_t = \beta' x_t + e_t \quad t = 1, \dots, T, \quad (9)$$

where y_t and x_t (in *italic*) are observed economic data, and we assume that the expectation $\mathcal{E}(e_t|x_t)$ is zero. That assumption *defines* the parameter vector β in terms of data properties:

$$\mathcal{E}(y_t|x_t) = \beta'x_t. \quad (10)$$

Likewise, the error e_t is a function of the data:

$$e_t = y_t - \mathcal{E}(y_t|x_t). \quad (11)$$

The properties of β and e_t vary with choice of x_t and with the orthogonality assumption, or equivalently, with the (often implicit) choice of variables ignored and with the conditioning assumption. Thus, “wrong signs” may well be “wrong interpretations,” and can arise via improper reduction (such as omitted variables). The coefficients and errors of empirical models are derived, not “autonomous.”

In such a situation, it is justified to ask whether or not we can conduct reliable inference. The answer lies in the validity (or otherwise) of the implied reductions, and the test statistics are constructed to evaluate those reductions. Also, those statistics may be used as criteria to design models that satisfy the statistics by construction. Such model design may be perfectly reasonable and desirable: Hendry’s analogies include “... model aircraft are designed to fly ...” (Hendry (1983b, p. 197)) and “engineers design bridges to withstand the loads of cars and lorries.” However, in the presentation of results, it is crucial to distinguish test statistics appearing as evaluation criteria from those appearing as (possibly implicit) design criteria.

Implicit and explicit model design. (A)–(C) generate reasonably conventional criteria for selection and evaluation of models. However, such criteria are minimal in that they often can be satisfied simply by *designing* empirical models appropriately. Within-sample “test statistics” become selection criteria, since “large” values on such tests would have induced a re-designed model. For example, a theory-based model imposed on data and with any residual serial correlation removed usually satisfies (A1) and (C); and so on.

Consequently, while these criteria are necessary, they are not sufficient to justify a given model for inference, forecasting, or

policy analysis. Genuine tests of a data-based formulation occur only if new data, new forms of tests, or new rival models accrue. "New" can also mean "unused" in this context. Further, because modelers commonly neglect the value of data from existing rival models, tests based on (D) often can help *evaluate* a given model. That is, we would require evidence on the ability of a model to encompass rival hypotheses, demonstrating that the information in (D) is irrelevant, conditional on (A) and (C). (Here we assume common agreement about and satisfaction of (B).) Since encompassing is a relatively unfamiliar concept, we now discuss it before summarizing this sub-section.

Encompassing. Encompassing can be understood intuitively from the following example illustrating *parameter* encompassing. Suppose Model 1 *predicts* $\tilde{a}$ as the value for the parameter a in Model 2, whilst Model 2 *actually* has the estimate $\hat{a}$. Then we test the closeness of $\tilde{a}$ to $\hat{a}$, taking account of the uncertainty arising in estimation. Model 1 parameter-encompasses Model 2 if $\tilde{a}$ is "statistically close" to $\hat{a}$, so that Model 1 explains why Model 2 obtains the results it does.

For single equations estimated by least squares, a necessary (but not sufficient) condition for parameter encompassing is *variance dominance*, where one equation variance-dominates another if the former has a smaller variance.⁵ Thus, encompassing defines a partial ordering over models, an ordering related to that based on goodness-of-fit; however, encompassing is more demanding than having the "best" goodness-of-fit. Encompassing is also consistent with the concept of a progressive research strategy (*e.g.*, see Lakatos (1970) and Section 2.D below), since an encompassing model is a kind of "sufficient representative" of previous empirical findings. Because any given model automatically encompasses all special cases of that model, encompassing can become vacuous by choosing a very large imbedding model. Thus, Florens, Hendry, and Richard (1987) introduce a more stringent concept, *parsimonious encompassing*. As an example, the sequential reduction in Section 4.B attempts to find a parsimoniously encompass-

⁵Formally, variance dominance refers to the underlying (and unknown) error variances. Without loss of clarity, we often will say a model variance-dominates another if the *estimated residual* variance of the former is smaller than that of the latter.

ing model. Hendry's empirical studies generally emphasize both encompassing and parsimony; cf. Davidson, Hendry, Srba, and Yeo (1978), Hendry (1983b), Hendry (1988c), Hendry and Mizon (1989), Baba, Hendry, and Starr (1991), and Hendry and Ericsson (1991a, 1991b).

In general, an encompassing strategy suggests trying to anticipate problems in rival models of which their proponents may be unaware. For example, one model may correctly predict that the errors of another model are not innovations, or that the parameters of the other model are not constant over time. Corroborating such phenomena adds credibility to the claim that the successful model reasonably represents the data process, whereas disconfirmation clarifies that it does not. For comprehensive accounts of tests for encompassing and of related non-nested hypothesis tests, see Mizon and Richard (1986), Mizon (1984), MacKinnon (1983), and Pesaran (1982). Hendry (1988c) and Ericsson and Hendry (1989) consider encompassing implications when the two models are conditional and rational expectations respectively.

The use of test statistics in both design and evaluation is similar in spirit to the data-based aspect of Box and Jenkins's (1976) methods for univariate time-series modeling, but existing empirical models and available subject-matter theory play a larger role, while being subjected to a critical examination for their data coherency on (A)–(D). Further, Hendry's methodology emphasizes the need to estimate the most general model under consideration to establish the innovation variance. Given that most general model, it is of interest to ask what simplifications to that model are available and what effects various simplifications have on the properties of the model.

C. Types of Empirical Models

From the autoregressive distributed lag relationship in (7), nine distinct model classes are derivable, and correspond to different parametric restrictions on the coefficients (B_0 , $\{B_i\}$). For expositional simplicity, we consider only current and one-period lags of scalar variables y_t and z_t entering (7), albeit with an explicit constant term. Generalizations to longer lags and more variables follow immediately, and appear in Hendry, Pagan, and Sargan (1984). Furthermore, properties of (7) and the system from which it is derived (equation (5)) determine whether or not a

long-run relationship exists between y_t and z_t , and so whether or not y_t and z_t are cointegrated. Hence, this section divides neatly into model classes, the error-correction model in particular, and cointegration.

Model classes. With a slight change of notation, (7) is:

$$y_t = \alpha + \beta_0 z_t + \beta_1 z_{t-1} + \beta_2 y_{t-1} + \nu_t \quad \nu_t \sim IN(0, \sigma_\nu^2) \quad (12)$$

in its simplified form. Without loss of generality, (12) can be re-arranged via data transformations to achieve:

$$\Delta y_t = \alpha + \beta \Delta z_t + \gamma(y_{t-1} - \delta z_{t-1}) + \nu_t \quad \nu_t \sim IN(0, \sigma_\nu^2) \quad (13)$$

where $\beta = \beta_0$, $\gamma = \beta_2 - 1$, and $\delta = -(\beta_0 + \beta_1)/(\beta_2 - 1)$ (provided $\beta_2 \neq 1$).⁶⁷ For reasons that will be apparent shortly, we refer to (13) as an error-correction model (denoted ECM).⁸

⁶With the lag operator L defined as $Lx_t = x_{t-1}$, we let the difference operator Δ be $(1 - L)$; hence $\Delta x_t = x_t - x_{t-1}$. More generally, $\Delta_j^i x_t = (1 - L^j)^i x_t$. If i (or j) is undefined, it is taken to be unity.

⁷If $\beta_2 = 1$, then (13) is: $\Delta y_t = \alpha + \beta \Delta z_t + (\beta_0 + \beta_1)z_{t-1} + \nu_t$.

⁸At least two other distinct representations have been labeled as "error-correction." First, Granger (1986, p. 216) and Engle and Granger (1987, p. 254) describe an error-correction form in which Δy_t depends on $(y_{t-1} - \delta z_{t-1})$ and lagged values of Δy_t and Δz_t , i.e., with no current-dated Δz_t . Engle and Granger's equation is not a conditional model, but is either a marginal model or (equivalently) a single equation from the joint distribution of x_t in (5). Given the role of weak exogeneity and contemporaneous conditioning in Hendry's methodology, it is natural to work with an ECM including rather than excluding Δz_t .

Second, Phillips (1988, p. 355) describes a model in which y_t depends on z_t , lags of $(y_t - \delta z_t)$, and current and lagged Δz_t . This equation is isomorphic to (13), or generalizations thereon. Even so, we will work with (13) and its generalizations rather than Phillips's representation because *inter alia* the former often obtain a more orthogonal information set. For instance, the right-hand side variables of our generalized ECM (Δz_t , lagged Δy_t and Δz_t , and the error-correction term $(y_{t-1} - \delta z_{t-1})$) usually are not highly intercorrelated; cf. Section 4.B. However, the term $(y_t - \delta z_t)$ does tend to be highly autocorrelated, in which case its different lags in Phillips's representation will be highly correlated with each other. See Section 4.B on data transformations as well.

Table 2.
Model Classes for the Autoregressive Distributed
Lag^{ab}

Model type	Equation	Restrictions
Autoregressive distributed lag	$y_t = \beta_0 z_t + \beta_1 z_{t-1} + \beta_2 y_{t-1} + \nu_t$	None
General error-correction ^c	$\Delta y_t = \beta_0 \Delta z_t + (\beta_2 - 1)(y - \delta z)_{t-1} \nu_t + \text{None}$	
Static regression	$y_t = \beta_0 z_t + \nu_t$	$\beta_1 = \beta_2 = 0$
Univariate time series	$y_t = \beta_2 y_{t-1} + \nu_t$	$\beta_0 = \beta_1 = 0$
Differenced data (growth rate)	$\Delta y_t = \beta_0 \Delta z_t + \nu_t$	$\beta_2 = 1, \beta_1 = -\beta_0$
Leading indicator	$y_t = \beta_1 z_{t-1} + \nu_t$	$\beta_0 = \beta_2 = 0$
Distributed lag	$y_t = \beta_0 z_t + \beta_1 z_{t-1} + \nu_t$	$\beta_2 = 0$
Partial adjustment	$y_t = \beta_0 z_t + \beta_2 y_{t-1} + \nu_t$	$\beta_1 = 0$
Common factor (AR error)	$y_t = \beta_0 z_t + u_t \quad u_t = \beta_2 u_{t-1} + \nu_t$	$\beta_1 = -\beta_0 \beta_2$
Homogeneous error-correction	$\Delta y_t = \beta_0 \Delta z_t + (\beta_2 - 1)(y - z)_{t-1} + \nu_t$	$\beta_0 + \beta_1 + \beta_2 =$
Reduced form (dead start)	$y_t = \beta_1 z_{t-1} + \beta_2 y_{t-1} + \nu_t$	$\beta_0 = 0$

^aThe typology is illustrated here with equation (12), a first-order autoregressive distributed lag AD(1,1). For generalizations, see Hendry, Pagan, and Sargan (1984, p. 1042).

^bFor ease of exposition, the constant term α (in (12)) is ignored throughout.

^cThe general error-correction model is isomorphic to the autoregressive distributed lag, with the parameter δ being $-(\beta_0 + \beta_1)/(\beta_2 - 1)$ (assuming $\beta_2 \neq 1$).

As summarized in Table 2, parametric restrictions on $(\beta_0, \beta_1, \beta_2)$ (and so on (β, γ, δ)) can imply the following models: static regression, univariate time series, differenced data (*i.e.*, growth rate), leading indicator, distributed lag, partial adjustment, common factor (*i.e.*, models with autoregressive errors), homogeneous error-correction, and reduced form (*i.e.*, dead start). Volumes

have been written on the properties of these models, with a lucid summary in Hendry, Pagan, and Sargan (1984, pp. 1040-1049). Crucially, all of these models involve testable restrictions on the autoregressive distributed lag. In practice, these restrictions are often left untested, thereby imposing a possibly unwarranted reduction of the DGP. Even so, the autoregressive distributed lag model is almost invariably trivial to estimate, so there is little justification in omitting the corresponding test. Conversely, a methodology aiming to simplify the AD model into one of these model types has a statistical framework for doing so.

Comfac models. The nine model classes follow directly from the corresponding restrictions. To illustrate, we consider the relationship of one model type to its restriction on (12) — models with a common factor or, equivalently, with an autoregressive error. This model type is particularly important because of its ubiquity in the empirical literature, its relation to the Engle-Granger two-step procedure (for cointegration), and the confusion over its logical status. Specifically on the last issue, models with autoregressive (AR) errors imply a restriction on a more general model, rather than a generalization from a more specific model. See Hendry and Mizon (1978) and Sargan (1980c) for detailed analyses.

Consider the model:

$$y_t = bz_t + u_t \quad (14)$$

with autoregressive errors:

$$u_t = \rho u_{t-1} + \nu_t. \quad (15)$$

By substitution of (15) into (14) and noting the definition of u_{t-1} from lagging (14), we have:

$$\begin{aligned} y_t &= bz_t + \rho u_{t-1} + \nu_t \\ &= bz_t + \rho(y_{t-1} - bz_{t-1}) + \nu_t \\ &= bz_t - \rho bz_{t-1} + \rho y_{t-1} + \nu_t. \end{aligned} \quad (16)$$

Thus, this model contains the restriction that $\beta_0\beta_2 = -\beta_1$. It is referred to as the “common factor” or “comfac” restriction be-

cause (16) can be rewritten with y_t and z_t being pre-multiplied by the common factor $(1 - \rho L)$:

$$(1 - \rho L)y_t = (1 - \rho L)bz_t + v_t \quad (17)$$

where L is the lag operator. Thus, to paraphrase Hendry and Mizon's (1978) title, autoregressive errors are a testable and possibly convenient restriction, not a nuisance.

The comfac restriction is testable by Lagrange multiplier, likelihood ratio, and Wald procedures (see Section 2.E). The Wald statistic is the easiest to calculate, being based upon the unrestricted (e.g., OLS) estimates of $(\beta_0, \beta_1, \beta_2)$ in (12). The likelihood ratio statistic can be calculated from the likelihoods (or, often equivalently, the residual sums of squares) from (14)-(15) and (12). Although feasible, the Lagrange multiplier statistic is rarely used in this context because of the necessarily iterative techniques for estimating (14)-(15). See Sargan (1980c) and Sargan (1964) on testing for comfac restrictions with Wald and likelihood ratio statistics respectively.

Error-correction models. The properties of and intuition behind error-correction models are important for understanding Hendry's approach, so we consider them in detail, taking a slightly circuitous route to reach (13). See Davidson, Hendry, Srba, and Yeo (1978, pp. 679-683) and Hendry, Pagan, and Sargan (1984) for additional discussion.

Consider a non-stochastic steady-state theory which implies proportionality between two variables Y and Z (e.g., consumption and income, money and nominal income, or wages and prices) so that $Y = KZ$ where K is constant for a given growth rate of Z (and so of Y). In logs, that theory becomes $y = \kappa + z$ with $\kappa = \ln(K)$. Without a precise, real-time economic theory of the dynamic relationship between the corresponding observable variables y_t and z_t , a general autoregressive distributed lag relationship is postulated, with the parameters satisfying the restriction entailed by the steady-state solution. Alternatively, Nickell (1985) justifies error correction mechanisms as arising from the optimal response of economic agents in certain dynamic environments. Hendry and Ericsson (1991a) discuss how ECMs generalize conventional partial adjustment models and can be consistent with Ss-type adjustment by economic agents; cf. Baumol

(1952) and Miller and Orr (1966). Developing on Campos and Ericsson (1988), Hendry and Ericsson (1991b) re-interpret ECMs as forward-looking, albeit with “data-based” rather than model-based formations of expectations.

Equation (12) is the general AD relationship with only current and one-period lags of y_t and z_t entering. Long-run homogeneity between y and z requires $\delta = 1$, or equivalently, $\beta_0 + \beta_1 + \beta_2 = 1$. Rewriting (12) with that restriction obtains:

$$\Delta y_t = \alpha + \beta \Delta z_t + \gamma(y_{t-1} - z_{t-1}) + \nu_t \quad \gamma \neq 0 \quad (18)$$

where α , β , and γ are the corresponding unrestricted parameters. While equation (18) is often called an error-correction, we will distinguish it from (13) by calling the latter a long-run *homogeneous* ECM, at least when ambiguity might arise. Equation (18) has numerous important properties.

First, equation (18) is representative of a large class of models belonging to (7): that class satisfies steady-state economic theoretic restrictions and allows for general dynamic responses. ECMs contrast with other model types, which typically impose restrictions on dynamic responses.

Second, equation (12), and hence (18), can be expressed as the conditional density for y_t in (6a) with $\lambda'_1 = (\alpha \ \beta \ \gamma \ \sigma_\nu)$, $x'_t = (y_t \ z_t)$, and $\ell = 1$. Intuitively, the term $\beta \Delta z_t$ reflects the immediate impact that a change in z_t has on y_t . The term $\gamma(y_{t-1} - z_{t-1})$ (with γ negative for dynamic stability) is statistically equivalent to having $\gamma(y_{t-1} - \kappa - z_{t-1})$ instead in (18), and hence reflects the impact on Δy_t of having y_{t-1} out of line with $\kappa + z_{t-1}$. Such discrepancies could arise from errors in agents' past decisions, with the presence of $\gamma(y_{t-1} - z_{t-1})$ reflecting their attempts to correct such errors: hence the name *error-correction* model.

Third, for a steady-state growth rate of Z_t equal to g (i.e., $g = \Delta z_t = \Delta y_t$) and $\nu_t = 0$, then, solving (18), we have:

$$Y_t = Z_t \cdot \exp\{[-\alpha + g(1 - \beta)]/\gamma\}, \quad (19)$$

reproducing the assumption of proportionality between Y_t and Z_t entailed by the non-stochastic steady-state theory. Note also that

$K = \exp\{[-\alpha + g(1 - \beta)]/\gamma\}$, which is independent of g only if $\beta = 1$ or α depends on g appropriately. See Kloeck (1984) and Salmon (1982). Valid inferences about the “long-run parameter” K require efficiently (and so consistently) estimating both the vector of parameters in (18) (including the parameters β and γ corresponding to short-run and dis-equilibrium effects) and that vector’s variance matrix.

This example of the simple one-lag, homogeneous error-correction model is readily extended to include non-proportionality (as in (13)), additional lags, and vector (rather than scalar) y_t and z_t . See Hendry, Pagan, and Sargan (1984). Examples of ECMs appear in Sections 4.B and 4.D.

Cointegration. The ECM class arises naturally from considering the time-series properties of economic data, as is apparent on introducing the related concept cointegration. Typical macro-economic data series (*e.g.*, money, income, prices, GNP, consumers’ expenditure, investment) appear non-stationary. Granger (1981) formalizes the concept of a series being integrated of order n (denoted $I(n)$) if its n th difference is stationary but its $(n-1)$ th difference is not. In practice, $n = 1$ often suffices. Thus, univariate autoregressive representations of the (scalar) y_t and z_t in our example could each have one root of unity, whereas Δy_t and Δz_t would then be stationary (or $I(0)$). For an arbitrary linear combination of y_t and z_t ($y_t - \delta z_t = u_t$, say), that linear combination u_t is generally also $I(1)$ and Δu_t is $I(0)$. However, there can exist a unique value of δ such that u_t is $I(0)$; if so, y_t and z_t are said to be *cointegrated*. For example, in (18), to ensure that all the regressors balance with the regressand being $I(0)$, then y_t and z_t would have to be cointegrated with $\delta = 1$. More generally, this cointegrating vector δ is the same δ in (13), thus tying cointegration directly to ECMs. For the initial development of cointegration, see Granger (1981), Granger and Weiss (1983), the papers in Hendry (1986b), and Engle and Granger (1987). For recent summaries and extensions, see Hylleberg and Mizon (1989), Engle and Yoo (1989), Dolado, Jenkinson, and Sosvilla-Rivero (1990), Phillips (1991), and Phillips and Loretan (1991). Section 4.A analyzes Hendry and Ericsson’s (1991b) money-demand data for cointegration.

To present a clearer overall picture of cointegration, we return to the unrestricted system for (y'_t, z'_t) , namely, equation (5),

and follow the interpretation provided by Johansen (1988) and Johansen and Juselius (1990). Both y_t and z_t may be vectors, and that complicates the analysis – there may be more than one cointegrating vector.

By adding and subtracting various lags of x_t , (5) may be rewritten as:

$$\Delta x_t = \pi x_{t-1} + C_1 \Delta x_{t-1} + \dots + C_{\ell-1} \Delta x_{t-\ell+1} + \epsilon_t \quad (20)$$

where the $\{C_i\}$ are

$$C_i = -(\pi_{i+1} + \dots + \pi_\ell) \quad i = 1, \dots, \ell - 1 \quad (21)$$

and

$$\pi \equiv \left(\sum_{i=1}^{\ell} \pi_i \right) - I. \quad (22)$$

The π matrix defined in (22) contains information on the long-run properties of the x_t process.⁹ We consider the special situation where x_t is $I(1)$ (at most) and so Δx_t is $I(0)$, in which case the rank of π determines the cointegration properties of x_t .

Denoting the dimension of x_t as $p \times 1$ and the polynomial $(\sum_{i=1}^{\ell} \pi_i \mathcal{Z}^i) - I$ as $\pi(\mathcal{Z})$, those properties are as follows.

- (i) $\text{rank}(\pi) = p$. For π to have full rank, none of the roots of $|\pi(\mathcal{Z})| = 0$ can be unity. Provided $|\pi(\mathcal{Z})| = 0$ has all its $\ell \cdot p$ roots strictly outside the unit circle, x_t is stationary because $\pi(L)$ can be inverted to give an infinite moving average (MA) representation of x_t .
- (ii) $\text{rank}(\pi) = 0$. This implies that $\pi = 0$, so (20) is an equation in differences only. Also, this means that each variable in x_t is $I(1)$.

⁹ Johansen (1988) and Johansen and Juselius (1990) write (20) with the level of x entering at the ℓ th rather than the first lag. Doing so does not alter the coefficient on the lagged level (which is π) although it does change the coefficients on the lagged values of Δx_t . The analysis of cointegration concerns the properties of π alone, so the choice of lag on x is irrelevant in this context.

- (iii) $0 < \text{rank}(\pi) \equiv r < p$. In this case, we can write π as the outer product of two (full column rank) $p \times r$ matrices α and β :

$$\pi = \alpha\beta', \quad (23)$$

where β' is the matrix of cointegrating vectors and α is the matrix of "weighting elements."¹⁰ That is, each $1 \times p$ row β'_i in β' is a cointegrating vector, as is required for "balance" to make the cointegrating relation $\beta'_i x_{t-1}$ an $I(0)$ process in (20) when (23) is substituted into (20). And, each $1 \times r$ row α_j of α is the set of weights for the r cointegrating terms appearing in the j th equation. Thus, the rank r is also the number of cointegrating vectors in the system. While α and β themselves are not unique, β uniquely defines the cointegration space, and suitable normalizations for α and β are available.

In the bivariate example for the ECM, $p = 2$ and $r = 1$ so that there is a single cointegrating vector $\beta' = (1, -\delta)$. Also, we have normalized on the coefficient for y_t .

Numerous systems-based test procedures have been proposed, with the most straightforward being those of Johansen (1988) and Johansen and Juselius (1990). First, they develop maximum likelihood-based testing procedures for determining the value of r , and tabulate the (asymptotic) critical values of the likelihood ratio statistic as a function of $p-r$. A likelihood framework is particularly appealing in our context, given the initial specification of the DGP as a density function. Further, noting that $\text{rank}(\pi)$ is the number of nonzero eigenvalues in a determinantal equation closely related to estimating π , the LR test ties directly back to π by testing how many of those eigenvalues are zero. Additionally, the cointegrating vectors in β' are a subset of the associated eigenvectors. Two variants of the LR statistic exist, one using the maximal eigenvalue over a subset of smallest eigenvalues, the other using all eigenvalues in that subset. These tests and α and β' are computed in Section 4.A below. Second, Johansen and Juselius develop procedures for testing hypotheses about α and

¹⁰ We use the notation of α and β because they are standard in Johansen's cointegration analysis. However, they are not to be confused with α and β in (13) and (18), which are unrelated to the current usage.

β' , such as zero restrictions.

For the conditional model (7), additional issues regarding cointegrating arise. Normalizations aside, the cointegrating vectors β are invariant to the particular contemporaneous factorization chosen, *i.e.*, how x_t is partitioned into y_t and z_t . However, the weighting coefficients are not invariant because α is co-mingled with Ω_{12} and Ω_{22} , which depend upon which variables appear in y_t and in z_t . Still, the weighting coefficients are of interest because weak exogeneity is lost if a cointegrating vector appears in both the conditional and marginal densities (*i.e.*, it has nonzero weights in both). Johansen (1990) proposes an ingenious likelihood-based test of weak exogeneity pertaining to the cointegrating vectors. Our conditional analysis following from (7) above and also from (12) *assumed* weak exogeneity, and thereby excluded the same cointegrating vector from appearing in both the conditional and marginal processes. If weak exogeneity is valid, cointegration analysis can proceed on the conditional model (7) without loss of information, and Johansen (1990) shows how to do so.

Equation (7) might simplify further, such as by having common factors. If it does, then testing for a unit root in u_t amounts to testing whether any of the common factors has a unit root (or whether $\text{rank}(\pi) = 0$). Somewhat surprisingly, even if common factors are invalid in (7) but are imposed in estimation, tests of a unit root in u_t generally are consistent, but they do lack power relative to some other tests; cf. Kremers, Ericsson, and Dolado (1989).

Engle and Granger (1987) establish the consistency of and propose the use of unit-root tests in the context of cointegration. Cointegration of y_t and z_t corresponds to the roots of u_t being within the unit circle, *i.e.*, that u_t is $I(0)$ rather than $I(1)$. Test statistics include the augmented Dickey-Fuller (1979, 1981) statistic $ADF(i)$ and the Durbin-Watson statistic d_w , using the bounds in Sargan and Bhargava (1983) for the latter. Further, Engle and Granger (1987) establish an isomorphism between cointegration and error correction: models with valid ECMs entail cointegration and, conversely, cointegrated series imply an error-correction representation for the econometric model. (For an exposition and extension, see Granger (1986).) They also show that δ can be consistently estimated from the static regression of y_t on z_t ; the asymptotic distribution of that estimator is derived by Stock

(1987), Phillips (1987), and Phillips and Durlauf (1986). Nevertheless, inference about δ depends upon nuisance parameters; and, as Banerjee, Dolado, Hendry, and Smith (1986) demonstrate, large finite-sample biases can result when estimating δ in this way. Finally, many hypotheses of interest relate to the complete conditional model specification (13), and concern speeds of adjustment and the constancy of δ over time.

To summarize, cointegration is an important unifying concept. First, it ties long-run economic-theoretic relationships to a statistical time-series framework. Second, it provides the statistical basis for testing the existence of a long-run relationship via tests of unit roots. Third, it establishes a firmer statistical and economic basis for the empirically successful error-correction models. Fourth, it resolves the “spurious regressions” or “nonsense-correlations” problem associated with “trending” time-series data via the distributional theory of integrated processes; cf. Phillips (1986). Finally, it clarifies the relationship between Box-Jenkins-type time-series models and economically based levels (often static) models, with the former capturing dynamics but ignoring multivariate relationships and the latter emphasizing the multivariate nature of economic data but ignoring its dynamics. Equations (5) and (7) allow for both dynamics (via lag structure) and multivariate relationships (via cointegration).

D. Modelling Strategies

Throughout his various discussions on methodology, Hendry distinguishes between the roles of model discovery and model justification in empirical model-building. This subsection briefly discusses these concepts, the relative merits of general-to-simple and simple-to-general modelling, and the role of encompassing in a progressive research strategy.

In model justification, tests such as those in Section 2.B are fundamental as evaluation criteria. They help detect whether or not a model is well-specified, *i.e.*, whether or not that model entails valid reductions against the various information sets considered. Evaluation is a routine, almost mechanical procedure.

Model discovery is anything but routine. While “failed” tests may indicate the sorts of mis-specification present, most tests have power against a wide range of alternatives other than the one for which the test was designed. Thus, “rejection of the null does

not imply the alternative,” even though many economists interpret (*e.g.*) autocorrelation in the residuals as indicative of *autoregressive* errors, and re-estimate the mis-specified model with an AR error process. As seen above, that implies an untested and possibly false common factor restriction. Further, the autocorrelated residuals need not even be due to *dynamic* mis-specification of the empirical model, but could arise from omitted variables, mis-specified functional form, etc. Still, we should not ignore the information provided by failed test statistics; rather, we should be cautious in interpreting why the model failed those tests, and hence how best to improve the model.

Hendry (1987a, pp. 29-30) emphasizes the inherent dependence of a model’s discovery on its designer’s abilities, noting

... four *golden prescriptions* for those who seek to study data:

- I. Think brilliantly. ...
- II. Be infinitely creative. ...
- III. Be outstandingly lucky. ...
[and, lacking any of these three characteristics, ...]
- IV. Stick to being a theorist.
(italics in original)

While tongue in cheek, these prescriptions hold a substantial element of truth. Much of the empirical modeler’s “value added” is via discovery of a model, not via demonstration of the model’s empirical validity, even given the importance of the latter. Indeed, because we do not know the DGP, no route or method is excluded from finding a correct specification, nor can the route taken to obtain a model affect its intrinsic validity or otherwise. However, once we posit a model as well-specified, we have many tools for evaluating that claim, and/or checking that the model has been well-designed. All this said, there are some guidelines to modeling that are appealing theoretically and have often been successful in practice.

General-to-simple versus simple-to-general. In general-to-simple modeling, we start with the most general model feasible and simplify it to as parsimonious and economically interpretable a model as is statistically acceptable. The simplifications are reductions in themselves, and parallel the reductions described in Sections 2.A and 2.B on the status and evaluation of empirical

models. Tests of those simplifications check whether or not the corresponding reductions are valid.

The “most general feasible model” usually is profligate with parameters, so many potential paths of simplification are available. Data transformations prior to simplification sometimes help identify a sensible path. *E.g.*, the autoregressive distributed lag in (12) is often easier to model when expressed as the equivalent (13). The latter is in differences (growth rates) and differentials, which tend to be nearly uncorrelated with each other, rather than levels and lagged levels, which are highly correlated. The nearly uncorrelated regressors of (13) are appealing for other reasons as well: measurement errors on one regressor have little effect on inference regarding another regressor, and the regressors may correspond to agents’ orthogonalization of their information set in making their decisions. Even so, more than one data-acceptable parsimonious model may be obtainable from the same data set, requiring additional data, tests, or outside information to differentiate between them.

Hendry’s (1979b) study of the U.K. demand for M_1 is a good example of the general-to-simple approach, where he starts with a fourth-order autoregressive distributed lag for money, total final expenditure (the scale variable), prices, and the interest rate, and simplifies to obtain a parsimonious (six-parameter), data-coherent model. From developments in Trundle (1982), Hendry (1985, 1988c), and Hendry and Ericsson (1991b), it is possible to obtain an even simpler (still data-coherent) model over a substantially *longer* data sample. Sections 4.A and 4.B consider this data in greater detail, with 4.B illustrating general-to-simple modeling.

While the simple-to-general approach (illustrated by the autocorrelation/untested common factors example) cannot be excluded as a route to finding a better model, generally it uses the data information available in an inefficient and potentially inconsistent manner. This approach always assumes that the existing (simple) model has valid associated reductions, except possibly for the one being tested (*e.g.*, autoregressive errors). If any other reductions are invalid, inferences on the simple model become hazardous. Hendry (1980) and Hendry and Richard (1982) illustrate some of the pitfalls in the simple-to-general approach.

Encompassing. Any existing model cannot preclude the value

of new insights. Encompassing ensures not only that a model based on those insights adds to the existing knowledge about the phenomenon being modeled, but also that it does not neglect existing knowledge. So, encompassing provides a basis for a progressive research strategy, wherein any new (encompassing) model both contributes something new to the explanation of the phenomenon modeled while accounting for previous models' results.

Davidson, Hendry, Srba, and Yeo's (1978) initial study of U.K. consumer expenditure and the subsequent study by Hendry and von Ungern-Sternberg (1981) both emphasize encompassing as a critical property of an empirically acceptable model, albeit before the word "encompassing" was in general use to describe what they were doing. See Hendry (1987a, p. 43) for the progression of studies on U.K. consumers' expenditure and narrow money demand.

Hendry and Ericsson's (1991a) model of annual U.K. money demand is an explicit outcome of a progressive research strategy. An initial model was formulated in Hendry and Ericsson (1983), which stimulated further studies, including an improved specification on the same information set by Longbottom and Holly (1985), and a nonlinear reformulation by Escribano (1985). Longbottom and Holly's and Escribano's models each encompassed the 1983 model, but the 1983 model could not encompass either of theirs. Still, neither of the improved models could encompass the *other* improved model, implying the potential for further improvement on the existing data set. To that end, the money-demand model published in Hendry and Ericsson (1991a) encompasses the 1983 model, and the models of Longbottom and Holly and of Escribano. Via encompassing, this most recent model represents a sort of "sufficient statistic" for modeling money demand on this data set, while recognizing that yet further improvements may be possible on this data set or by extending the data set (cf. Hendry and Richard (1989) on properties of encompassing models and Klovland (1987) on an extended data set).

Model design. Encompassing emphasizes the importance of explaining properties of other models, and so the validity of reductions on data that are in other models but not in the model being evaluated. As Section 2.B indicates, encompassing and other test

statistics can be employed as model design criteria, with models explicitly constructed to satisfy these tests. White (1988, 1990) provides a statistical theoretic basis for doing so:

Thus, we have an m -testing model selection procedure which rejects sufficiently misspecified models and retains sufficiently correctly specified models with confidence approaching certainty as $[T] \rightarrow \infty$. Use of such procedures has the potential to remove some of the capriciousness associated with certain empirical work in economics and other fields. For this reason we wholeheartedly endorse progressive research strategies such as that of Hendry and Richard (1982) and Hendry (1987[a]) for arriving at sufficiently well specified characterizations of the DGP. We believe the m -testing framework set forth here can be a convenient vehicle for such strategies. White (1990, p. 381)

To summarize, Hendry's modeling strategy is intimately linked to the status of empirical models themselves, the statistics for evaluating and designing them, and the classes of models generated by various reductions. The approach stresses a general-to-simple approach, starting with an autoregressive distributed lag and simplifying where statistically feasible, and in an economically interpretable manner. The mapping between AD models, ECMs, and cointegration aids economic interpretability; statistical tests guide the simplifications. Encompassing, along with that explicit model design, helps to ensure progressivity.

E. Model Estimation and Testing

As Sections 2.A and 2.B show, empirical models and test statistics derive from the probability density of the DGP, so it is unsurprising that model estimation and testing are based on the likelihood function. Relatedly, Hendry (1976) shows that virtually all existing estimators can be viewed as (and better understood as) numerical and statistical approximations to the maximum likelihood estimator (MLE). These approximations include instrumental variables (and so Hansen's (1982) generalized method of moments, or GMM, estimator), 2SLS, 3SLS, k -class estimators, and autoregressive variants thereon. In Hendry's (1976) framework, it is easy to determine which estimators are asymptotically (or even

numerically) equivalent to MLE, which are not, and under what circumstances. In practice, MLE is obtained by maximizing the likelihood and/or by setting its first derivative (the "score") to zero. Both the likelihood and the score play fundamental roles in testing as well. Tests and estimation are also linked via recursive updating algorithms for estimation, which also generate tests of parameter constancy. Thus, this subsection reviews the three principles for testing, sketches the analytics of recursive estimation, and describes the relationship of recursive procedures to Chow's statistic and Brown, Durbin, and Evans's CUSUM and CUSUMSQ statistics.

Testing. Test statistics fall into one of three categories: likelihood ratio (LR), Lagrange multiplier (LM), or Wald. For the first, the likelihood function is evaluated under both the maintained (unrestricted) and null (restricted) hypotheses. The negative of twice the difference of the log-likelihoods is asymptotically distributed as χ^2 under the null hypothesis. For the LM statistic, the score of the maintained hypothesis is evaluated at the restricted parameter estimate. Deviations of that score from zero reflect the degree to which the null hypothesis is not close to the unrestricted estimate. To capture that notion statistically, the LM statistic is constructed as a quadratic form in the score, with weightings from the covariance matrix of the score itself. By contrast, the Wald statistic uses only unrestricted parameter estimates. The degree to which these unrestricted estimates satisfy the parametric restrictions of the null hypothesis is evaluated, and the Wald statistic is constructed as a quadratic form of the (suitably weighted) discrepancies from the restrictions. Typically, the LM, LR, and Wald statistics are asymptotically equivalent, so computational convenience and finite sample properties determine the choice of which one to use. See Engle (1984) for a comprehensive description of test procedures, and Buse (1982) for a graphical analysis of the relationship between the three test statistics.

Estimation. Hendry's empirical models frequently involve contemporaneous conditioning of a single variable or subset of variables on several other variables, greatly simplifying ML estimation. Provided weak exogeneity is valid, MLE is often least squares. Recursive least squares provides evidence on parameter constancy, predictive accuracy, and the assumed weak exogeneity

(via tests of super exogeneity), so we consider recursive methods in some detail.

Recursive methods. One dominant design criterion in Hendry's methodology is parameter constancy. Recursive estimation of an equation provides an incisive tool for investigating parameter constancy, both through the sequence of estimated coefficient values and via the associated Chow statistics for constancy. Tests of forecast accuracy are intimately related to these tests of constancy; cf. Hendry (1979b) and Kiviet (1986). See Brown, Durbin, and Evans (1975), Harvey (1981, pp. 54-57, 148-159), and Dufour (1982) for excellent discussions of recursive techniques and their implications.

Using the standard linear regression model (9) to illustrate, the OLS estimator of β over observations $[1, t]$ is:

$$\hat{\beta}_t = (X_t' X_t)^{-1} X_t' Y_t, \quad (24)$$

where $X_t = (x_1 \dots x_t)'$ and $Y_t = (y_1 \dots y_t)'$. It is relatively simple (and computationally inexpensive) to obtain the entire sequence of OLS estimates $\{\hat{\beta}_t : t = h, \dots, T\}$, starting with some initial number of observations h ($h \geq k$ for k regressors). The actual algorithm for recursive least squares (RLS) illuminates the properties of that sequence and the properties of test statistics based upon it, so we digress to discuss it.

Much of the actual computational time in calculating $\hat{\beta}_t$ is spent inverting $(X_t' X_t)$. RLS inverts only $(X_h' X_h)$ and avoids inversion of $(X_t' X_t)$ for $t > h$ by the following updating rule, based on a lemma using the formula for partitioned inversion of a matrix:¹¹

¹¹For the partitioned matrix

$$\begin{bmatrix} A & -B \\ B' & C \end{bmatrix},$$

we have:

$$(A + BC^{-1}B')^{-1} = A^{-1} - A^{-1}B(C + B'A^{-1}B)^{-1}B'A^{-1}.$$

Equation (25) follows with $A = X_{t-1}' X_{t-1}$, $B = x_t$, and $C = 1$.

$$(X'_t X_t)^{-1} = (X'_{t-1} X_{t-1})^{-1} - a_t a'_t / f_t \quad t = h+1, \dots, T, \quad (25)$$

where

$$a_t = (X'_{t-1} X_{t-1})^{-1} x_t \quad (26)$$

and

$$f_t = 1 + x'_t (X'_{t-1} X_{t-1})^{-1} x_t = 1 + x'_t a_t. \quad (27)$$

The vector $X'_t Y_t$ can be calculated (computationally trivially) as $X'_{t-1} Y_{t-1} + x_t y_t$, so:

$$\hat{\beta}_t = \hat{\beta}_{t-1} + a_t \eta_t / f_t \quad t = h+1, \dots, T, \quad (28)$$

by substitution of (25) into (24), and where the innovation (equivalently, recursive residual) η_t is:

$$\eta_t = y_t - \hat{\beta}'_{t-1} x_t \quad t = h+1, \dots, T. \quad (29)$$

The variances of η_t and $\hat{\beta}_{t-1}$ are $\sigma_e^2 \cdot f_t$ and $\sigma_e^2 \cdot (X'_{t-1} X_{t-1})^{-1}$ respectively.

Intuitively, the updating formula (28) modifies $\hat{\beta}_{t-1}$ to the degree that the new information is *not* in line with the previous estimate (*i.e.*, the extent to which η_t is nonzero), weighted by the uncertainty in the estimate $\hat{\beta}_{t-1}$ relative to the uncertainty surrounding the news η_t . Likewise, equation (28) is a natural estimation analogue to the sequential factorization of the likelihood function in (3).¹²

Other recursive estimates follow immediately from these formulae. The residual sum of squares (RSS_t) is $RSS_{t-1} + \eta_t^2 / f_t$, from which comes the recursive equation standard error $\hat{\sigma}_t (= \sqrt{RSS_t / (t - k)})$. Recursive estimated standard errors for $\{\hat{\beta}_t\}$ follow from $\hat{\sigma}_t$ and (25).

The innovations $\{\eta_t\}$ also are the basis for two classes of parameter-constancy test statistics, which are proposed by Chow

¹² Recursive instrumental variables estimation is also feasible although the algorithms are considerably more complicated; cf. Phillips (1977) and Hendry and Neale (1987).

(1960) and augmented by Brown, Durbin, and Evans (1975). These statistics play crucial roles both for testing weak exogeneity indirectly through testing the conjunction of hypotheses embodied in super exogeneity, and (relatedly) for testing feedback versus feedforward empirical models; cf. Engle, Hendry, and Richard (1983), Hendry (1988c), and Engle and Hendry (1986). To discuss these statistics more easily, it is helpful to introduce the “quasi-innovation” $\eta_{t+j,t} = y_{t+j} - \hat{\beta}'_t x_{t+j}$ ($j > 0$): that is, the innovation for time $t + j$ based on $\hat{\beta}_t$. Above, we have used the simplified notation $\eta_t = \eta_{t,t-1}$.

Chow derives the covariance matrix for $\{\eta_{t+j,t}, j = 1, \dots, N\}$ under classical assumptions. From that, he constructs two statistics, one for testing that all of the quasi-innovations have zero expectation $\{\mathcal{E}(\eta_{t+j,t}) = 0, j = 1, \dots, N\}$, and the other for testing that the *arithmetic mean* of the quasi-innovations has zero expectation $\{\mathcal{E}(\sum_{j=1}^N \eta_{t+j,t}/N) = 0\}$. The former is commonly referred to as the “Chow statistic,” and we will use that terminology, although noting that Fisher’s (1922) covariance statistic is also sometimes called the Chow statistic, particularly by North-American writers. We will refer to the statistic on the arithmetic mean as the Chow t -statistic because of its associated distribution under the null hypothesis. We now consider how the Chow statistic and the Chow t -statistic are calculated from the recursive estimates, and what the statistics’ variants are in terms of the forecast horizon.

The Chow statistic. The (N -step) Chow statistic [to test $\{\mathcal{E}(\eta_{t+j,t}) = 0, j = 1, \dots, N\}$] can be directly calculated as:

$$\begin{aligned} \text{CHOW}(N, t - k) &= \frac{(RSS_{t+N} - RSS_t)/N}{RSS_t/(t - k)} \\ &= \left[\frac{RSS_{t+N}}{RSS_t} - 1 \right] \cdot [(t - k)/N], \quad (30) \end{aligned}$$

where RSS_t and RSS_{t+N} are obtained recursively, and are numerically equivalent to the residual sums of squares directly calculated from $\hat{\beta}_t$ and $\hat{\beta}_{t+N}$ respectively. Under the null hypothesis of correct specification, the statistic $\text{CHOW}(N, t - k)$ is exactly

distributed as an $F(N, t - k)$ for normal independent e_t with fixed regressors x_t , approximately so for dynamic regressors. The Chow statistic itself is approximately:

$$\begin{aligned}\text{CHOW}(N, t - k) &\approx \left\{ \sum_{j=1}^N (y_{t+j} - \hat{\beta}_t' x_{t+j})^2 / N \right\} / \hat{\sigma}_t^2 \\ &= \left\{ \sum_{j=1}^N \eta_{t+j,t}^2 / N \right\} / \hat{\sigma}_t^2,\end{aligned}\quad (31)$$

where the coefficient uncertainty (and so the correlations between $\eta_{t+i,t}$ and $\eta_{t+j,t}$, $i \neq j$) is ignored. In effect, the Chow statistic compares the mean square forecast error (the average in curly brackets in (31)) with the in-sample error variance $\hat{\sigma}_t^2$. Equally, the Chow statistic compares the observed quasi-innovations with their anticipated variance covariance matrix (approximately $\hat{\sigma}_t^2 \cdot I_N$) to measure whether or not the quasi-innovations' means have deviated significantly from zero. Hendry's (1979b) χ^2 statistic for testing against predictive failure is N times the right hand side of (31).

Recursive estimation is sequential, so *sequences* of statistics for testing for parameter constancy are natural and convenient to evaluate. Common sequences are characterized by whether the "forecast horizon" N is fixed, decreasing, or increasing. Those sequences for the N -step Chow statistic are;

- (i) fixed N -step, $\{\text{CHOW}(N, t - k), t = h, \dots, T - N\}$,
- (ii) decreasing horizon ($N \downarrow$), $\{\text{CHOW}(N, T - N - k), N = T - h, \dots, 1\}$, and
- (iii) increasing horizon ($N \uparrow$), $\{\text{CHOW}(N, h - k), N = 1, \dots, T - h\}$.

An important member of (i) is the sequence of one-step Chow statistics, i.e., $\{\eta_t^2 / (\hat{\sigma}_{t-1}^2 f_t), t = h, \dots, T - 1\}$, where a typical statistic is testing $\mathcal{E}(\eta_t) = 0$.

The sequences (i)–(iii) are portrayed in Figures 1a–1c, with the first figure being for the one-step ahead sequence (for ease of illustration). Further, in empirical work itself, graphs conveniently and succinctly present these sequences, the recursive estimates,

Figure 1a.

The sequence of one-step ahead Chow statistics: estimates and forecasts.

and the one-step residuals described below, as shown in Figures 5-11 (Sections 4.C and 4.D). The sequences (ii) and (iii) sometimes are called “break-point” and “fixed-point” sequences, given the nature of the division between estimation and forecast periods in each. In practice, it is useful to have N , T , and/or h chosen by the user, *e.g.*, when attempting to detect a particular class of departures from constancy.

The Chow t -statistic. The N -step Chow t -statistic [for testing $\mathcal{E}(\sum_{j=1}^N \eta_{t+j,t}/N) = 0$] is:

$$\begin{aligned} t\text{-CHOW}(N : t - k) &= \left\{ \sum_{j=1}^N (y_{t+j} - \hat{\beta}_t' x_{t+j}) / N \right\} / \{ \hat{\sigma}_t^2 \cdot \omega_{t+N,t}^2 \}^{1/2} \\ &= \left\{ \sum_{j=1}^N \eta_{t+j,t} / N \right\} / \{ \hat{\sigma}_t^2 \cdot \omega_{t+N,t}^2 \}^{1/2}, \end{aligned} \quad (32)$$

where

$$\omega_{t+N,t}^2 = N^{-1} + \left(\sum_{j=1}^N x_{t+j}' / N \right) (X_t' X_t)^{-1} \left(\sum_{j=1}^N x_{t+j} / N \right). \quad (33)$$

Figura 1b.

The sequence of N l -step ahead Chow statistics: estimates and forecasts.

Figura 1c.

The sequence of N 1-step ahead Chow statistics: estimates and forecasts.

Unlike (31), the equalities in (32) are exact. Under the null hypothesis of correct specification, the statistic $t\text{-CHOW}(N : t - k)$ is exactly distributed as Student's t with $(t - k)$ degrees of freedom for normal independent e_t with fixed regressors x_t , approximately so for dynamic regressors. The forecast horizon N is included as an argument to clarify the number of quasi-innovations averaged.¹³

The Chow t -statistic also allows three classes of sequences:

- (i*) fixed N -step, $\{t\text{-CHOW}(N : t - k), t = h, \dots, T - N\}$,
- (ii*) decreasing horizon ($N \downarrow$), $\{t\text{-CHOW}(N : T - N - k), N = T - h, \dots, 1\}$, and
- iii*) increasing horizon ($N \uparrow$), $\{t\text{-CHOW}(N : h - k), N = 1, \dots, T - h\}$.

However, given the Chow statistics from (30), the *one-step* Chow t -statistic $t\text{-CHOW}(1 : t - k)$ is *uninteresting* (apart from its sign) because its square is $\text{CHOW}(1, t - k)$.

The CUSUM and CUSUMSQ statistics. Brown, Durbin, and Evans (1975) propose using the cumulative sum (CUSUM) and cumulative sum of squares (CUSUMSQ) of $\{\eta_t\}$ for testing against nonconstant (β, σ^2) . The relationship of those statistics to Chow's is as follows.

The CUSUMSQ statistic is:

$$\text{CUSUMSQ}_t = \left(\sum_{j=k+1}^t \eta_j^2 \right) / \left(\sum_{j=k+1}^T \eta_j^2 \right) = \text{RSS}_t / \text{RSS}_T, \quad (34)$$

which is equivalent to the $(T - t)$ -step $\text{CHOW}(T - t, t - k)$ statistic via a nonlinear transformation, noting (30). Brown, Durbin, and Evans suggest plotting the sequence $\{\text{CUSUMSQ}_t, t = h, \dots, T\}$, equivalent to the sequence of decreasing-horizon Chow statistics (ii). Confidence bands for the sequence of CUSUMSQ are lines parallel to the 45° line.

Brown, Durbin, and Evans's CUSUM statistic is:

¹³Chow(1960, p. 594) actually proposes the square of $t\text{-CHOW}(N : t - k)$, distributed as $F(1, t - k)$, but the t -statistic is more useful because it includes the sign of the deviation from zero.

$$\text{CUSUM}_t = \left\{ \sum_{j=k+1}^t \eta_j \right\} / \left\{ \sum_{j=k+1}^T \eta_j^2 / (T - k) \right\}^{1/2}, \quad (35)$$

and is closely related to the t -CHOW($T - t : -k$) in that both are designed to have particular power against a nonzero average of the forecasts' means. However, the Chow t -statistic looks at the average of the quasi-innovations whereas the CUSUM statistic uses the average of the innovations, so their properties in finite samples may differ somewhat. The Chow t -statistic can be written in terms of a weighted average of the appropriate innovations, paralleling (35), but the weights are unequal. Confidence bands for sequences of Chow t -statistics are simple to calculate; those for the CUSUM statistic are less so (see Brown, Durbin, and Evans (1975)), although the modified CUSUM statistic $\text{CUSUM}_t/(t - k)^{1/2}$ is approximately normal.

Various sequences of the CUSUM statistic are trivial to calculate from the sequence of innovations generated by RLS. Sequences of fixed N -step and decreasing-horizon Chow t -statistics require the sequence $\{(X_t' X_t)^{-1}\}$, making anyone of them easy to calculate during estimation but more time-consuming to do so if requested after estimation when the sequence $\{(X_t' X_t)^{-1}\}$ is not stored.

These sequences of statistics and the sequences of coefficient estimates with their associated standard errors provide different, albeit related, views on empirical parameter constancy and are designed to detect various types of structural breaks which might occur. The sequence of the "one-step residual" $\{y_t - \hat{\beta}_t' x_t\}$ and a measure of its uncertainty $\{0 \pm 2\hat{\sigma}_t\}$ together provide a convenient set of statistics summarizing much from the other recursive estimates and statistics.

Recursive least squares and the corresponding test statistics generalize immediately to unrestricted systems of equations: Y_t in (24) is reinterpreted as a matrix. Hence, this estimator is known as recursive multivariate least squares (RMLS). It is central to testing the constancy of the complete system (5), and to testing the constancy of (7) when (7) is a sub-system but not a single equation.

F. Summary and Perspective

Figure 2 summarizes the relationships between several principal concepts discussed above. Each concept has a statistical and an economic counterpart. Economic theory (in the upper right hand corner) is central to all concepts, and serves as a natural starting point from which to trace the various branches of the figure.

Cointegration and dynamic specification. At a minimum, economic theory suggests which variables ought to exhibit a long-run relationship. Cointegration links that economic notion with a statistical model of those variables. Cointegration also implies the existence of an error-correction representation of the relevant variables, leading to the short-run as well as long-run interactions, and hence dynamic specification.

Dynamic specification influences model design because of the statistical and economic importance of white-noise, innovation disturbances. Dynamics may appear in empirical models because the agent's optimization explicitly dictates its presence, because agent behavior implies cointegrated variables and hence dynamics, because *ceteris paribus* conditions of the theory-model may not hold in fact, or because of any combination thereof. As a rule, dynamic *mis*-specification invalidates inference, so dynamics cannot be safely ignored, and a general specification (at the outset, at least) often is advisable.

Agents' contingent plans. Weak exogeneity can occur when agents condition on information, *e.g.*, in forming contingent plans. If they use the information efficiently, innovation errors are implied, raising the issue of dynamic specification. Weak exogeneity implies a statistical factorization of the data density. Weak exogeneity is testable, often as an implication of super exogeneity (and so of conditional models having constant parameters).

Weak exogeneity also ties back to cointegration. First, if a given cointegrating vector appeared in both the conditional and marginal models, weak exogeneity would be violated: the parameters of the conditional model (λ_{1t}) would depend upon the parameters of the marginal process (λ_{2t}). Second, the choice of normalization of the cointegrating vector is an unresolved issue, but both economics and the data can help. Economic theory may

which remain interpretable when some change occurs. Empirical models with constant parameterizations in spite of “structural change” elsewhere in the economy exhibit super exogeneity, as required for policy analysis. Super exogeneity implies weak exogeneity, thereby sustaining valid statistical inference.

Parameter constancy is also a central concept from a statistical perspective. Most estimation techniques require parameter constancy for valid inference, and those that seem not to do so, still posit “meta-parameters” assumed constant over time. Recursive estimation of an equation provides an incisive tool for investigating parameter constancy, both through the sequence of estimated coefficient values and via the associated Chow statistics for constancy.

Other approaches. In some common empirical practice, the data serve only for estimating parameters of the theory-model, with the theory imposed on the data. Short-run dynamics are non-existent, or are supposedly eliminated by “corrections” for AR residuals or by partial adjustment.

Hendry’s econometric approach contrasts with this practice in several respects. Economic theory is imbedded in the empirical model such that that model satisfies the economic-theoretic constraints under the conditions that those constraints were derived (*e.g.*, in the long-run, or in steady state). Short-run dynamics are modeled jointly with long-run properties via the ECM. Unlike (*e.g.*) partial adjustment models, the ECM does not restrict the magnitude of (short-run) responses actually present. Rather, it allows for the possibility of general dynamics, so that their extent (or lack thereof) can be determined from the data. Estimation is an important issue, but, in itself, provides little guidance on the value or lack thereof of the empirical model obtained. An empirical model is unlikely to allow reliable statistical or economic inference, forecasting, or policy analysis unless it is “well-designed” in the sense that it does not violate either the assumptions made at the outset or the numerous testable implications of those assumptions.

See Gilbert (1986) for a non-technical discussion of the contrasts between these two approaches. See Hendry (1987a), Leamer (1987), and Sims (1987) for concise statements of their advocated methodologies, and Pagan (1987) and Phillips (1988) for critical

appraisals. Hendry, Leamer, and Poirier (1990) focus on the distinctions between Hendry's and the Bayesian approaches.

3. The Structure of PC-GIVE Version 6.01.

PC-GIVE is the menu-driven, DOS-based suite of computer programs, or "interactive modeling system," that David Hendry has written to implement the methodology described in Section 2. Summary information for PC-GIVE appears on Table 3. The *modeling system* PC-GIVE contains two primary *programs*:

PCGIVE: for dynamic single-equation modeling, data analysis, and transformations; and

PCFIML: for estimation and testing of systems of equations; where *program* names do not include a hyphen. This section aims to relate the econometric methodology described in Section 2 to the functioning of PCGIVE and PCFIML. Thus, we consider the structure of each program, and how elements of their structure are designed to implement the methodology. Sections 3.A and 3.B respectively describe PCFIML and PCGIVE, noting that PCFIML is the more general of the two programs while PCGIVE tends to be used most in practice. Within each section, discussion is organized around the primary menus of the respective program. To put the programs in perspective, the remainder of this introduction summarizes the context in which the programs were developed and the purposes motivating that development. Section 3.C briefly compares PC-GIVE with RATS, Micro-FIT, TSP, and GAUSS.

A brief history. During the late 1960's, Hendry wrote several programs on the University of London mainframe computer as part of his thesis, Hendry (1970). Those programs included GIVE (an acronym for Generalized Instrumental Variables Estimation) and FIML (for Full Information Maximum Likelihood). GIVE calculated OLS and instrumental variables (IV), autoregressive variants thereon, and tested the common factor restrictions implied in the autoregressive errors, following Sargan (1959, 1964). FIML calculated full information maximum likelihood estimates for sets of dynamic simultaneous equations.

While written in the context of his thesis, three aims soon dominated Hendry's motivation for further developing GIVE, FIML, and others of his programs:

- (i) to provide "best available methodology" for his own research,

- (ii) to provide other researchers with that methodology (thereby both avoiding redundant programming efforts and encouraging best practice in the profession), and
- (iii) to provide a tool for teaching that methodology.

Thus, these programs often provided new tests and techniques years in advance of commercially available packages, and not infrequently in advance of the publication of the articles in which the tests and techniques were developed. Examples include a numerically efficient algorithm for estimating equations with AR errors, LR and Wald tests of common factors, tests of predictive failure and parameter constancy, LM tests of AR errors, LM tests of ARCH errors, and White's heteroscedasticity-consistent standard errors. Hendry and Srba (1980) summarize the state of GIVE, FIML, and related mainframe packages at the end of the 1970's.

When the IBM PC-XT was released in 1983, Hendry decided that it had just enough power to make a PC version of GIVE feasible. The mainframe program code was ported to the PC, recompiled and debugged, and the program PCGIVE was "born." Not only was the XT powerful enough, but the interactive and graphical capabilities of a *personal* computer radically reshaped the program. Important resulting additions included a menu-driven user interface, the statistical analysis of sequential reduction, and the graphical analysis of recursive estimation and testing procedures. Later, with the increased power of the PC-AT, the more computationally intensive program FIML was ported to the PC as "PCFIML" and adapted to the menu structure that had been developed for PCGIVE.

Prompt coding of new tests and techniques notwithstanding, objectives (ii) and (iii) have concentrated much program development time on "error-trapping" (*e.g.*, preventing users from selecting combinations of choices that don't make sense) and user-friendliness. The latter has included development of a straightforward menu interface and an extensive help system.

A. The Structure of the Program PCFIML

Figure 3 sketches the structure of PCFIML according to its primary menus, which are named: data input, model, cointegration, R.M.L.S. Chow tests graph, dynamic (*ex ante*) forecasts, graphics, and estimator selection. Some additional, more minor menus will be mentioned in the course of describing PCFIML's

Table 3.
Summary Information for PC-GIVE Version 6.01

Author	David F. Hendry
Distributor	Institute of Economics and Statistics St. Cross Building, Manor Road, Oxford OX1 3UL, England (0865)271090 (Lucy Gibbins)
Format	Two high-density or seven double-density diskettes (either 5.25" or 3.5"), not copy protected
Computer	IBM PC, XT, AT, PS/2, or compatible MS-DOS 2.0 or higher Twin floppy disk drive or hard disk drive 488Kb RAM <i>free</i> to run PCGIVE, 476Kb RAM <i>free</i> to run PCFIML Math coprocessor strongly recommended Hercules, CGA, EGA, VGA, and Paradise VGA graphics cards supported
Storage space on hard disk (if used)	2.0Mb
Printers supported	Most dot-matrix and laser printers
Language	Microsoft FORTRAN and Assembler (source code not available to the user)
Computational accuracy	Acceptable, using Longley's data: see Teräsvirta (1988)
Documentation	353 page users manual, on-line help facilities
Price ^a	
Individual	
Academic	\$190; £110
Non-academic	\$380; £220
Student	\$99; £57
Site license	
Academic	\$950; £550
Non-academic	\$1900; £1100
Extra copies of manual	
Academic	\$25; £12.50
Non-academic	\$50; £25
Upgrades ^b	
Individual	\$100; £60
Site license	\$250; £150

^aVAT should be added to the price for UK customers. Individual and site licenses respectively include one and six copies of the manual. The student rate is available to those studying at an institution with a site licence.

^bUpgrades are released every one to two years. Upgrade rates are the same for academic and non-academic institutions.

functioning. See Hendry, Neale, and Srba (1988) for a detailed description of the methodology, structure, and algorithms for PCFIML.

Data input. On entry to PCFIML, the user chooses the data to be analyzed, *i.e.*, the vector x_t in (5). Restrictions on the size of data set are as for PCGIVE, see Section 3.B.

Model. From the model menu, the user specifies and estimates the unrestricted reduced form (5) (*i.e.*, a *system* in Hendry's terminology), and (then) any variants of (5), *e.g.*, a set of over-identified simultaneous equations. In practice, the unrestricted reduced form could be a conditional subsystem, as in (7), rather than the complete system in (5). The system's specification includes designation of maximum lag length ℓ , endogenous (y_t) versus strongly exogenous (z_t) variables, and what dummies (*e.g.*, seasonals, constant, and trend) to include. Only weak exogeneity of z_t is required for estimation and testing, but strong exogeneity is needed for dynamic forecasting. For simplicity of exposition, we assume that a complete system is analyzed.

Cointegration. Because establishing cointegration is critical to an economic interpretation of the empirical model, PCFIML begins with a cointegration analysis of the VAR (5). PCFIML estimates the coefficient matrices $\{\pi_i\}$ in (5), the covariance matrix Ω , and the coefficient standard errors; derives the corresponding estimate of the long-run coefficient matrix π in (22); calculates Johansen's trace and maximal eigenvalue statistics for testing the rank of π ; and solves for the normalized α and β' matrices. At the cointegration menu, the user can graph each (possible) cointegrating combination $\beta'_i x_t$. Estimation at this stage is maximum likelihood assuming normally distributed ϵ_t , which is multivariate least squares because (5) is unconstrained. Additional output includes the value of the likelihood function and associated measures of goodness-of-fit.

R.M.L.S. Chow tests graph. In addition to the multivariate least squares estimate of the $\{\pi_i\}$, PCFIML calculates their recursive estimates (*i.e.*, R.M.L.S.), the recursive estimates of Ω_{ii} , and the corresponding (equation by equation) Chow statistics; see Section 2.E. The latter can be graphed and compared against one-off

Figura 3.
A Schematic of PCFIML.

critical values. PCFIML also calculates F statistics for excluding a given regressor from all equations – useful for simplifying an overly parameterized reduced form.

Dynamic (ex ante) forecasts. Given the close relationship between predictive accuracy and parameter constancy, PCFIML graphs dynamic (*ex ante* multi-period) forecasts and their confidence intervals; see Chong and Hendry (1986).

Graphics. Finally (for the unrestricted reduced form), PCFIML calculates the (in-sample) dynamic simulation. The user may graph the simulated values, actual values, and/or fitted values. While Hendry and Richard (1982) have shown that dynamic simulation is an invalid technique for model comparison, having

the technique programmed has been important for demonstrating precisely that, and for replicating other researchers' results.

At this point, the user returns to the *model menu* to specify the *model* to be estimated. Through the auxiliary *model modification menu*, the user chooses which variables to include and exclude from each equation, preferably starting from (5) and following a general-to-simple approach. Once the model is specified, PCFIML estimates it by two-stage least-squares (2SLS), reporting structural coefficient estimates and standard errors (e.g., for $\{B_0, \{B_i\}, \Sigma_{11}\}$ and the parameters of the marginal equation for z_t), the restricted reduced form coefficients (i.e., the $\{\pi_i\}$ solved from the structural estimates), their standard errors, the reduced form covariance matrix, and the LR statistic for testing the over-identifying restrictions. Because the cointegration analysis and R.M.L.S. rely on (5) being unrestricted, model estimation skips past the cointegration and R.M.L.S. menus and proceeds directly to the *dynamic forecasts menu* and the *graphics menu*, with output as described before, but using the 2SLS estimates.

Estimator selection. Having started with 2SLS, PCFIML now allows a wide selection of simultaneous-equations estimators: three-stage least-squares (3SLS), limited information instrumental variables (LIVE), full information instrumental variables (FIVE), and full information maximum likelihood (FIML). Limited information maximum likelihood (LIML) can be calculated as FIML with all equations just identified except the equation of interest. If FIML is selected, the user chooses which algorithm via the *optimization menu*: Powell's method (no derivatives), or a quasi-Newton method using the Broyden-Fletcher-Goldfarb-Shanno (BFGS) update algorithm, either with analytical or numerical derivatives. Hendry (1976; 1989b, Chapter 4) describes the relationships between these estimators and the algorithms used. The 2SLS estimates are required to compute 3SLS, LIVE, and FIVE, and are often good starting values for FIML. Hence PCFIML always estimates a model first by 2SLS, with the choice of other estimators being optional. For FIML estimation, the user specifies convergence criteria and the maximal number of iterations, and may choose starting values other than 2SLS, if desired. Also, the likelihood function itself can be graphed. That can prove highly informative because multimodality may result in

convergence to an inferior optimum and/or may indicate model mis-specification.

Having obtained estimates using a given estimator, PCFIML generates output equivalent to that obtained for 2SLS. Upon completion of estimation and testing, the user returns to the *model* menu for further model modification, data transformation, etc., and eventually, to exit.

Modeling a system of equations. Empirical modeling of systems of equations *qua* systems is less developed than single-equation methodology, but examples exist. For instance, Hendry (1974) develops a small macro-model of the U.K. economy, Hendry and Anderson (1977) and Anderson and Hendry (1984) model the behavior of U.K. building societies, and Hendry and Mizon (1989) model the determination of U.K. money, income, prices, and interest rates.

Summarizing, PCFIML estimates the (unrestricted) system, evaluates it for cointegration, and provides a range of diagnostic tests. With that estimated system as a benchmark, sets of restricted, possibly simultaneous equations may be estimated and tested with several standard techniques. Methodological concepts dominant in the program's structure are: cointegration, parameter constancy and forecasting, exogeneity, lag length (and so dynamic specification), and over-identifying restrictions (and so marginalization).

B. The Structure of the Program PCGIVE

Figure 4 sketches the structure of PCGIVE according to its primary menus, which are named: data input, model, estimation, reduced form estimates, equation estimates, recursive least squares graph options, graphics, diagnostic tests, and action.

Data input. On entry to PCGIVE, the user chooses the data set for analysis. Data may be read from ASCII files in free or fixed format, or from PC-GIVE's own data files (see below). A given data set may have a maximum of 240 observations on 40 variables. PC-GIVE's databank facilities help ameliorate this restriction.

Model. From the model menu, the user selects from the data set which variables are to be analyzed (*i.e.*, x_t). These variables specify a single equation, either one from (5) or one from (7). As

Figura 4.
A schematic of PCGIVE.

with PCFIML, the choice of lag length ℓ is separate from that of x_t .

Estimation. The estimation options are OLS and IV, the recursive variants thereon (denoted RLS and RIV), and r th-order autoregressive least squares (RALS). For OLS, RLS, and RALS, all variables other than the one normalized are assumed weakly exogenous for the parameters of interest. Later in the program, that assumption is testable via tests of super exogeneity. For IV and RIV, the user explicitly specifies the partitioning of x_t into the endogenous y_t and weakly exogenous z_t , and may select various lags of each as instruments. In addition, the user also specifies a subsample (if any) over which to forecast. The output and menus that follow depend upon both the choice of estimator and whether

forecasts were specified.

Reduced form estimates. (IV and RIV only) PCGIVE reports estimates, coefficient standard errors, and equation standard errors for the unrestricted reduced form, i.e., for each endogenous variable in the vector y_t . The *graphics menu* is available for fitted and actual values, and the residuals. The reduced form equations are important because they provide a measure of how good the instruments are, and because the test of over-identifying restrictions is a test of the equation estimated by IV against the corresponding (and less restrictive) reduced form equation.

Equation estimates. PCGIVE reports the coefficient estimates, their standard errors, White's heteroscedasticity-consistent standard errors (if OLS or RLS), the equation standard error, and several auxiliary statistics. For IV and RIV, the latter include Sargan's (1958) test of over-identifying restrictions, also known as the test of the validity of the instruments.

If RALS is selected, PCGIVE reports two sets of equation estimates, the first without and the second with autoregressive errors estimated. PCGIVE calculates starting values for the second set of estimates from the *first* set of estimates in conjunction with the latter's LM statistic for testing AR errors. The *optimization menu* allows choice of: these or other starting values, the order of the autoregressive process, the maximum number of function values calculated, convergence criteria, and a plot of the concentrated likelihood function. Upon convergence, the user obtains the second set of estimates.

Recursive least squares (or recursive instrumental variables) graph options. (RLS and RIV only) From this menu, the user may graph and/or store recursive sequences for: coefficient estimates ($\hat{\beta}_t$ in the notation of Section 2.E) and their standard errors; the corresponding t -values; the residual sum of squares (RSS_t); the standardized innovation (η_t/f_t); the one-step, increasing horizon ($N \uparrow$), and decreasing horizon ($N \downarrow$) Chow statistics; and the one-step residual ($\eta_{t,t}$) plus-or-minus twice its standard error ($0 \pm 2 \cdot \hat{\sigma}_t$). From Section 2.E, all of these sequences are closely related, with the equation standard error $\hat{\sigma}_t$ and all the Chow statistics being derived from the residual sum of squares.

If forecasts were selected, an analysis of the (one-step) forecasts appears, with actual values, forecast values, forecast errors, standard errors of forecasts, and forecast error t -values. And, Chow's (1960) and Hendry's (1979b) statistics for parameter constancy (predictive failure) are reported. The *forecast graphing menu* is available for forecast and actual values, with a band of plus-or-minus twice the forecast standard error around each forecast.

Graphics. The user may plot actual and fitted values (with forecast values, if applicable), and residuals.

If the model estimated was an autoregressive distributed lag such as (12), PCGIVE solves for the estimate of the long-run coefficient δ on z_t , and its standard error. PCGIVE continues with an analysis of lag structure, including tests of the significance of each variable (*i.e.*, at all lags), and tests of the significance of each lag (*i.e.*, for all variables). At the *lag weight graph menu*, the user can plot the coefficients of (12) solved as y_t on a distributed lag of z_t .

Diagnostic tests. Here, the user specifies statistics from Table 1, chooses the relevant degrees of freedom (*e.g.*, the order of the AR process if testing for AR errors), and obtains the outcome. Tests are available for: AR errors, ARCH errors, non-normality, heteroscedasticity due to squares of the regressors, functional form mis-specification, omitted variables, common factors, and encompassing. Additionally, on entering the diagnostic tests menu, a batch mode is available for calculating test statistics with pre-defined degrees of freedom.

Action. At this point, the user chooses which variables to delete (or add) to the equation, whether to transform the equation's variables, and what sample and estimator to use. Given those choices, the user generates new output starting from the *estimation menu*. The user also may return to the *model menu* for complete re-specification of the equation, access to a different data set, and eventually, to exit.

Modeling a single equation. In light of Section 2's discussion on reductions and marginalization, it is desirable for the user to start with a general autoregressive distributed lag, and then sim-

plify in light of the evidence. If the user does so, PCGIVE keeps track of the progress. At the Action menu, PCGIVE tabulates and/or graphs statistics on the sequential reductions for easy inspection and judgment of the reductions' success. The statistics include all possible F statistics for the sequentially selected exclusions of variables, the residual sums of squares, the equation standard errors, and the Schwarz criterion. Section 4.B illustrates.

User services. At numerous points, PCFIML and PCGIVE offer various user services, either via a menu directly or through a "line menu" at the bottom of the screen. These services include: transform, delete, graph, list, and save the data; change the sample period; change the screen color; review the results; load a new data set; access DOS; and access help facilities.

Input and output files. In order to identify certain sorts of information, PC-GIVE associates several DOS file extensions ("suffixes") with particular input and output of its programs. The file extensions and their meanings are as follows.

Context Extension File content

<i>Context</i>	<i>Extension</i>	<i>File content</i>
PC-GIVE	[.INF	data information
	[.BIN	binary data
	.PIC	graphics ("picture")
PCGIVE	[.EQN	summary output
	[.OUT	full output
	.BNK	databank
	.DAT	ASCII
PCFIML	[.MDL	summary output
	[.LST	full output
	.JOB	model specification (with an .INF and .BIN file pair)

Brackets indicate where files exist as pairs. While the types of files are not critical to the methodology, understanding their functions is important to using the programs.

Summarizing, PCGIVE estimates a specified single equation and provides a range of diagnostic tests. If the user models from general to simple, PCGIVE summarizes the statistical reduction process. Methodological concepts dominant in the program's structure are: cointegration (via single equation cointegration tests), parameter constancy and forecasting, dynamic specification and lag structure, exogeneity, and reduction.

C. Comparison of Computer Packages

Numerous articles formally review PC-GIVE: see Turner and Podivinsky (1987) on Version 4.1, Teräsvirta (1988) and Parks (1989) on Version 5.0, and Godfrey (1990) and Ericsson and Lyss (1991) on Version 6.0/6.01. (Also, see Hendry (1986g) on teaching with PC-GIVE.) "Competing" econometrics packages have been extensively reviewed in various issues of the *American Statistician*, *Economic Journal*, *Journal of Applied Econometrics*, and *Journal of Economic Surveys*. Thus, this section provides only a cursory comparison of PC-GIVE with a few other major PC-based econometrics packages (RATS, Micro-FIT, TSP, and GAUSS), and solely in the context of empirically implementing Hendry's methodology.

RATS is good for analyzing systems if used with Johansen and Juselius's "front-end," available through the RATS electronic bulletin board. With that front-end, the user can test hypotheses about α and β . However, RATS is command- rather than menu-driven, and so is not very user-friendly. Also, RATS provides relatively few of the test statistics offered in PC-GIVE.

Micro-FIT (previously called DATA-Fit) is designed for single-equation modeling. It is easy-to-use (menu-driven), and provides many diagnostic test statistics. It does not offer any system analysis, so the Johansen procedure is not available. Also, Micro-FIT often lacks measures of significance. For instance, it provides no p -values of test statistics, and no standard errors for recursive estimates.

TSP can estimate both single equations and systems, but lacks any pre-programmed facilities for system cointegration analysis. TSP is command-driven, and offers relatively few diagnostic

statistics.

GAUSS is a high-level language rather than an econometrics program. However, many economists are familiar with GAUSS. It can be programmed to perform all features in PC-GIVE, but requires substantial work on the part of the user to do so.

PC-GIVE was designed to implement Hendry's methodology. Unsurprisingly, many of the tools required are present: Sections 3.A and 3.B discuss how the structure of PC-GIVE embodies that methodology, while Section 4 demonstrates PC-GIVE in practice. Of the packages discussed, only PC-GIVE calculates an extensive set of single equation and system diagnostics, including RLS, RIV, and RMLS. To be fair, neither RATS nor TSP were designed to implement this methodology. Micro-FIT was influenced by this methodology, and Micro-FIT and PC-GIVE are remarkably similar in several aspects of program structure and output content for single-equation analysis.

While we are long-time and enthusiastic users of PC-GIVE, we have several minor reservations about the package. These are: the size of a given PC-GIVE data matrix (from a pair of .INF and .BIN files) can be limiting; test statistics are not calculated for hypotheses about Johansen's α and β ; standard errors are not included at the lag weight graph menu; PCFIML *ex ante* forecast standard errors exclude "coefficient uncertainty;" and no recursive *t*-Chow statistics are available. We understand some of these concerns are being addressed.

4. Some Empirical Examples of the Methodology.

This section illustrates the principle methodological concepts via three datasets. Section 4.A examines cointegration for Hendry and Ericsson's (1991b) quarterly data on U.K. narrow money demand. Section 4.B uses the same data set to demonstrate general-to-simple modeling, dynamic specification, and sequential reduction. Section 4.C illustrates diagnostic testing as model evaluation with a phase-average U.K. nominal income equation from Friedman and Schwartz (1982). Section 4.D tests for super exogeneity in Campos and Ericsson's (1988) model of annual Venezuelan consumers' expenditure via tests of constancy and omitted variables. To emphasize the generality of the methodological concepts and techniques, we consider models of various aspects of the economy, using data from both developed and developing countries

and measured at different frequencies over different sample periods.

A Cointegration: Narrow Money Demand in the United Kingdom

This subsection briefly sketches the static theory-model on which the analysis is based, describes the data, and discusses the cointegration results obtained using Johansen's procedure.

In the standard theory of money demand, we have:

$$M^d/P = q(Y, \mathbf{R}) \quad (36a)$$

where M^d is nominal money demanded, P is the price level, Y is a scale variable (*e.g.*, income), and $\mathbf{R}$ is a vector of interest rates. The function $q(\cdot, \cdot)$ is increasing in Y , decreasing in those elements of $\mathbf{R}$ for assets that are alternatives to money, and increasing in those elements of $\mathbf{R}$ for assets within the measure of money. One common specification of (36a) is log-linear in money, prices, and incomes, but linear in interest rates:

$$m^d - p = c \cdot y + \mathbf{d}'\mathbf{R}, \quad (36b)$$

where variables in lower case are in logarithms. The elements of $\mathbf{d}$ are negative or positive, corresponding to the associated asset being excluded from or included in the selected monetary aggregate. The parameter c is one-half in Baumol's (1952) and Tobin's (1956) transactions demand theory and unity in Friedman's (1956) quantity theory.

The data for this subsection and Section 4.B are from Hendry and Ericsson's (1991b) study of the demand for narrow money in the United Kingdom. Specifically, M , Y , and P are seasonally adjusted nominal M_1 , real total final expenditure (TFE) at 1985 prices, and the TFE deflator. There are two interest rates, the three-month local authority interest rate ($R3$) and the learning-adjusted retail sight-deposit interest rate (Rra). Finally, two derived variables are of interest: the rate of inflation (Δp), and the net interest rate or opportunity cost, defined as $R3 - Rra$ and denoted R^* . The data are quarterly, 1963(1)-1989(2). Allowing for lags and transformations, estimation is over 1964(3)-1989(2), which is 100 observations.

To analyze the cointegration properties of the series (m , p , y , $R\beta$, Rra), we apply the system-based procedures in Johansen (1988) and Johansen and Juselius (1990), as described in Section 2.C and implemented in PCFIML (Section 3.A). While the application of their ML procedure is computationally straightforward, three important issues which could affect inference arise with this data set: the maximal lag length ℓ in the vector autoregression (5), the order of integration of m and p (whether I(1) or I(2)), and whether to enter the interest rates separately or only via the opportunity cost R^* . To gauge the sensitivity of the cointegration tests to these issues, we examine four systems with the following variables:

System I:	$m, p, y, R\beta, Rra$;
System II:	m, p, y, R^* ;
System III:	$m - p, \Delta p, y, R\beta, Rra$; and
System IV:	$m - p, \Delta p, y, R^*$;

with each system estimated in PCFIML five times, varying ℓ from 2 through 6. A constant term is included in all cases. Tables 4 and 5 present cointegration results for $\ell = 5$: results for other values of ℓ are similar.

Table 4 lists the eigenvalues related to $\hat{\pi}$, from smallest (*i.e.*, closest to a unit root) to the largest (most stationary). Values of the maximal eigenvalue statistic and the eigenvalue trace statistic follow. From the rejections obtained, there is clearly at least one cointegrating vector; and there may be a second, given the tests on System I. However, that latter result may be due to nominal money and prices being possibly I(2), in which case the critical values used are not appropriate.¹⁴

For comparison, Hendry and Mizon (1989) analyze the data ($m - p$, Δp , y , $R\beta$, trend) over a subsample for which Rra is irrelevant. They obtain two cointegrating vectors, one corresponding

¹⁴ As part of the cointegration analysis, we would want to determine the order of integration of each series, *e.g.*, with the augmented Dickey-Fuller statistic. Alternatively, Johansen (1991a) proposes a systems approach. For this data, Johansen (1991b) finds that m and p are quite possibly I(2) and cointegrate to an I(1) variable $m - p$. Real money $m - p$ cointegrates with y , Δp , and R^* , which each appear I(1). In light of this evidence, only Systems III and IV are interpretable in an I(1) framework. However, we include Systems I and II because it is unclear whether m and p are I(2) or whether they are I(1) but (*e.g.*) contain "structural breaks;" cf. Hendry and Neale (1991) and Hendry and Mizon (1989). The interest rate series raise similar issues.

to excess money demand and the other to the deviation of output from a trend, where the trend proxies for the level of technology. While acknowledging the importance of technological growth, we exclude a trend from our analysis because suitable critical values are not available and because the presence of a trend *per se* is problematic in a cointegrating relation. If output is cointegrated with technology, our exclusion of the latter reduces the number of cointegrating vectors estimable in our system by one. In support of this interpretation, the value of each penultimate eigenvalue statistic increases upon the addition of a trend to the system, and usually does so beyond its 95% critical value. Even so, Hendry and Mizon's first cointegrating vector is virtually identical to the cointegrating vector for System IV without a trend.

Table 5 lists the normalized estimated α and β' for the four systems, where α and β' are respectively the weighting matrix and the matrix of cointegrating vectors from (23). The first row in β' is the first cointegrating vector, so (*e.g.*) that vector is (1 -1.04 -0.95 7.46) for the variables (m, p, y, R^*) in System II. Likewise, the first column in α is the set of weighting coefficients across equations for the first cointegrating relation $\beta'_1 x_{t-1} : (-0.15 \ 0.03 \ 0.01 \ 0.03)'$ for System II. Thus, the coefficient of $\beta'_1 x_{t-1}$ in the money equation for System II is -0.15, and in the price equation, 0.03.

The estimates of α and β' have several striking features. First, they are remarkably similar across systems, noting the changes in variables. Second, the weight of the first cointegrating vector is approximately -0.2 in the money equation and zero for all the other equations. That is necessary for prices, incomes, and interest rates to be weakly exogenous for the parameters in the money equation, which would validate conditioning on those variables; cf. Johansen (1990). Third, the first cointegrating vector has coefficients closely in line with the quantity theory of money demand. When re-expressed with nominal money as a function of the other variables, the coefficients on prices and real TFE are approximately unity, and $R\beta$ and Rm have negative and positive estimated coefficients respectively. Those interest-rate coefficients are nearly equal in magnitude, implying that the interest rates matter only via the net interest rate R^* , at least in the long run.¹⁵

¹⁵Hall, Henry, and Wilcox (1990) use the three-month Treasury bill rate alone

Table 4.
Cointegration Results: Eigenvalues and Related Test Statistics

Statistic ^a	System ^b				95% critical value
	I	II	III	IV	
Eigenvalues					
1	0.005	0.002	0.022	0.009	
2	0.097	0.115	0.050	0.050	
3	0.166	0.166	0.112	0.128	
4	0.246	0.375	0.226	0.386	
5	0.406	—	0.417	—	
Maximal eigenvalue statistic ^c					
1	0.47	0.15	2.26	0.95	8.08
2	10.25	12.20	5.14	5.14	14.60
3	18.18	18.15	11.84	13.74	21.28
4	28.28*	47.05*	25.62	48.76*	27.34
5	52.08*	—	53.94*	—	33.26
Eigenvalue trace statistic ^c					
1	0.47	0.15	2.26	0.95	8.08
2	10.72	12.35	7.39	6.09	17.84
3	28.90	30.49	19.24	19.83	31.26
4	57.18*	77.55*	44.85	68.59*	48.42
5	109.26*	—	98.79*	—	69.98

^aThe statistics are defined in Johansen (1988) and Johansen and Juselius (1990), and critical values are taken from the latter's Table A2. An asterisk denotes significant at the 95% critical value.

^bThe systems are fifth-order vector autoregressions of the following variables:

- I: $m, p, y, R3, Rra$;
- II: m, p, y, R^* ;
- III: $m - p, \Delta p, y, R3, Rra$; and
- IV: $m - p, \Delta p, y, R^*$.

The estimation period is 1964(3)–1989(2). See the text for definitions of the variables.

^cThe hypothesis being tested is that there are at least s unit roots in the system, where s is the number listed in the first column.

Let the system have p roots total ($p = 5$ for models I and III, $p = 4$ for models II and IV). If we reject that there are at least s unit roots, then we infer that there are at least $p - s + 1$ cointegrating vectors.

rather than both the local authority interest rate (similar to the T -bill rate) and the sight deposit interest rate (via R^*) in their cointegration analysis of M_1 . They find no evidence of cointegration between M_1 , TFE, the TFE deflator, and their interest rate. From Sections 4.A and 4.B and from Hendry and Ericsson (1991b), the own rate (as Rra) is economically and statistically important for explaining M_1 , both in the short run and in the long run. So, Hall, Henry, and Wilcox's (1990) failure to establish cointegration appears to

Table 5.
Cointegration Results: Normalized α and β' Matrices

Variable	α (weighting matrix)	β' (matrix of cointegrating vectors)
System I ^{a,b}		
m	-0.19 0.000.07 0.02 0.00	1 -1.00-0.77 5.80-7.77
p	0.04 0.000.08 0.00-0.00	1.81 1 1.0811.3115.50
y	0.01-0.010.02-0.10 0.00	-0.08-0.12 1 0.03-1.28
$R\beta$	0.06-0.020.04-0.01-0.01	0.33-0.21-0.30 1 -2.16
Rra	0.01-0.010.01 0.02 0.00	-0.68 0.59 0.45-0.41 1
System II		
m	-0.15 -0.01 -0.01 -0.00	1 -1.04 -0.95 7.46
p	0.03 -0.01 0.01 0.00	1.21 1 -9.80 -8.11
y	0.01 0.00 0.05 -0.00	-0.61 0.35 1 -3.06
R^*	0.03 0.00 0.03 0.00	1.17 -1.05 -0.70 1
System III		
$m - p$	-0.22 0.00 0.00-0.01-0.00	1 5.67-0.77 5.82 -7.72
Δp	0.04-0.02 0.01 0.03 0.00	-0.26 1 -0.47 1.98 3.40
y	0.00-0.07-0.02 0.04-0.00	1.19-12.87 1 6.24-11.76
$R\beta$	0.07-0.11-0.00-0.03 0.00	0.19 -1.85-0.16 1 -0.65
Rra	0.01-0.02 0.00-0.01-0.00	1.53 13.11-0.04-0.23 1
System IV		
$m - p$	-0.18 -0.03 0.00 -0.00	1 7.22 -1.08 7.16
Δp	0.02 -0.05 -0.00 0.00	-0.08 1 -0.04 -0.79
y	-0.00 0.23 -0.01 -0.00	-1.26 16.03 1 -7.00
R^*	0.03 0.14 0.00 0.01	1.33 6.58 -0.12 1

^aSee the text for definitions of the models and variables.

^bEntries have been rounded relative to PCFIML's output, with the sign of the estimate retained even if the rounded value is zero.

B. General to Simple: Narrow Money Demand in the United Kingdom

Starting with an unrestricted AD model for money, this subsection examines the issues of data transformations and sequential reduction, and, via the latter, general-to-simple modeling, dynamic specification, and error-correction models; cf. Sections 2.A, 2.C, 2.D, and 3.B. The data are those from the cointegration analysis above.

arise from too narrow a choice of variables. Further supporting this interpretation, Hendry and Ericsson's ECM (reproduced in (39) below) substantially variance-dominates Hall, Henry, and Wilcox's ECM, even though the latter incorporates a variable for financial innovation to "obtain" cointegration.

The unrestricted AD model. In light of the cointegration results, we now analyze the equation for money as a single-equation, conditional model in PCGIVE. We assume weak exogeneity of p , y , and the interest rates for the parameters of the conditional model. Johansen (1991b) tests and finds those variables to be weakly exogenous for the cointegrating vector. Hendry and Ericsson (1991b) test and find super exogeneity for the parameters of the conditional model, which implies weak exogeneity.

To match $\ell = 5$ in the VAR, we begin with a fifth-order autoregressive distributed lag of nominal money, conditional on prices, the real TFE, and interest rates. That AD model corresponds to (7), and so to a generalization of (12): Table 6 lists estimates of the coefficients $\{B_0, \{B_i\}\}$, with their estimated standard errors in parentheses.

Several features of the AD model are of interest. First, the AD model establishes a baseline against which all reductions (*i.e.*, simplifications) of it can be compared. The estimated equation standard error $\hat{\sigma}$ is 1.318%; so, by the relation of variance dominance to encompassing, any other model purporting to explain the same data should not have a standard error significantly larger than that. The standard F statistic is appropriate for testing this encompassing implication.

Second, the validity of the AD model itself can be tested via diagnostic statistics. Table 6 reports statistics from Table 1, which test against various alternative hypotheses: residual autocorrelation ($d\hat{w}$ and AR 1-4), skewness and excess kurtosis (Normality), autoregressive conditional heteroscedasticity (ARCH 1-4), RESET (RESET), heteroscedasticity (X_i^2), and heteroscedasticity quadratic in the regressors (alternatively, functional form mis-specification) ($X_i X_j$). Pairs of numbers such as "1-4" denote the minimal and maximal lags; and the null distribution is designated by $\chi^2[\cdot]$ or $F[\cdot, \cdot]$, where the degrees of freedom fill the square brackets. These statistics are used as diagnostic tests of the AD model, checking to see whether or not it is general enough to capture the salient features of the data. No statistics are significant at their 95% critical values, so we infer that the unrestricted AD model has approximately white noise, homoscedastic, normally distributed residuals, which are innovations with respect to the current and lagged variables in the regression.

Third, some functions of the AD model's estimated parame-

ters are of interest. Specifically, we can obtain its long-run, static, non-stochastic solution:

$$m_t = \underset{(0.08)}{0.96} p_t + \underset{(0.30)}{1.17} y_t - \underset{(1.5)}{6.7} R\mathfrak{Z}_t + \underset{(0.8)}{7.0} Rra_t - 1.7, \quad (37) \quad (3.4)$$

which corresponds to (36b) and is analogous to (19) with $g = 0$. The estimates in (37) closely match the system estimates of the first cointegrating vector. The estimates in (37) are derived from the sums of lag polynomial coefficients in the final column of Table 6, where an estimate in (37) is the corresponding sum in Table 6 divided by the sum for the polynomial in nominal money. Thus, nonzero sums of all polynomials are required for nonzero coefficients in the long-run solution, and so for the cointegration of the variables in (37). From the estimates and standard errors in the final column of Table 6, each sum appears to be statistically significantly different from zero, with no t -ratio being less than three in absolute value. PCGIVE presents these results both in a table like Table 6, and as t -ratios for the tests on the sums.

Several of the estimated coefficients in Table 6 are “statistically significant.” However, the estimates are sensitive to the empirical model’s precise specification, with a high degree of “multicollinearity” present in the data correlation matrix: 151 of the 435 correlations between right-hand side variables are over 0.90. Even so, multicollinearity is *not* an inherent property of the model, but only of the particular parameterization chosen; cf. Hendry (1989b, pp. 95-97). Thus, we consider data transformations and associated re-parameterizations which might resolve this “problem,” and which have other statistically and economically appealing features.

Data transformations and associated re-parameterizations. Two data transformations are particularly useful in dynamic multivariate models: differences and differentials.¹⁶ The isomorphic transformation of (12) into (13) illustrates both, so we begin by rewriting (12):

¹⁶Ratios, as opposed to differentials, are common when using levels of variables rather than their log-levels.

Table 6.
A General Autoregressive Distributed Lag for Nominal Money, Conditional on Prices, Incomes, and Interest Rates

Variable	lag i (or summation over lags)						
	0	1	2	3	4	5	$\sum_{i=0}^5$
m_{t-1}	-1 (-)	0.556 (0.121)	0.238 (0.138)	-0.253 (0.138)	0.125 (0.135)	0.175 (0.112)	-0.160 (0.041)
p_{t-i}	0.259 (0.237)	0.220 (0.388)	-0.034 (0.379)	-0.433 (0.366)	0.030 (0.361)	0.111 (0.212)	0.154 (0.037)
y_{t-i}	-0.057 (0.120)	0.314 (0.136)	-0.082 (0.142)	-0.247 (0.144)	0.130 (0.142)	0.127 (0.126)	0.186 (0.054)
$R3_{t-1}$	-0.423 (0.129)	-0.298 (0.186)	-0.169 (0.187)	-0.054 (0.181)	-0.065 (0.180)	-0.066 (0.131)	-1.075 (0.200)
Rra_{t-1}	0.344 (0.447)	0.040 (0.851)	1.456 (0.951)	-1.351 (0.965)	0.379 (0.913)	0.246 (0.549)	1.114 (0.307)
constant	-0.265 (0.521)						

$T = 100$ [1964(3) - 1989(2)] $R^2 = 0.9998$ $\hat{\sigma} = 1.318\%$
 $dw = 1.97$ $AR\ 1 - 4\ F[4, 66] = 0.48$ Normality $\chi^2[2] = 4.19$
 $ARCH\ 1 - 4\ F[4, 62] = 0.34$ $X_1^2\ F[39, 30] = 0.66$ $X_1, X_2\ F[35, 34] = 0.30$
 $RESET\ F[3, 67] = 1.97$

$$y_t = \alpha + \beta_0 z_t + \beta_1 z_{t-1} + \beta_2 y_{t-1} + \nu_t. \quad (12)$$

Beginning with differences, consider the distributed lag for z_t , which is $\beta_0 z_t + \beta_1 z_{t-1}$. If z_t is highly autoregressive, the estimates of β_0 and β_1 may be quite imprecise because z_t and z_{t-1} are highly correlated. However, that distributed lag is equivalent to $\beta_0 \Delta z_t + (\beta_0 + \beta_1) z_{t-1}$, so (12) is also:

$$y_t = \alpha + \beta \Delta z_t + \delta^* z_{t-1} + \beta_2 y_{t-1} + \nu_t, \quad (12a)$$

where $\beta = \beta_0$ and $\delta^* = \beta_0 + \beta_1$. For highly positively autocorrelated z , the growth rate Δz_t and the (lagged) level z_{t-1} are nearly uncorrelated, with β (or δ^*) being possibly quite precisely estimated. Further, β and δ^* are economically appealing coefficients to estimate: β is the immediate, short-run response of y to a change in z , whereas δ^* measures the long-run response, which is the sum of coefficients in the original distributed lag in

levels. (We temporarily ignore the effect of y_{t-1} on the long-run response.) By an equivalent transformation of y_t and y_{t-1} , we have:

$$\Delta y_t = \alpha + \beta \Delta z_t + \delta^* z_{t-1} + \gamma y_{t-1} + \nu_t, \quad (12b)$$

where $\gamma = \beta_2 - 1$.

Differentials are similar to differences, but with the subtraction operator being applied to different variables rather than to different lags of the same variable. In (12b), $\delta^* z_{t-1} + \gamma y_{t-1}$ can be rewritten as $\gamma(y_{t-1} - z_{t-1}) + (\delta^* + \gamma)z_{t-1}$, that is, in terms of the differential $(y_{t-1} - z_{t-1})$ and the level of one variable, in this case, z_{t-1} . The resulting equation is:

$$\Delta y_t = \alpha + \beta \Delta z_t + \gamma(y_{t-1} - z_{t-1}) + \delta^{**} z_{t-1} + \nu_t, \quad (12c)$$

where $\delta^{**} = \delta^* + \gamma = \beta_0 + \beta_1 + \beta_2 - 1$, which captures the degree of non-homogeneity in the long run between y and z . If y and z are homogeneous in the long run, $\delta^{**} = 0$ and so $\delta = 1$ (in (13)), and (12c) is a homogeneous ECM; cf. Table 2. Alternatively, the concept of differentials generalizes to “quasi-differentials,” with $\delta^* z_{t-1} + \gamma y_{t-1}$ in (12b) rewritten as $\gamma(y_{t-1} - \delta z_{t-1})$, where $\delta = -\delta^*/\gamma = -(\beta_0 + \beta_1)/(\beta_2 - 1)$. That quasi-differential generates (13), repeated here for clarity:

$$\Delta y_t = \alpha + \beta \Delta z_t + \gamma(y_{t-1} - \delta z_{t-1}) + \nu_t. \quad (13)$$

As with differences, differentials often transform highly correlated data into less correlated data. Economically, the differential transformation is appealing. In (13), it generates the cointegrating relationship $y_{t-1} - \delta z_{t-1}$. Below, we will use it to transform the two interest rate series $R\beta$ and Rra into a spread ($R\beta - Rra$) and a level (Rra). More generally, economic agents might themselves transform their information set into relatively orthogonal pieces of information, using data transformations such as those just described.

In the examples above, differencing and differentials have been applied without loss of generality because a suitable term in levels has always been retained, *e.g.*, z_{t-1} in (12a). This contrasts with a common approach, wherein an entire equation is

differenced. That latter procedure is *with* loss of generality, and corresponds to imposing restrictions on the lag structure. For instance, if (14) in Section 2.C is differenced, that implies a common factor restriction as in (17), with the root of that common factor being unity ($\rho = 1$); cf. Davidson, Hendry, Srba, and Yeo (1978) and Hendry and Mizon (1978). Alternatively, such differencing can be interpreted as excluding both z_{t-1} and y_{t-1} from (12b), or as excluding the error-correction $\gamma(y_{t-1} - \delta z_{t-1})$ from (13). These exclusion restrictions are testable. Further, the interpretation of the restricted coefficients is quite different when viewed as a special case of (12b) (or of (13)) rather than as a filter applied to (14).

Having laid down these two principles, we consider several data transformations for the AD model of money. While many other transformations exist, these prove useful in the sequential reduction that follows.

- (i) Nominal money m and prices p are transformed to real money $m - p$ and prices.
- (ii) The interest rates $R\beta$ and Rr_a are transformed to the spread $R^* (= R\beta - Rr_a)$ and a level Rr_a .
- (iii) All variables ($m - p$, p , y , R^* , Rr_a) are transformed to a single log-level (or level) and a set of current and lagged differences. For reasons that will be apparent later, the log-levels $m - p$, p , and y are at the first lag, whereas the levels of R^* and Rr_a are current. So, for example, the fifth-order distributed lag for y is rewritten in terms of Δy_t , Δy_{t-1} , Δy_{t-2} , Δy_{t-3} , Δy_{t-4} , and y_{t-1} .
- (iv) The variables $(m - p)_{t-1}$ and y_{t-1} are transformed to $(m - p - y)_{t-1}$ and y_{t-1} , where $(m - p - y)_{t-1}$ is the potential error-correction term.

Coefficient estimates and estimated standard errors for the resulting equation appear in Table 7.

That equation is analytically and numerically equivalent (isomorphic) to the equation estimated in Table 6. However, the equation is re-parameterized, and the newly estimated coefficients may exhibit quite different properties. For instance, only one of the 435 correlations between right-hand side variables in Table 7 exceeds 0.90 (that between y_{t-1} and p_{t-1}), only eight of the 435 correlations exceed 0.70, and most correlations are quite small.

Sequential reduction. Sequential reduction in PCGIVE gen-

Table 7.
The Unrestricted Error-correction Model

Variable	lag i				
	0	1	2	3	4
$\Delta(m - p)_{t-i}$	-1 (-)	-0.284 (0.109)	-0.047 (0.118)	-0.300 (0.117)	-0.175 (0.112)
Δp_{t-i}	-0.741 (0.237)	0.041 (0.263)	0.245 (0.260)	-0.441 (0.251)	-0.286 (0.233)
Δy_{t-i}	-0.057 (0.120)	0.071 (0.139)	-0.010 (0.130)	-0.257 (0.131)	-0.127 (0.126)
ΔR^*_{t-i}	0.653 (0.232)	0.354 (0.206)	0.185 (0.168)	0.131 (0.148)	0.066 (0.131)
ΔRra_{t-i}	-0.117 (0.418)	-0.376 (0.532)	0.910 (0.553)	-0.494 (0.540)	-0.180 (0.545)
$(m - p - y)_{t-i}$		-0.160 (0.041)			
p_{t-i}		-0.006 (0.013)			
y_{t-i}		0.026 (0.045)			
R^*_{t-i}	-1.075 (0.200)				
Rra_{t-i}	0.039 (0.263)				
constant	-0.265 (0.521)				

$T = 100[1964(3) - 1989(2)] \quad R^2 = 0.82 \quad \hat{\sigma} = 1.318\%^a$

^aAll residual-based statistics are identical to those in Table 6.

erates F statistics over the complete reduction and over sub-sequences of reductions. These statistics are valuable for several reasons. First, the set of F statistics allows control of size. Second, a set of variables may be significant, even though the corresponding individual variables (or subsets of them) may not be. Third, the set of F statistics helps in spotting which (if any) reduction is invalid. If an invalid reduction is detected, sequential reduction can continue in a different direction, starting at the model previous to the invalid reduction.

To aid in the sequential reduction of the model in Table 7, we list several variables in Table 7 with highly statistically significant coefficients and which are economically reasonable to retain, as well as several sets of variables whose coefficients appear nu-

merically and statistically insignificant. The following are highly significant. The error-correction term $(m - p - y)_{t-1}$ enters with a coefficient of -0.160, close to the first term in the α matrix for any of the four systems (Table 5). The current net interest rate R_t^* and the current inflation rate Δp_t each enter with large negative coefficients, interpretable as reflecting costs to holding money when other assets (or goods) yield a high return. And, the lagged dependent variable $\Delta(m - p)_{t-i}$ is statistically significant.

From Table 7 and various statistics reported in PCGIVE, the following do not appear either numerically or statistically significant:

- (i) The fourth lag on $\Delta(m - p)$, Δp , Δy , ΔR^* , and ΔRra ;
- (ii) The third lag on $\Delta(m - p)$, Δp , Δy , ΔR^* , and ΔRra ;
- (iii) The second lag on $\Delta(m - p)$, Δp , Δy , ΔR^* , and ΔRra ;
- (iv) The variables p_{t-1} and y_{t-1} ;
- (v) Rra_t and all current and lagged values of ΔRra ; and
- (vi) All current and lagged values of ΔR^* .

We will entertain two additional sets of reductions, discussed below:

- (vii) Δy_t and Δp_{t-1} have zero coefficients, and Δy_{t-1} and $\Delta(m - p)_{t-1}$ have equal and opposite coefficients; and
- (viii) Δp_t has a zero coefficient.

From these eight restrictions treated sequentially, we obtain the following nine models:

Model 1: The unrestricted ECM in Table 7 (equivalently, in Table 6);

Model 2: Model 1, excluding the fourth lag on $\Delta(m - p)$, Δp , Δy , ΔR^* , and ΔRra ;

Model 3: Model 2, excluding the third lag on $\Delta(m - p)$, Δp , Δy , ΔR^* , and ΔRra ;

Model 4: Model 3, excluding the second lag on $\Delta(m - p)$, Δp , Δy , ΔR^* , and ΔRra ;

Model 5: Model 4, excluding p_{t-1} and y_{t-1} ;

Model 6: Model 5, excluding Rra_t and all remaining current and lagged values of ΔRra ;

Model 7: Model 6, excluding all remaining current and lagged values of ΔR^* ;

Model 8: Model 7, excluding Δp_{t-1} , Δy_t , and Δy_{t-1} [once $\Delta(m - p)_{t-1}$ and Δy_{t-1} are transformed to $\Delta(m - p - y)_{t-1}$ and Δy_{t-1}]; and

Model 9: Model 8, excluding Δp_t (i.e., the model is homogeneous in prices in the short run as well as in the long run).

So, for example, Model 2 is Model 1 plus reduction (i); Model 3 is Model 1 plus reductions (i)-(ii); and Model 3 is also Model 2 plus reduction (ii). When estimating these models sequentially, PCGIVE calculates statistics associated with the implied reductions, including also those for all model pairs, and only those for adjacent models. This facilitates assessing whether or not the sequence of reductions is valid, and if not, where not.

Table 8 reports this information from PCGIVE. The table includes $\hat{\sigma}$ and the Schwarz criterion for each model, the F statistics for all model pairs, and the associated tail probability values.¹⁷ From Model 1 through Model 8, $\hat{\sigma}$ remains relatively constant, the Schwarz criterion is always declining, and none of the reductions (i)-(vii) are statistically significant at the 5% level, whether considered individually or as sub-sequences.¹⁸ Other orderings of (i)-(vii) generate somewhat different statistics, but those resulting statistics are unlikely to be highly statistically significant because the reduction of (i)-(vii) as a whole appears valid, with $F[25,70] = 0.97$ and a p -value of 0.51. (Reduction (viii) and the resulting Model 9 will be considered shortly.)

The first six reductions are straightforward and intuitive. Model 7 results, which is:

¹⁷The Schwarz criterion is $\ln(RSS_T/T) + k \cdot (\ln T)/T$ for k parameters, and so is in effect $\hat{\sigma}^2$, adjusted for the degree of parsimony. A smaller Schwarz criterion indicates a better-fitting model for a given number of parameters, or a more parsimonious model for a given fit.

¹⁸Reduction (ii) is the reduction closest to statistical significance. Conditional on the validity of reduction (i), the F statistic for (ii) is $F[5,75] = 2.27$ with a p -value of 0.06. Our use of seasonally adjusted data is a likely cause of such a large F statistic. Wallis (1974, p. 21) has shown that seasonal adjustment can introduce "... small positive autocorrelation coefficients at lags of 1-3, 5-7, ... quarters, and somewhat larger negative correlations between observations 4, 8, ... quarters apart." Because reduction (ii) deletes all third lags of differenced series, *inter alia* it is deleting the fourth lag of the levels (or log-levels) of the original, seasonally adjusted data. The presence of nearly significant, negative, third-order autocorrelation in Model 8 supports this interpretation.

$$\begin{aligned}
\Delta(m-p)_t = & -0.17 \Delta(m-p)_{t-1} - 0.77 \Delta p_t + 0.12 \Delta p_{t-1} \\
& [0.07] \qquad \qquad [0.21] \qquad \qquad [0.21] \\
& + 0.02 \Delta y_t + 0.15 \Delta y_{t-1} - 0.632 R_t^* \\
& [0.11] \qquad \qquad [0.12] \qquad \qquad [0.059] \\
& - 0.092 (m-p-y)_{t-1} + 0.023 \qquad \qquad (38) \\
& [0.010] \qquad \qquad [0.005]
\end{aligned}$$

$$\begin{aligned}
T = 100 [1964(3) - 1989(2)] \quad R^2 = 0.76 \quad \hat{\sigma} = 1.330\% \\
dw = 2.18.
\end{aligned}$$

Values in square brackets $[\cdot]$ are White's (1980) heteroscedasticity-consistent estimated standard errors (H.C.S.E. in PCGIVE); see also Nicholls and Pagan (1983) and MacKinnon and White (1985).

Simplifications of (38) are possible, including the deletion of Δp_{t-1} , Δy_t , and Δy_{t-1} . However, while the coefficient on Δy_{t-1} is not particularly statistically significant, it is opposite in sign and virtually equal in magnitude to the coefficient on $\Delta(m-p)_{t-1}$, suggesting a different (*i.e.*, nonzero) restriction. That restriction of "equal magnitude, opposite sign" is not only statistically but economically appealing, as it results in a single variable $\Delta(m-p-y)_{t-1}$, which is the change in the error-correction term. Thus, current money balances are determined not only by past disequilibrium [via $(m-p-y)_{t-1}$], but by how fast that disequilibrium is changing [via $\Delta(m-p-y)_{t-1}$]. In Phillips's (1954, 1957) control-theoretic terminology, these two terms represent proportional and derivative control; cf. Salmon (1982). Reduction (vii) is the equal-opposite restriction, plus the deletion of Δp_{t-1} and Δy_t .

The resulting model, Model 8, is:

Table 8.
F and Related Statistics for the Sequential Reduction
 from the Fifth-order AD Model in Table 6

Null Hypothesis ^a			Maintained Hypothesis (Model Number) ^b							
Model <i>k</i>	$\hat{\sigma}$	SC	1	2	3	4	5	6	7	8
1	301.318%	-7.63	-							
	↓(i)		-							
			...							
2	251.306%	-7.81	0.73							
↓(ii)			[0.60]							
			(5,70)							
3	20.357%	-7.90	1.48	2.27						
			[0.17]	[0.06]						
↓(iii)			(10,70)	(5,75)						
4	151.346%	-8.09	1.24	1.53	0.73					
↓(iv)			[0.26]	[0.15]	[0.61]					
			(15,70)	(10,75)	(5,80)					
5	131.340%	-8.17	1.17	1.38	0.69	0.62				
↓(v)			[0.31]	[0.19]	[0.68]	[0.54]				
			(17,70)	(12,75)	(7,80)	(2,85)				
6	101.325%	-8.29	1.05	1.18	0.59	0.46	0.36			
↓(vi)			[0.42]	[0.30]	[0.82]	[0.80]	[0.78]			
			(20,70)	(15,75)	(10,80)	(5,85)	(3,87)			
7	81.330%	-8.36	1.08	1.20	0.70	0.69	0.73	1.30		
↓(vii)			[0.39]	[0.29]	[0.75]	[0.68]	[0.61]	[0.28]		
			(22,70)	(17,75)	(12,80)	(7,85)	(5,87)	(2,90)		
8	51.313%	-8.49	0.97	1.05	0.60	0.54	0.53	0.64	0.20	
↓(viii)			[0.51]	[0.42]	[0.87]	[0.85]	[0.83]	[0.67]	[0.89]	
			(25,70)	(20,75)	(15,80)	(10,85)	(8,87)	(5,90)	(3,92)	
9	41.498%	-8.26	2.08	2.45	2.32	3.09	3.67	5.44	7.47	30.01
			[0.008]	[0.002]	[0.007]	[0.002]	[0.001]	[0.000]	[0.000]	[0.000]
			(26,70)	(21,75)	(16,80)	(11,85)	(9,87)	(6,90)	(4,92)	(1,95)

^aThe first four columns report the model number (with reduction), and for that model: the number of unrestricted parameters *k*, the estimated equation standard error $\hat{\sigma}$, and the Schwarz criterion SC, defined as $\ln(RSS_T/T) + k \cdot (\ln T)/T$. The text defines the models.

^bThe three entries within a given block of numbers are: the *F* statistic for testing the null hypothesis (designated by the model number to the left of the entry) against the maintained hypothesis (designated by the model number directly above the entry), the tail probability associated with that value of the *F* statistic (in square brackets), and the degrees of freedom for the *F* statistic (in parentheses).

$$\begin{aligned}
\Delta(m-p)_t = & - \underset{[0.14]}{0.69} \Delta p_t - \underset{[0.06]}{0.17} \Delta(m-p-y)_{t-1} \\
& - \underset{[0.053]}{0.630} R_t^* - \underset{[0.008]}{0.093} (m-p-y)_{t-1} \\
& + \underset{[0.004]}{0.023}
\end{aligned} \tag{39}$$

$$\begin{aligned}
T &= 100 \text{ [1964(3) - 1989(2)]} & R^2 &= 0.76 & \hat{\sigma} &= 1.313\% \\
dw &= 2.18 & \text{AR 1-4 } F[4, 91] &= 1.94 \\
\text{Normality } \chi^2[2] &= 1.53 & \text{ARCH 1-4 } F[4, 87] &= 0.74 \\
\text{RESET } F[1, 94] &= 0.08 & X_i^2 F[8, 86] &= 1.36 \\
X_i X_j F[14, 80] &= 1.05.
\end{aligned}$$

This is equation (6) in Hendry and Ericsson (1991b), where its statistical and economic properties are described at length.

As a final restriction, we consider imposing short-run unit homogeneity in prices [reduction (viii)], which corresponds to deleting Δp_t in (39). All the associated F statistics are significant at the 1% level, and several at the 0.1% or even 0.01% level. Both $\hat{\sigma}$ and the Schwarz criterion increase sharply. Reduction (viii) clearly is invalid. No other reductions from Model 8 are apparent, so we stop.

This subsection has demonstrated that (39) is a valid reduction of the unrestricted fifth-order AD model in Table 6, and so that the residuals in (39) are innovations with respect to the information set in Table 6. Short-run unit homogeneity in prices is not a valid reduction, and its rejection reflects the high information content of the data.

C. Model Replication and Evaluation: Nominal Income in the United Kingdom

This subsection replicates an equation from Friedman and Schwartz (1982) for nominal income in the United Kingdom and, for that equation, calculates statistics from Table 1 to evaluate

the equation's empirical validity.

Marginalization and mis-specification. In turning to model evaluation, we briefly reconsider the effects of invalid marginalization. Direct tests of reduction are available for explicit marginalization (as in Section 4.B above), but much marginalization in empirical work is implicit, with the relevant set of "omitted variables" correspondingly difficult to specify. Even so, some implications of invalid reduction are testable. Specifically, Section 2.A shows that marginalization induces a re-parameterization of the model, so standard tests on those new parameters and on the implied model residuals may have power against invalid marginalization. Put somewhat differently, a test against a specific hypothesis (and so a specific reduction) also may have power against other alternative hypotheses (and so other reductions). Thus, we apply several statistics from Table 1 in this diagnostic, evaluative mode, virtually all of which are from the diagnostic and recursive least-squares graph options menus.

Model replication and evaluation. Replication and evaluation of existing empirical models are fundamental aspects of Hendry's methodology. First, any new model would need to encompass existing models, and testing encompassing requires estimation of both models (at least implicitly). Second, the type and extent of mis-specification in existing models may suggest how to improve those models.

Friedman and Schwartz (1982, p. 349) present a "final" equation explaining the (log-) level of nominal income in the United Kingdom. Re-estimating that equation, we obtain:

The data are 36 phase-average observations derived from annual data spanning 1874-1973: the phases are expansions and contractions, dated by NBER reference cycles. Phase-averaged variables are denoted by a superscript bar, and indexed by j . The variables $\bar{P}$, $\bar{Y}$, and $\bar{M}$ are the price level, real net national income, and the broad money stock, with lower case denoting logarithms. RN is the differential between the short-term interest rate and the "own-yield" on money, $G(p + y)$ is the growth rate of nominal income, W is a dummy for "postwar adjustment" (Friedman and Schwartz (1982, p. 228)), and S is a data-based dummy for "[a]n upward demand shift, produced by economic depression and war..." (Fried-

$$\begin{aligned}
(\bar{p} + \bar{y})_j &= 0.38 + 1.011 \bar{m}_j + 14.3 \bar{RN}_j \\
&\quad (0.09) \quad (0.017) \quad (4.0) \\
&+ 0.54 G(\bar{p} + \bar{y})_j - 1.08 \bar{W}_j - 19.1 \bar{S}_j \quad (40) \\
&\quad (0.29) \quad (0.64) \quad (3.5)
\end{aligned}$$

$$J = 36 \text{ [spanning 1874 - 1973]} \quad \hat{\sigma} = 6.11\% \quad dw = 1.33$$

$$R^2 = 0.99996 \quad \text{AR 1-1 } F[1, 29] = 3.95$$

$$\text{Normality } \chi^2[2] = 2.41 \quad \text{ARCH 1-1 } F[1, 28] = 21.30$$

$$\text{RESET } F[1, 29] = 1.66 \quad X_i^2 F[12, 17] = 1.44$$

$$\text{INN}_t F[1, 29] = 7.51.$$

man and Schwartz (1982, p. 281)) during 1921-1955. Equation (40), along with an equation for prices, purports to show that real income does not depend upon money, but prices do, and so nominal income (in (40)) does depend upon money; cf. Friedman and Schwartz (1982, pp. 422, 351). See Friedman and Schwartz (1982) and Hendry and Ericsson (1991a) for further details.

Equation (40) closely replicates Friedman and Schwartz's (1982) coefficient estimates, equation standard error, and R^2 , which are the only statistics that they provide on that specification. Thus, to evaluate their equation, we turn to various standard tests based on the model's residuals and on its estimated parameters.

The (residual-based) statistics listed with (40) detect substantial heteroscedasticity (ARCH) and possible error autocorrelation (dw and AR 1-1). Further, a trend is highly significant when added to (40) (INN_t), indicative of omitted variables.

Recursive least squares is a natural method for evaluating the coefficient estimates themselves. Figure 5 graphs the recursive estimates and estimated standard errors of one coefficient, that on the interest rate $\bar{RN}$. The recursive estimates correspond to the sequence $\{\hat{\beta}_j\}$ from (24), and these empirical values are notable in their numerical and statistical nonconstancy. When estimated with data through only phase observation 16, the coefficient is

negative and insignificant. With the whole sample, the coefficient is $+14.3$ with a t -ratio of 3.6 . Further, the 95% confidence interval for the whole-sample estimate lies entirely outside the 95% confidence interval using the first 16 observations, showing how substantial the nonconstancy is, statistically speaking.

The equation standard error σ can be estimated recursively as well. Figure 6 plots the one-step residuals ($\eta_{j,j}$ from Section 2.E) and $0 \pm 2\hat{\sigma}_j$, from which it is visually apparent that the residuals are autocorrelated and $\hat{\sigma}_j$ is not constant.

Formally, nonconstancy can be tested by Chow statistics, and recursive estimation provides the basis for sequences of Chow statistics, as described in Section 2.E. Figures 7, 8, and 9 plot the sequences of one-step ahead, break-point ($N \downarrow$), and fixed-point ($N \uparrow$) Chow statistics: these parallel the schematics in Figures 1a, 1b, and 1c. "Breaks" are present in observations 25 (1944-1946), 28 (1952-1955), 32 (1962-1965), and possibly 22 (1932-1937). While the timing and size of coefficient breaks may be suggestive of the particular mis-specification present, such thoughts must remain conjectural until a well-specified model is obtained, which would be able to explain the mis-specification of (40) via encompassing. The several observed test rejections are not mutually independent, also clouding inferences on the cause(s) of rejection.

D. Super Exogeneity: Consumers' Expenditure in Venezuela

In our final empirical example, we test for the super exogeneity of incomes and prices in Campos and Ericsson's (1988) conditional model of consumers' expenditure for Venezuela. We test for super exogeneity both indirectly via tests of constancy and directly via tests of invariance. We find super exogeneity, thereby refuting Lucas's (1976) critique, and also Hall's (1978) hypothesis.

The conditional ECM. Campos and Ericsson (1988) develop a constant, data-coherent error-correction model of consumers' expenditure for Venezuela. In the model's long-run static solution, the consumption-income ratio is a function of the liquidity-income ratio, as in Hendry and von Ungern-Sternberg's (1981) model of consumers' expenditure in the United Kingdom. The estimated equation for Venezuela is:

Figure 5.

Equation (40): recursive estimates of the coefficient on the interest rate $\overline{RN}$ for a model of phase-average nominal income in the United Kingdom, with ± 2 estimated standard errors.

$$\begin{aligned}
 \widehat{\Delta c}_t = & \underset{[0.050]}{0.457} (\Delta_2 y_t^* / 2) - \underset{[0.031]}{0.270} (\Delta p + \Delta^2 p)_t \\
 & - \underset{[0.014]}{0.142} [(c - y^*) - \tfrac{1}{2}(m - y^*)]_{t-1} \\
 & + \underset{[0.004]}{0.019} + \underset{[0.002]}{0.026} D_{01}
 \end{aligned} \tag{41}$$

$$T = 16 \text{ [1970 - 1985]} \quad R^2 = 0.97 \quad \hat{\sigma} = 0.916\%.$$

The series C , Y , and M are real (1968 Bolivares), per capita, annual values of consumers' expenditure on non-durables and services, national disposable income, and end-of-period liquidity

Figura 6.

Equation (40): one-step residuals and the corresponding calculated equation standard errors for a model of phase average nominal income in the United Kingdom.

(M_2). The price deflator (P) is for all consumers' expenditure. To account for the "inflation tax" from holding liquid assets, the income measure Y^* used in (41) is $Y_t - (\Delta p_t)M_{t-1}$; cf. Hendry and von Ungern-Sternberg (1981). D_{01} is a +1/-1 dummy for 1970-1971 to account for apparent measurement errors in consumers' expenditure for those years. Lower case denotes logarithms. Campos and Ericsson (1988, Appendices A and B) give details of the data and sources.

Testing super exogeneity. As discussed in Section 2.A, super exogeneity requires weak exogeneity and the invariance of the parameters of interest (φ , which is a function of the conditional model's parameters λ_{1t}) to changes in the parameters of the marginal process (λ_{2t}). Thus, two common tests for super exogeneity are as follows.

- (i) Establish the constancy of the parameters in the conditional model ($\lambda_{1t} = \lambda_1$) and the nonconstancy of those in the marginal model (λ_{2t} varies over time). Because λ_1 is constant

Figure 7.

Equation (40): the sequence of one-step ahead Chow statistics over phase observations 17–36 (1924–1973) for a model of phase-average nominal income in the United Kingdom, with the statistics scaled by their one-off 5% critical values.

but λ_{2t} is not, λ_1 is invariant to λ_{2t} , and so super exogeneity holds; cf. Hendry (1988c).

- (ii) Having established (i), further develop the marginal model until it is empirically constant. For instance, by adding dummies and/or other variables, model the way in which λ_{2t} varies over time. Then test for the significance of those dummies and/or other variables in the conditional model. Insignificance in the conditional model demonstrates invariance of the conditional model's parameters λ_1 to the changes in the marginal process; cf. Engle and Hendry (1989).

Campos and Ericsson (1988) demonstrate the constancy and data-coherency of the conditional model (41). Thus, we take those properties as given, and turn to modeling the marginal processes of prices and incomes, which were conditioned upon (contemporaneously) in (41).

Figura 8.

Equation (40): the sequence of break-point ($N \downarrow$) Chow statistics over phase observations 17–36 (1924–1973) for a model of phase-average nominal income in the United Kingdom, with the statistics scaled by their one-off 5% critical values.

Marginal models for prices and incomes. Starting with univariate second-order autoregressive processes for p_t and y_t^* , and simplifying, we obtain the following random-walk specifications.¹⁹

$$\hat{y}_t^* = y_{t-1}^* + \begin{matrix} 0.014 \\ (0.025) \end{matrix} \quad (43)$$

$$T = 16 \text{ [1970 – 1985]} \quad R^2 = 0.69 \quad \hat{\sigma} = 9.982\%$$

$$dw = 1.46 \quad \text{INN } F[2, 13] = 2.52$$

¹⁹Equations (42) and (43) appear in terms of the (log-)levels of prices and income to emphasize the equations' origins from AR(2) models and to display the unit restrictions on the lagged dependent variables explicitly.

Figura 9.

Equation (40): the sequence of fixed-point ($N \uparrow$) Chow statistics over phase observations 17–36 (1924–1973) for a model of phase-average nominal income in the United Kingdom, with the statistics scaled by their one-off 5% critical values.

P Hendry, D.F. and A.J. Neale (1990) *PC-NAIVE: An Interactive Program for Monte Carlo Experimentation in Econometrics*, Version 6.01, Oxford: Institute of Economics and Statistics and Nuffield College, University of Oxford (documentation by D.F. Hendry, A.J. Neale, and N.R. Ericsson).

The tests of reduction from the AR(2) processes (INN) are not rejected. However, both models are highly nonconstant, as plots of the recursively estimated equation standard errors and break-point Chow statistics reveal in Figures 10a-b and 11a-b. Major breaks appear in 1974, 1979–1980, and 1984 for prices, and in 1974 and 1982–1983 for income.

Different approaches could be taken to develop more constant marginal processes, and knowledge of the history and institutions of the Venezuelan economy is clearly helpful. Campos and Ericsson (1988) include additional variables: U.S. prices in the price equation, and petroleum exports in the income equation. Here,

we add dummies to (42) and (43), with the dummies proxying for the shifts in λ_{2t} over time. The dummies are:

- D7980 +1 in 1979 and 1980, for the rise in world inflation rates;
- D84 +1 in 1984, for a particularly inflationary year in Venezuela at the beginning of the debt crisis;
- D74/85 +1 for 1974 onwards, for the influence of OPEC;
- D74 +1 for 1974 only, for the incredibly high (40% real, per capita) growth in income for Venezuela in this year and for higher inflation; and
- D8283 +1 in 1982 and 1983, for the beginning of the debt crisis;

with observations other than those specified being zero. The dummies D7980, D84, and D74/85 were included in the price equation (42); and D74/85, D74, and D8283 in the incomes equation (43). With those dummies, both equations are empirically constant and have much smaller values of $\hat{\sigma}$ (1.559% and 3.012% respectively), the latter indicating the statistical importance of the dummies in the equations. With this information, we consider the super exogeneity of prices and incomes in the conditional model (41).

Testing super exogeneity: (i). Super exogeneity follows from the constancy of the conditional model (41) and the nonconstancy of the marginal models (42) and (43).

Testing super exogeneity: (ii). Adding the five new dummies to (41), we obtain $F[5,6] = 1.08$ with a p -value of 0.46. Further, no subset of dummies is significant at the 5% level.

The power of these tests is also of interest. Following Engle and Hendry (1989), we mis-specify (41) and re-test, with rejection reflecting power. Because of the marginalization from mis-specification, the parameters in the mis-specified conditional model generally are not invariant to changes in λ_{2t} , even if the parameters λ_1 in the original conditional model are. Thus, tests of super exogeneity in the mis-specified model provide some measure of power.

We consider six mis-specifications, each of which is tested for super exogeneity via addition of the five new dummies. The first three mis-specifications are the deletion from (41) of current-dated income growth Δy_t^* , of current-dated inflation Δp_t , and of Δp_t and Δy_t^* jointly. To properly exclude these variables from (41),

Figura 10a.

Equation (42): one-step residuals and the corresponding calculated equation standard errors for a time-series model of prices in Venezuela.

we note that $\Delta_2 y_t^* = \Delta y_t^* + \Delta y_{t-1}^*$ and $(\Delta p + \Delta^2 p)_t = 2\Delta p_t - \Delta p_{t-1}$. The corresponding F statistics and p -values are $F[5, 6] = 14.56$ [0.003], $F[5, 6] = 5.79$ [0.027], and $F[5, 6] = 7.77$ [0.013]. For the remaining three mis-specifications, we delete from (41) either $\Delta_2 y_t^*/2$, or $(\Delta p + \Delta^2 p)_t$, or both $\Delta_2 y_t^*/2$ and $(\Delta p + \Delta^2 p)_t$. Their F statistics and p -values are $F[5, 7] = 4.76$ [0.032], $F[5, 7] = 4.82$ [0.031], and $F[5, 8] = 5.74$ [0.015]. In all cases, rejection is strong.

These results reflect the power of the tests and (relatedly) the high information content in the data. Even though the number of observations is small, the information per observation is high, with the product of the two being relevant for the information matrix, and so for powers of tests. These data properties appear to characterize data from many developing economies, which have been subject to substantial shocks over the last two decades. While the resulting high per-observation variability in the data may represent major hardships for these economies, the econometric implications are more promising. For example, Campos and Ericsson

Figura 10b.

Equation (42): the sequence of break-point ($N \downarrow$) Chow statistics over 1973–1985 for a time-series model of prices in Venezuela, with the statistics scaled by their one-off 5% critical values.

(1988) show that their short annual Venezuelan data set contains more information for the consumption function than forty years of comparable quarterly postwar U.S. data.

To summarize, the marginal processes for prices and income are nonconstant over the sample period, yet the empirical model of consumers' expenditure conditional on observed prices and income has constant parameters. Thus, the parameters in (41) are invariant to the class of interventions which occurred in sample: prices and income are super exogenous for those parameters. Super exogeneity is also shown by "variable-addition" tests, with dummies proxying for the nonconstancies in the price and incomes equations being insignificant when added to the consumption function.

5. Summary and Conclusions.

David Hendry's contributions to econometric methodology have notably influenced current empirical practice. This pa-

Figura 11a.

Equation (43): one-step residuals and the corresponding calculated equation standard errors for a time-series model of income in in Venezuela.

per summarizes and coalesces his methodological writings, describes the way in which Hendry has implemented his econometric methodology in PC-GIVE, and illustrates several central aspects of the methodology via new substantive empirical examples analyzed with PC-GIVE. A cornerstone of Hendry's methodology is the derived nature of empirical models via data transformations and marginalizations, from which follow: the dual role of statistics in model evaluation and design, a range of model classes, model estimation, and modeling strategies. The structure of PC-GIVE reflects these issues.

Empirically, we find cointegration among narrow money, prices, total final expenditure, and interest rates in the United Kingdom, and obtain a data-coherent, parsimonious, economically interpretable model via a sequence of simplifications from an unrestricted autoregressive distributed lag model. We also evaluate Friedman and Schwartz's (1982) model of nominal income in the United Kingdom with numerous diagnostic tests, and find their

Figura 11b.

Equation (43): sequence of break-point ($N \downarrow$) Chow statistics over 1973–1985 for a time-series model of income in Venezuela, with the statistics scaled by their one-off 5% critical values.

model wanting. Rejection by those tests indicates room for improved specification. Finally, applying new tests from Engle and Hendry (1989), we find income and prices to be super exogenous in Campos and Ericsson's (1988) conditional model of consumers' expenditure in Venezuela. The tests' observed power with misspecified models is promising evidence for modeling data from developing countries and discerning between "good" and "bad" models of those data.

APPENDIX

A Chronological Bibliography for David F. Hendry²⁰

1966

E Hendry, D.F. (1966) "Survey of Student Income and Expenditure at Aberdeen University, 1963-64 and 1964-65," *Scottish Journal of Political Economy*, 13, 3, 363-376.

²⁰This bibliography is chronological, but within each year articles are listed following standard journal citation format. For ease of use, that includes giving the original order of authors on papers with co-authors. No book reviews are included except Hendry (1973), but discussion papers appear if they are cited in the text or forthcoming in a publication.

The nomenclature in the left-hand column is as follows:

E Empirical Study

M Monte Carlo Experimentation

P Computer Program

T Econometric Theory (or Methodology),

and is used to denote the focus of each article as a guide to the reader. Often, Hendry illustrates methodology with an empirical example or develops new methodology in the course of empirical research, so these classifications are not categorical. Also, several publications emphasize teaching and numerical techniques, which do not fall neatly into any of these categories.

1970

ET Hendry, D.F. (1970) *The Estimation of Economic Models with Auto-regressive Errors*, Ph.D. thesis, London: London School of Economics, University of London.

1971

ET Hendry, D.F. (1971) "Maximum Likelihood Estimation of Systems of Simultaneous Regression Equations with Errors Generated by a Vector Autoregressive Process," *International Economic Review*, 12, 2, 257-272; and (1974) "Maximum Likelihood Estimation of Systems of Simultaneous Regression Equations with Errors Generated by a Vector Autoregressive Process: A Correction," *International Economic Review*, 15, 1, 260.

1972

M Hendry, D.F. and P.K. Trivedi (1972) "Maximum Likelihood Estimation of Difference Equations with Moving Average Errors: A Simulation Study," *Review of Economic Studies*, 39, 2, 117-145.

1973

M Hendry, D.F. (1973) "On Asymptotic Theory and Finite Sample Experiments," *Economica*, 40, 158, 210-217.

1974

ET Hendry, D.F. (1974) "Stochastic Specification in an Aggregate Demand Model of the United Kingdom," *Econometrica*, 42, 3, 559-578.

M Hendry, D.F. and R.W. Harrison (1974) "Monte Carlo Methodology and the Small Sample Behaviour of Ordinary and Two-stage Least Squares," *Journal of Econometrics*, 2, 2, 151-174.

1975

ET Hendry, D.F. (1975) "The Consequences of Mis-specification of Dynamic Structure, Autocorrelation, and Simultaneity in a Simple Model with an Application to the Demand for Imports," Chapter 11 in G.A. Renton (ed.) *Modelling the Economy*, London: Heinemann Educational Books, 286-322 (with discussion).

1976

T Hendry, D.F. (1976) "The Structure of Simultaneous Equations Estimators," *Journal of Econometrics*, 4, 1, 51-88.

T Hendry, D.F. and A.R. Tremayne (1976) "Estimating Systems of Dynamic Reduced Form Equations with Vector Autoregressive Errors", *International Economic Review*, 17, 2, 463-471.

1977

T Hendry, D.F. (1977) "Comments on Granger-Newbold's 'Time Series Approach to Econometric Model Building' and Sargent-Sims' 'Business Cycle Modeling Without Pretending to Have Too Much *A Priori* Economic Theory'" in C.A. Sims (ed.) *New Methods in Business Cycle Research: Proceedings from a Conference*, Minneapolis, Minnesota: Federal Reserve Bank of Minneapolis, 183-202.

E Hendry, D.F. and G.J. Anderson (1977) "Testing Dynamic Specification in Small Simultaneous Systems: An Application to a Model of Building Society Behavior in the United Kingdom", Chapter 8C in M.D. Intriligator (ed.) *Frontiers of Quantitative Economics*, Amsterdam: North-Holland, Volume 3A, 361-383.

M Hendry, D.F. and F. Srba (1977) "The Properties of Autoregressive Instrumental Variables Estimators in Dynamic Systems", *Econometrica*, 45, 4, 969-990.

1978

E Davidson, J.E.H., D.F. Hendry, F. Srba, and S. Yeo (1978) "Econometric Modelling of the Aggregate Time-series Relationship between Consumers' Expenditure and Income in the United Kingdom", *Economic Journal*, 88, 352, 661-692.

E Hendry, D.F. and G.E. Mizon (1978) "Serial Correlation as a Convenient Simplification, Not a Nuisance: A Comment on a Study of the Demand for Money by the Bank of England", *Economic Journal*, 88, 351, 549-563.

1979

M Hendry, D.F. (1979a) "The Behaviour of Inconsistent Instrumental Variables Estimators in Dynamic Systems with Autocorrelated Errors", *Journal of Econometrics*, 9, 3, 295-314.

E Hendry, D.F. (1979b) "Predictive Failure and Econometric Modelling in Macroeconomics: The Transactions Demand for Money", Chapter 9 in P. Ormerod (ed.) *Economic Modelling*, London: Heinemann Education Books, 217-242.

1980

ET Hendry, D.F. (1980) "Econometrics – Alchemy or Science?", *Economica*, 47, 188, 387-406.

P Hendry, D.F. and F. Srba (1980) "AUTOREG: A Computer Program Library for Dynamic Econometric Models with Autoregressive Errors", *Journal of Econometrics*, 12, 1, 85-102.

EM Mizon, G.E. and D.F. Hendry (1980) "An Empirical Application and Monte Carlo Analysis of Tests of Dynamic Specification", *Review of Economic Studies*, 47, i, 21-45.

1981

E Davidson, J.E.H. and D.F. Hendry (1981) "Interpreting Econometric Evidence: The Behaviour of Consumers' Expenditure in the UK", *European Economic Review*, 16, 1, 177-192.

E Hendry, D.F. (1981a) "Econometric Evidence in the Appraisal of Monetary Policy", Appendix 1 in *Monetary Policy, Third Report from the Treasury and Civil Service Committee, Session 1980-81, House of Commons*, London: Her Majesty's Stationery Office, Volume 3, 1-21.

E Hendry, D.F. (1981b) "Comment on HM Treasury's Memorandum, 'Background to the Government's Economic Policy'", Appendix 4 in *Monetary Policy, Third Report from the Treasury and Civil Service Committee, Session 1980-81, House of Commons*, London: Her Majesty's Stationery Office, Volume 3, 94-96.

T Hendry, D.F. and J.-F. Richard (1981) "Model Formulation to Simplify Selection When Specification Is Uncertain" (Abstract), *Journal of Econometrics*, 16, 1, 159.

E Hendry, D.F. and T. von Ungern-Sternberg (1981) "Liquidity and Inflation Effects on Consumers' Expenditure", Chapter 9 in A.S. Deaton (ed.) *Essays in the Theory and Measurement of Consumer Behaviour*, Cambridge: Cambridge University Press, 237-260.

1982

T Hendry, D.F. (1982a) "Comment: Whither Disequilibrium Econometrics?", *Econometric Reviews*, 1, 1, 65-70.

M Hendry, D.F. (1982b) "A Reply to Professors Maasoumi and Phillips", *Journal of Econometrics*, 19, 2/3, 203-213.

ET Hendry, D.F. (1982c) "The Role of Econometrics in Macroeconomic Analysis", *UK Economic Prospect*, Autumn 1982, 26-38.

T Hendry, D.F. and J.-F. Richard (1982) "On the Formulation of Empirical Models in Dynamic Econometrics", *Journal of Econometrics*, 20, 1, 3-33; reprinted as Chapter 14 in C.W.J. Granger (ed.) (1990) *Modelling Economic Series: Readings in Econometric Methodology*, Oxford: Oxford University Press, 304-334.

1983

T Engle, R.F., D.F. Hendry, and J.-F. Richard (1983) "Exogeneity", *Econometrica*, 51, 2, 277-304.

T Hendry, D.F. (1983a) "Comment", *Econometric Reviews*, 2, 1, 111-114.

E Hendry, D.F. (1983b) "Econometric Modelling: The 'Consumption Function' in Retrospect", *Scottish Journal of Political Economy*, 30, 3, 193-220.

T Hendry, D.F. (1983c) "On Keynesian Model Building and the Rational Expectations Critique: A Question of Methodology", *Cambridge Journal of Economics*, 7, 1, 69-75.

E Hendry, D.F. and N.R. Ericsson (1983) "Assertion without Empirical Basis: An Econometric Appraisal of 'Monetary Trends in ... the United Kingdom' by Milton Friedman and Anna Schwartz" in *Monetary Trends in the United Kingdom*, Bank of England Panel of Academic Consultants, Panel Paper No. 22, London: Bank of England, 45-101 (with additional references); substantially revised and published in Hendry and Ericsson (1991a), as cited below.

T Hendry, D.F. and R.C. Marshall (1983) "On High and Low R^2 Contributions", *Oxford Bulletin of Economics and Statistics*, 45, 3, 313-316.

T Hendry, D.F. and J.-F. Richard (1983) "The Econometric Analysis of Economic Time Series", *International Statistical Review*, 51, 2, 111-163 (with discussion).

1984

E Anderson, G.J. and D.F. Hendry (1984) "An Econometric Model of United Kingdom Building Societies", *Oxford Bulletin of Economics and Statistics*, 46, 3, 185-210.

E Hendry, D.F. (1984a) "Econometric Modelling of House Prices in the United Kingdom", Chapter 8 in D.F. Hendry and K.F. Wallis (eds.) *Econometrics and Quantitative Economics*, Oxford: Basil Blackwell, 211-252.

M Hendry, D.F. (1984b) "Monte Carlo Experimentation in Econometrics", Chapter 16 in Z. Griliches and M.D. Intriligator (eds.) *Handbook of Econometrics*, Amsterdam: North-Holland, Volume 2, 937-976.

T Hendry, D.F. (1984c) "Present Position and Potential Developments: Some Personal Views [on] Time-series Econometrics", *Journal of the Royal Statistical Society, Series A*, 147, 2, 327-339 (with discussion).

T Hendry, D.F., A.R. Pagan, and J.D. Sargan (1984) "Dynamic Specification", Chapter 18 in Z. Griliches and M.D. Intriligator

(eds.) *Handbook of Econometrics*, Amsterdam: North-Holland, Volume 2, 1023-1100.

ET Hendry, D.F. and K.F. Wallis (eds.) (1984a) *Econometrics and Quantitative Economics*, Oxford: Basil Blackwell.

ET Hendry, D.F. and K.F. Wallis (1984b) "Editors' Introduction", Chapter 1 in D.F. Hendry and K.F. Wallis (eds.) *Econometrics and Quantitative Economics*, Oxford: Basil Blackwell, 1-12.

1985

M Engle, R.F., D.F. Hendry, and D. Trumble (1985) "Small-sample Properties of ARCH Estimators and Tests", *Canadian Journal of Economics*, 18, 1, 66-93.

E Ericsson, N.R. and D.F. Hendry (1985) "Conditional Econometric Modeling: An Application to New House Prices in the United Kingdom", Chapter 11 in A.C. Atkinson and S.E. Fienberg (eds.) *A Celebration of Statistics: The ISI Centenary Volume*, New York: Springer-Verlag, 251-285.

E Hendry, D.F. (1985) "Monetary Economic Myth and Econometric Reality", *Oxford Review of Economic Policy*, 1, 1, 72-84.

E Hendry, D.F. and N.R. Ericsson (1985) "Assertion without Empirical Basis: An Econometric Appraisal of *Monetary Trends in ... the United Kingdom* by Milton Friedman and Anna J. Schwartz", International Finance Discussion Paper No. 270, Washington, D.C.: Board of Governors of the Federal Reserve System.

1986

M Banerjee, A., J.J. Dolado, D.F. Hendry, and G.W. Smith (1986) "Exploring Equilibrium Relationships in Econometrics through Static Models: Some Monte Carlo Evidence", *Oxford Bulletin of Economics and Statistics*, 48, 3, 253-277.

MT Chong, Y.Y. and D.F. Hendry (1986) "Econometric Evaluation of Linear Macro-economic Models", *Review of Economic Studies*, 53, 4, 671-690; reprinted as Chapter 17 in C.W.J. Granger

(ed.) (1990) *Modelling Economic Series: Readings in Econometric Methodology*, Oxford: Oxford University Press, 384-410.

T Hendry, D.F. (1986a) "Econometric Modelling with Cointegrated Variables: An Overview", *Oxford Bulletin of Economics and Statistics*, 48, 3, 201-212.

EMT Hendry, D.F. (ed.) (1986b) *Economic Modelling with Cointegrated Variables*, *Oxford Bulletin of Economics and Statistics, Special Issue*, 48, 3.

E Hendry, D.F. (1986c) "Empirical Modeling in Dynamic Econometrics", *Applied Mathematics and Computation*, 20, 3/4, 201-236

T Hendry, D.F. (1986d) "An Excursion into Conditional Variance-land", *Econometric Reviews*, 5, 1, 63-69.

ET Hendry, D.F. (1986e) "On the Credibility of Econometric Evidence", Walras-Bowley Lecture, 1986 North American Econometric Society Meetings; *Econometrica*, forthcoming.

M Hendry, D.F. (1986f) "The Role of Prediction in Evaluating Econometric Models", *Proceedings of the Royal Society of London, Series A*, 407, 25-34.

P Hendry, D.F. (1986g) "Using PC-GIVE in Econometrics Teaching", *Oxford Bulletin of Economics and Statistics*, 48, 1, 87-98.

1987

T Florens, J.-P., D.F. Hendry, and J.-F. Richard (1987) "Parsimonious Encompassing: An Application to Non-nested Hypotheses and Hausman Specification Tests", Discussion Paper No. 87-09, Durham, North Carolina: Institute of Statistics and Decision Sciences, Duke University.

T Hendry, D.F. (1987a) "Econometric Methodology: A Personal Perspective", Chapter 10 in T.F. Bewley (eds.) *Advances in Econometrics: Fifth World Congress*, Cambridge: Cambridge University Press, Volume 2, 29-48.

E Hendry, D.F. (1987b) "Econometrics in Action", *Empirica* (Austrian Economic Papers), 2'87, 135-156.

P Hendry, D.F. (1987c) *PC-GIVE: An Interactive Menu-driven Econometric Modelling Program for IBM-compatible PC's*, Version 5.0, Oxford: Institute of Economics and Statistics and Nuffield College, University of Oxford.

E Hendry, D.F. and N.R. Ericsson (1987) "Assertion without Empirical Basis: An Econometric Appraisal of *Monetary Trends ... in the United Kingdom* by Milton Friedman and Anna J. Schwartz", Applied Economics Discussion Paper No. 25, Oxford: Institute of Economics and Statistics, University of Oxford.

MP Hendry, D.F. and A.J. Neale (1987) "Monte Carlo Experimentation using PC-NAIVE" in T.B. Fomby and G.F. Rhodes, Jr. (ed.) *Advances in Econometrics*, Greenwich, Connecticut: JAI Press, Volume 6, 91-125.

1988

T Campos, J., N.R. Ericsson, and D.F. Hendry (1988) "Comment on Telser", *Journal of the American Statistical Association*, 83, 402, 581.

E Hendry, D.F. (1988a) "Assessing Empirical Evidence in Macroeconometrics with an Application to Consumers' Expenditure in France", mimeo, Oxford: Nuffield College; forthcoming in A. Vercelli and N. Dimitri (eds.) *Macroeconomics: A Survey of Research Strategies*, Oxford: Oxford University Press.

T Hendry, D.F. (1988b) "Encompassing", *National Institute Economic Review*, 3/88, 125, August, 88-92.

ET Hendry, D.F. (1988c) "The Encompassing Implications of Feedback versus Feedforward Mechanisms in Econometrics", *Oxford Economic Papers*, 40, 1, 132-149.

E Hendry, D.F. (1988d) "Some Foreign Observations on Macroeconomic Model Evaluation Activities at INSEE-DP", Chapter

6 in *Groupes d'Etudes Macroeconometriques Concertées*, Paris: INSEE, 71-106.

T Hendry, D.F. and A.J. Neale (1988) "Interpreting Long-run Equilibrium Solutions in Conventional Macro Models: A Comment", *Economic Journal*, 98, 392, 808-817.

P Hendry, D.F., A.J. Neale, and F. Srba (1988) "Econometric Analysis of Small Linear Systems Using PC-FIML", *Journal of Econometrics*, 38, 1/2, 203-226.

1989

ET Engle, R.F. and D.F. Hendry (1989) "Testing Super Exogeneity and Invariance", Discussion Paper No. 89-51, San Diego, California: Department of Economics, University of California at San Diego.

T Ericsson, N.R. and D.F. Hendry (1989) "Encompassing and Rational Expectations: How Sequential Corroboration Can Imply Refutation", International Finance Discussion Paper No. 354, Washington, D.C.: Board of Governors of the Federal Reserve System.

ET Favero, C. and D.F. Hendry (1989) "Testing the Lucas Critique: A Review", mimeo, Oxford: Nuffield College.

E Hendry, D.F. (1989a) "Comment", *Econometric Reviews*, 8, 1, 111-121.

P Hendry, D.F. (1989b) *PC-GIVE: An Interactive Econometric Modelling System*, Version 6.0/6.01, Oxford: Institute of Economics and Statistics and Nuffield College, University of Oxford.

ET Hendry, D.F. and G.E. Mizon (1989) "Evaluating Dynamic Econometric Models by Encompassing the VAR", mimeo, Oxford: Nuffield College; forthcoming in P.C.B. Phillips and V.B. Hall (eds.) *Models, Methods and Applications of Econometrics*.

T Hendry, D.F. and M.S. Morgan (1989) "A Re-analysis of Confluence Analysis", *Oxford Economic Papers*, 41, 1, 35-52.

T Hendry, D.F. and J.-F. Richard (1989) "Recent Developments in the Theory of Encompassing", Chapter 12 in B. Cornet and H. Tulkens (eds.) *Contributions to Operations Research and Economics: The Twentieth Anniversary of CORE*, Cambridge, Massachusetts: MIT Press, 393-440.

T Hendry, D.F., A. Spanos, and N.R. Ericsson (1989) "The Contributions to Econometrics in Trygve Haavelmo's *The Probability Approach in Econometrics*", *Sosialøkonomen*, 43, 11, 12-17.

1990

ET Campos, J., N.R. Ericsson, and D.F. Hendry (1990) "An Analogue Model of Phase-averaging Procedures", *Journal of Econometrics*, 43, 3, 275-292.

T Hendry, D.F., E.E. Leamer, and D.J. Poirier (1990) "A Conversation on Econometric Methodology", *Econometric Theory*, 6, 2, 171-261.

T Hendry, D.F. and G.E. Mizon (1990) "Procrustean Econometrics: Or Stretching and Squeezing Data", Chapter 7 in C.W.J. Granger (ed.) *Modelling Economic Series: Readings in Econometric Methodology*, Oxford: Oxford University Press, 121-136.

E Hendry, D.F., J.N.J. Muellbauer, and A. Murphy (1990) "The Econometrics of DHSY", Chapter 13 in J.D. Hey and D. Winch (eds.) *A Century of Economics: 100 Years of the Royal Economic Society and the Economic Journal*, Oxford: Basil Blackwell, 298-334.

P Hendry, D.F. and A.J. Neale (1990) *PC-NAIVE: An Interactive Program for Monte Carlo Experimentation* in Econometrics, Version 6.01, Oxford: Institute of Economics and Statistics and Nuffield College, University of Oxford (documentation by D.F. Hendry, A.J. Neale, and N.R. Ericsson).

EMT Hendry, D.F., with D. Qin and C. Favero (1990) *Lectures on Econometric Methodology*, Oxford: Oxford University Press, forthcoming.

M Hendry, D.F. and J.-F. Richard (1990) "Likelihood Evaluation for Dynamic Latent Variables Models", mimeo, Oxford: Nuffield College; forthcoming in H.M. Amman, D.A. Belsey, and C.S. Pau (eds.) *Computation in Economics and Econometrics*, Dordrecht, The Netherlands: Kluwer.

1991

E Baba, Y., D.F. Hendry, and R.M. Starr (1991) "The Demand for M1 in the U.S.A., 1960-1988", *Review of Economic Studies*, 58, in press.

T Banerjee, A., J.J. Dolado, J.W. Galbraith, and D.F. Hendry (1991) *Co-integration, correction and the Econometric Analysis of Non-stationary Data*, Oxford: Oxford University Press, forthcoming.

ET Hendry, D.F. (1991a) *Econometrics: Alchemy or Science?: Essays in Econometric Methodology*, Oxford: Basil Blackwell, in press.

MP Hendry, D.F. (1991b) "Using PC-NAIVE in Teaching Econometrics", *Oxford Bulletin of Economics and Statistics*, 53, 2, 199-223.

E Hendry, D.F. (1991c) "Comments: 'The Response of Consumption to Income: A Cross-country Investigation' by Jonn Y. Campbell and N. Gregory Mankiw", *European Economic Review*, 35, 4, 764-767.

ET Hendry, D.F. (1991d) "An Econometric Analysis of TV Advertising Expenditure in the United Kingdom" *Journal of Policy Analysis*, 14,1, in press.

E Hendry, D.F. and N.R. Ericsson (1991a) "An Econometric Analysis of U.K. Money Demand in *Monetary Trends in the United States and the United Kingdom* by Milton Friedman and Anna J. Schwartz", *American Economic Review*, 81, 1, 8-38.

E Hendry, D.F. and N.R. Ericsson (1991b) "Modeling the Demand for Narrow Money in the United Kingdom and the United States", *European Economic Review*, 35, 4, 833-881.

T Hendry, D.F. and M.S. Morgan (eds.) (1991) *Classic Readings in the Foundations of Econometric Analysis*, Cambridge: Cambridge University Press, forthcoming.

M Hendry, D.F. and A.J. Neale (1991) "A Monte Carlo Study of the Effects of Structural Breaks on Tests for Unit Roots", Chapter 8 in P. Hackl and A.H. Westlund (eds.) *Economic Structural Change: Analysis and Forecasting*, Berlin: Springer-Verlag, 95-119.

References

- Amemiya, T. The Maximum Likelihood and the Nonlinear Three-stage Least Squares Estimator in the General Nonlinear Simultaneous Equation Model *Econometrica*, **45**, 4, 955-968; 1977: and Correction to a Lemma, *Econometrica*, **50**, 5.
- Barndorff-Nielsen, O. *Information and Exponential Families: In Statistical Theory*. Chichester, John Wiley, 1978.
- Baumol, W.J. The Transactions Demand for Cash: An Inventory Theoretic Approach. *Quarterly Journal of Economics*, **66**, 4: 545-556, 1952.
- Box, G.E.P. and G.M. Jenkins. *Time Series Analysis: Forecasting and Control*. San Francisco, Holden-Day, Second Edition, 1976.
- Box, G.E.P. and D.A. Pierce. Distribution of Residual Autocorrelations in Autoregressive-integrated Moving Average Time Series Models. *Journal of the American Statistical Association*, **65**, 332: 1509-1526, 1970.
- Brown, R.L., J. Durbin, and J.M. Evans. Techniques for Testing the Constancy of Regression Relationships over Time. *Journal of the Royal Statistical Society, Series B*, **37**, 2: 149-192 (with discussion), 1975.
- Buse, A. The Likelihood Ratio, Wald, and Lagrange Multiplier Tests: An Expository Note. *American Statistician*, **36**, 3, Part 1: 153-157, 1982.
- Campos, J. Econometric Modelling, lecture notes, Caracas, Banco Central de Venezuela, 1988.
- Campos, J. and N.R. Ericsson. Econometric Modeling of Consumers' Expenditure in Venezuela, International Finance Discussion Paper No. 325, Board of Governors of the Federal Reserve System, Washington, D.C., 1988.

- Chow, G.C. Tests of Equality between Sets of Coefficients in Two Linear Regressions. *Econometrica*, **28**, 3: 591-605, 1960.
- Cox, D.R. Tests of Separate Families of Hypotheses, in J. Neyman (ed.) *Proceedings of the Fourth Berkeley Symposium on Mathematical Statistics and Probability*, Berkeley, University of California Press **Volume I**: 105-123, 1961.
- Cox, D.R. Further Results on Tests of Separate Families of Hypotheses. *Journal of the Royal Statistical Society, Series B*, **24**, 2: 406-424, 1962.
- Dickey, D.A. and W.A. Fuller. Distribution of the Estimators for Autoregressive Time Series with a Unit Root. *Journal of the American Statistical Association*, **74**, 366: 427-431, 1979.
- Dickey, D.A. and W.A. Fuller. Likelihood Ratio Statistics for Autoregressive Time Series with a Unit Root. *Econometrica*, **49**, 4: 1057-1072, 1981.
- Dolado, J.J., T. Jenkinson, and S. Sosvilla-Rivero. Cointegration and Unit Roots. *Journal of Economic Surveys*, **4**, 3: 249-273, 1990.
- Dufour, J.-M. Recursive Stability Analysis of Linear Regression Relationships: An Exploratory Methodology. *Journal of Econometrics*, **19**, 1: 31-76, 1982.
- Durbin, J. and G.S. Watson. Testing for Serial Correlation in Least Squares Regression. I. *Biometrika*, **37**, 3 and 4: 409-428, 1950.
- Durbin, J. and G.S. Watson. Testing for Serial Correlation in Least Squares Regression. II. *Biometrika*, **38**, 1 and 2: 159-178: 1951.
- Engle, R.F. Autoregressive Conditional Heteroscedasticity with Estimates of the Variance of United Kingdom Inflation. *Econometrica*, **50**, 4: 987-1007, 1982.
- Engle, R.F. Wald, Likelihood Ratio, and Lagrange Multiplier Tests in Econometrics, Chapter 13 in Z. Griliches and M.D. Intriligator (eds.) *Handbook of Econometrics*, Amsterdam, North-Holland, **2**: 775-826.
- Engle, R.F. and C.W.J. Granger. Co-integration and Error Correction: Representation, Estimation, and Testing. *Econometrica*, **55**, 2: 251-276, 1987.
- Engle, R.F. and B.S. Yoo. Cointegrated Economic Time Series: A Survey with New Results. Department of Economics Discussion Paper 87-26R, University of California at San Diego,

- San Diego, California; forthcoming in R.F. Engle and C.W.J. Granger (eds.) *Modelling Long-run Economic Relationships: Readings in Cointegration*, Oxford, Oxford University Press.
- Ericsson, N.R. Parameter Constancy, Mean Square Forecast Errors, and Measuring Forecast Performance: An Exposition, Extensions, and Illustration. *Journal of Policy Modeling*, **14**, 1;1992.
- Ericsson, N.R. and H. Lyss. An Update PC-GIVE: Version 6.01. *Journal of Applied Econometrics*, **6**, 3; 1992:1991.
- Escribano, A. Non-linear Error-correction: The Case of Money Demand in the U.K. (1878-1970). Mimeo, University of California, San Diego.
- Fisher, R.A. The Goodness of Fit of Regression Formulae, and the Distribution of Regression Coefficients. *Journal of the Royal Statistical Society*, **85**, 4:597-612, 1922.
- Florens, J.-P. and M. Mouchart. Conditioning in Dynamic Models. *Journal of Time Series Analysis*, **6**, 1: 15-34, 1985a.
- Florens, J.-P. and M. Mouchart. A Linear Theory for Noncausality. *Econometrica*, **53**, 1:157-175, 1985b.
- Friedman, M. The Quantity Theory of Money — A Restatement, in M. Friedman, ed., *Studies in the Quantity Theory of Money*, Chicago, University of Chicago Press, 3-21, 1956.
- Friedman, M. and A.J. Schwartz. *Monetary Trends in the United States and the United Kingdom: Their Relation to Income, Prices, and Interest Rates, 1867-1975*. Chicago, University of Chicago Press, 1982.
- Gilbert, C.L. Professor Hendry's Econometric Methodology. *Oxford Bulletin of Economics and Statistics*, **48**, 3:283-307, 1986.
- Gilbert, C.L. LSE and the British Approach to Time Series Econometrics. *Oxford Economic Papers*, **41**, 1:108-128, 1989.
- Godfrey, L.G. Testing Against General Autoregressive and Moving Average Error Models when the Regressors Include Lagged Dependent Variables. *Econometrica*, **46**, 6:1293-1301, 1978.
- Godfrey, L.G. PC-GIVE: A Review. *Economic Journal*, **100**, 399:303-307, 1990.
- Granger, C.W.J. Some Properties of Time Series Data and Their Use in Econometric Model Specification. *Journal of Econometrics*, **16**, 1:121-130, 1981.

- Granger, C.W.J. Developments in the Study of Cointegrated Economic Variables. *Oxford Bulletin of Economics and Statistics*, 48, 3: 213-228, 1986.
- Granger, C.W.J. *Forecasting in Business and Economics*. Boston, Academic Press, Second Edition, 1989.
- Granger, C.W.J. and A.A. Weiss. Time Series Analysis of Error-correction Models, in S. Karlin, T. Amemiya, and L.A. Goodman (eds.) *Studies in Econometrics, Time Series, and Multivariate Statistics: In Honor of Theodore W. Anderson*, New York. Academic Press, 255-278, 1983.
- Haavelmo, T. The Probability Approach in Econometrics. *Econometrica*, 12, Supplement:i-viii, 1-118: 1944.
- Hall, R.E. Stochastic Implications of the Life Cycle-Permanent Income Hypothesis: Theory and Evidence. *Journal of Political Economy*, 86, 6: 971-987, 1978.
- Hall, S.G., S.G.B. Henry, and J.B. Wilcox. The Long-run Determination of the UK Monetary Aggregates, in S.G.B. Henry and K.D. Patterson (eds.). *Economic Modelling at the Bank of England*, London, Chapman and Hall, 1990.
- Hansen, L.P. Large Sample Properties of Generalized Method of Moments Estimators. *Econometrica*, 50, 4: 1029-1054, 1982.
- Harvey, A.C. *The Econometric Analysis of Time Series*. Oxford, Philip Allan, 1981.
- Herschel, J. *A Preliminary Discourse on the Study of Natural Philosophy*. London, Longman, Rees, Brown & Green and John Taylor, 1830.
- Hooker, R.H. Correlation of the Marriage-Rate with Trade. *Journal of the Royal Statistical Society*, 64,3: 485-492, 1901.
- Hylleberg, S. and G.E. Mizon. Cointegration and Error Correction Mechanisms. *Economic Journal*, 99, 395, Supplement: 113-125, 1989.
- Jarque, C.M. and A.K. Bera. Efficient Tests for Normality, Homoscedasticity and Serial Independence of Regression Residuals. *Economics Letters*, 6, 3: 255-259, 1980.
- Johansen, S. Statistical Analysis of Cointegration Vectors. *Journal of Economic Dynamics and Control*, 12, 2/3: 231-254, 1988.
- Johansen, S. Cointegration in Partial Systems and the Efficiency of Single Equation Analysis, mimeo, Institute of Mathematical Statistics, University of Copenhagen, Copenhagen, Denmark; forthcoming in the *Journal of Econometrics*.

- Johansen, S. A Statistical Analysis of Cointegration for I(2) Variables, Discussion Paper No. 77, Department of Statistics, University of Helsinki, Helsinki, Finland, 1991a.
- Johansen, S. Testing Weak Exogeneity and the Order of Cointegration in UK Money Demand Data, forthcoming in the *Journal of Policy Modeling*, 1991b.
- Johansen, S and K. Juselius. Maximum Likelihood Estimation and Inference on Cointegration – With Applications to the Demand for Money. *Oxford Bulletin of Economics and Statistics*, 52, 2: 169-210, 1990.
- Johnston, J. *Econometric Methods*. New York, McGraw-Hill, 1963.
- Johnston, J. *Econometric Methods*. New York, McGraw-Hill, Second Edition, 1972.
- Kiviet, J.F. On the Rigour of Some Misspecification Tests for Modelling Dynamic Relationships. *Review of Economic Studies*, 53, 2: 241-261, 1986.
- Kiviet, J.F. and G.D.A. Phillips. Testing Strategies for Model Specification. *Applied Mathematics and Computation*, 20: 237-269, 1986 reprinted as Chapter 2 in J.F. Kiviet *Testing Linear Econometric Models*, Amsterdam, Amsterdam University Press, 13-45:1987.
- Kloek, T. Dynamic Adjustment when the Target is Nonstationary. *International Economic Review*, 25, 2:315-326, 1984.
- Klovland, J.T. The Demand for Money in the United Kingdom, 1875-1913. *Oxford Bulletin of Economics and Statistics*, 49, 3: 251-271, 1987.
- Koopmans, T.C. When Is an Equation System Complete for Statistical Purposes?, Chapter 17 in T.C. Koopmans (ed.) *Statistical Inference in Dynamic Economic Models* New York, John Wiley. 393-409, 1950.
- Kremers, J.J.K., N.R. Ericsson, and J.J. Dolado. The Power of Cointegration Tests, mimeo, Federal Reserve Board of Governors, Washington, D.C., 1989; presented at the World Congress of the Econometric Society, Barcelona, Spain, August 1990.
- Lakatos, I. Falsification and the Methodology of Scientific Research Programmes in I. Lakatos and A. Musgrave (eds.) *Criticism and the Growth of Knowledge*, Cambridge, Cambridge University Press, 91-196.

- Leamer, E.E. Econometric Metaphors, Chapter 9 in T.F. Bewley (ed.) *Advances in Econometrics*, Cambridge University Press, 2: 1-28, 1987.
- Longbottom, A. and S. Holly. Econometric Methodology and Monetarism: Professor Friedman and Professor Hendry on the Demand for Money, Discussion Paper No. 131, London Business School, 1985.
- Lucas, Jr., R.E. Econometric Policy Evaluation: A Critique in K. Brunner and A.H. Meltzer (eds.) *Carnegie-Rochester Conferences on Public Policy*, Volume 1, *Journal of Monetary Economics*, 19-46, 1976.
- MacKinnon, J.G. Model Specification Tests Against Non-nested Alternatives. *Econometric Reviews*, 2, 1:85-158 (with discussion), 1983.
- MacKinnon, J.G. and H. White. Some Heteroskedasticity-consistent Covariance Matrix Estimators with Improved Finite Sample Properties. *Journal of Econometrics*, 29, 3: 305-325, 1985.
- Miller, M.H. and D. Orr. A Model of the Demand for Money by Firms. *Quarterly Journal of Economics*, 80, 3: 413-435, 1966.
- Mizon, G.E. The Encompassing Approach in Econometrics, Chapter 6 in D.F. Hendry and K.F. Wallis (eds.) *Econometrics and Quantitative Economics*, Oxford, Basil Blackwell, 135-172.
- Mizon, G.E. and J.-F. Richard. The Encompassing Principle and Its Application to Testing Non-nested Hypotheses. *Econometrica*, 54, 3: 657-678, 1986.
- Nicholls, D.F. and A.R. Pagan. Heteroscedasticity in Models with Lagged Dependent Variables. *Econometrica*, 51, 4: 1233-1242, 1983.
- Nickell, S. Error Correction, Partial Adjustment and All That: An Expository Note. *Oxford Bulletin of Economics and Statistics*, 47, 2: 119-129, 1985.
- Pagan, A.R. Three Econometric Methodologies: A Critical Appraisal. *Journal of Economic Surveys*, 1, 1: 3-24; reprinted as Chapter 6 in C.W.J. Granger (ed.), 1987 *Modelling Economic Series: Readings in Econometric Methodology*, Oxford, Oxford University Press, 97-120, 1990.
- Parks, R.B. PC Give 5.0. *American Statistician*, 43, 1: 60-63, 1989.

- Pesaran, M.H. On the General Problem of Model Selection. *Review of Economic Studies*, **41**, 2: 153-171, 1974.
- Pesaran, M.H. Comparison of Local Power of Alternative Tests of Non-nested Regression Models. *Econometrica*, **50**, 5: 1287-1305, 1982.
- Phillips, A.W. Stabilisation Policy in a Closed Economy. *Economic Journal*, **64**, 254: 290-323, 1954.
- Phillips, A.W. Stabilisation Policy and the Time-Forms of Lagged Responses. *Economic Journal*, **67**, 266: 265-277, 1957.
- Phillips, G.D.A. Recursions for the Two-stage Least-squares Estimators. *Journal of Econometrics*, **6**, 1: 65-77, 1977.
- Phillips, P.C.B. On the Consistency of Nonlinear FIML. *Econometrica*, **50**, 5: 1307-1324, 1982.
- Phillips, P.C.B. Understanding Spurious Regressions in Econometrics. *Journal of Econometrics*, **33**, 3: 311-340, 1986.
- Phillips, P.C.B. Time Series Regression with a Unit Root. *Econometrica*, **55**, 2: 277-301, 1987.
- Phillips, P.C.B. Reflections on Econometric Methodology. *Economic Record*, **64**, 187: 344-359, 1988.
- Phillips, P.C.B. Optimal Inference in Cointegrated Systems. *Econometrica*, **59**, 2: 283-306, 1991.
- Phillips, P.C.B. and S.N. Durlauf. Multiple Time Series Regression with Integrated Processes. *Review of Economic Studies*, **53**, 4: 473-495, 1986.
- Phillips, P.C.B. and M. Loretan. Estimating Long-run Economic Equilibria. *Review of Economic Studies*, **58**, 3: 407-436, 1991.
- Ramsey, J.B. Tests for Specification Errors in Classical Linear Least-squares Regression Analysis. *Journal of the Royal Statistical Society, Series B*, **31**, 2: 350-371, 1969.
- Salmon, M. Error Correction Mechanisms. *Economic Journal*, **92**, 367: 615-629, 1982.
- Sargan, J.D. The Estimation of Economic Relationships Using Instrumental Variables. *Econometrica*, **26**, 3: 393-415, 1958.
- Sargan, J.D. The Estimation of Relationships with Autocorrelated Residuals by the Use of Instrumental Variables. *Journal of the Royal Statistical Society, Series B*, **21**, 1: 91-105, 1959.
- Sargan, J.D. Wages and Prices in the United Kingdom: A Study in Econometric Methodology, in P.E. Hart, G. Mills, and J.K. Whitaker (eds.) *Econometric Analysis for National Economic Planning*, Colston Papers, Volume 16, London, Butterworths,

- 25-63 (with discussion); (1964); reprinted in D.F. Hendry and K.F. Wallis (eds.) *Econometrics and Quantitative Economics*, Oxford, Basil Blackwell, 275-314, 1984.
- Sargan, J.D. The Consumer Price Equation in the Post War British Economy: An Exercise in Equation Specification Testing. *Review of Economic Studies*, **47**, 1: 113-135, 1980a.
- Sargan, J.D. Some Approximations to the Distribution of Econometric Criteria which Are Asymptotically Distributed as Chi-squared. *Econometrica*, **48**, 5: 1107-1138, 1980b.
- Sargan, J.D. Some Tests of Dynamic Specification for a Single Equation. *Econometrica*, **48**, 4: 879-897, 1980c.
- Sargan, J.D. and A. Bhargava. Testing Residuals from Least Squares Regression for Being Generated by the Gaussian Random Walk. *Econometrica*, **51**, 1: 153-174, 1983.
- Sims, C.A. Making Economics Credible, Chapter 11 in T.F. Bewley (ed.) *Advances in Econometrics*, Cambridge, Cambridge University Press, Volume 2, 49-60, 1987.
- Spanos, A. *Statistical Foundations of Econometric Modelling*. Cambridge, Cambridge University Press, 1986.
- Stock, J.H. Asymptotic Properties of Least Squares Estimators of Cointegrating Vectors. *Econometrica*, **55**, 5: 1035-1056, 1987.
- Teräsvirta, T. A Review of PC-GIVE: A Statistical Package for Econometric Modelling. *Journal of Applied Econometrics*, **3**, 4: 333-340, 1988.
- Tobin, J. The Interest-elasticity of Transactions Demand for Cash. *Review of Economics and Statistics*, **38**, 3: 241-247, 1956.
- Trundle, J.M. The Demand for M1 in the UK, mimeo, Bank of England, London, 1982.
- Turner, P. and J. Podivinsky. PC GIVE © David Hendry Version 4.1 July 1986. *Journal of Economic Surveys*, **1**, 1: 92-96, 1987.
- Wallis, K.F. Seasonal Adjustment and Relations Between Variables. *Journal of the American Statistical Association*, **69**, 345: 18-31, 1974.
- White, H. A Heteroskedasticity-consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity, *Econometrica*, **48**, 4: 817-838, 1980.
- White, H. *Estimation, Inference and Specification Analysis*. Cambridge, Cambridge University Press, forthcoming, 1988.

- White, H. A Consistent Model Selection Procedure Based on m -testing, Chapter 16 in C.W.J. Granger (ed.) *Modelling Economic Series: Readings in Econometric Methodology*, Oxford, Oxford University Press, 369–383, 1990.
- Yule, G.U. Why Do We Sometimes Get Nonsense-correlations between Time-series? – A Study in Sampling and the Nature of Time-series. *Journal of the Royal Statistical Society*, **89**, 1: 1–69 (with discussion), 1926.
- Zellner, A. Causality and Econometrics, in K. Brunner and A.H. Meltzer (eds.) *Three Aspects of Policy and Policymaking: Knowledge, Data, and Institutions*, Amsterdam, North-Holland, 9–54, 1979.