

FUNDAÇÃO GETULIO VARGAS
ESCOLA DE ECONOMIA DE SÃO PAULO

JOSÉ JÚLIO VALENTE DA SILVA GONÇALVES

CARBON MARKETS EFFICIENCY

An empirical study on the key price determinants of the EU ETS from 2009 to 2016

SÃO PAULO
2016

FUNDAÇÃO GETULIO VARGAS
ESCOLA DE ECONOMIA DE SÃO PAULO

JOSÉ JÚLIO VALENTE DA SILVA GONÇALVES

CARBON MARKETS EFFICIENCY

An empirical study on the key price determinants of the EU ETS from 2009 to 2016

Dissertação apresentada à Escola de Economia de São Paulo da Fundação Getulio Vargas, como requisito para obtenção do título de Mestre Profissional em Economia.

Campo do Conhecimento:
International Master in Finance

Orientador Prof. Dr. Marcelo
Fernandes

SÃO PAULO
2016

Gonçalves, José Júlio Valente da Silva.

Carbon markets efficiency : an empirical study on the key price determinants of the EU ETS from 2009 to 2016 / José Júlio Valente da Silva Gonçalves. - 2017.

56 f.

Orientador: Marcelo Fernandes

Dissertação (mestrado) - Escola de Economia de São Paulo.

1. Créditos de carbono. 2. Mercado de emissão de carbono. 3. Aquecimento global - Aspectos econômicos. I. Fernandes, Marcelo. II. Dissertação (mestrado) - Escola de Economia de São Paulo. III. Título.

CDU 349.6

JOSÉ JÚLIO VALENTE DA SILVA GONÇALVES

CARBON MARKETS EFFICIENCY

An empirical study on the key price determinants of the EU ETS from 2009 to 2016

Dissertação apresentada à Escola de Economia de São Paulo da Fundação Getúlio Vargas, como requisito para obtenção do título de Mestre Profissional em Economia.

Campo do Conhecimento:
International Master in Finance

Data de Aprovação:
24/01/2017.

Banca Examinadora:

Prof. Dr. Marcelo Fernandes

Prof. Dr. João Pereira

Prof. Dr. Martjin Boons

RESUMO

Este projeto é um estudo empírico sobre os principais fatores que afetam o preço do Sistema de Comércio de Emissões da União Europeia. A pesquisa examina os preços no mercado secundário, de 2009 até 2016, compreendendo a segunda e terceira fases do programa, através do método dos mínimos quadrados ordinários. As variáveis independentes no âmbito deste projeto não são apenas baseadas na energia, mas também *spreads* estruturados, aproximações do crescimento económico e índices de dispersão de temperatura.

Inicialmente, é analisado todo o período de forma a apresentar uma imagem global dos principais determinantes sobre as mudanças de preços de carbono e, em seguida, a amostra é dividida de acordo com medidas institucionais para evitar a alocação e instabilidade de preços.

Os resultados sugerem o impacto das variáveis energéticas, como o preço indicativo dos contratos futuros de *Brent*, carvão e de energia na Alemanha e no Reino Unido, sobre o preço dos subsídios da União Europeia, especialmente durante a 3ª fase do regime. Posteriormente, as flutuações nos coeficientes e nas variáveis explicativas aparentam estar altamente relacionadas com as mudanças institucionais no programa europeu.

PALAVRAS CHAVE: Créditos de carbono, Mercado de emissão de carbono, Aquecimento global - Aspectos económicos.

ABSTRACT

This work project is an empirical study on the key price driven factors of the European Union Emissions Trading Scheme. The research examines the prices on the secondary market, from 2009 until 2016, comprehending the second and third phases of the program, performed with an Ordinary Least Squares regression. The independent variables under the scope of this project are not only energy based, but also structured spreads, economic growth proxies and a temperature dispersion indices.

First, the results are due to respect of the whole period to present a global picture of the main determinants on the carbon price changes then, the sample is divided according with institutional measures to avoid over allocation and price instability.

Evidence suggests the impact of energy-related variables such as Brent, Coal and the Power Price in Germany and in the U.K. on the price of European Union Allowances, especially during the 3rd phase of the scheme. Moreover, fluctuations in the coefficients and in the explanatory variables are highly related with institutional changes on the European program.

Keywords: EU ETS, Carbon Prices, Price Determinants.

TABLE OF CONTENTS

1. Introduction	8
2. Terminology	9
3. Emissions Trading	12
4. EU ETS	14
5. Price Driven Factors	20
5.1 Supply Determinants	21
5.2 Demand Determinants	23
6. Research Question	25
7. Empirical Methodology	26
8. Data.....	32
9. Results	33
9.1 OLS: 2009-2016	37
9.2 OLS: second phase, 2009 – 2013	38
9.3 OLS: third phase, 2013 – 2016.....	39
9.4 OLS: third phase, year by year	40
9.5 Robustness	43
10. Conclusion	47
REFERENCES	49
APPENDIX	50

1. Introduction

As one of the most recent trends, emissions trading is currently facing a period of unparalleled development all over the globe, alongside with new investment products copulated with a green label that are prompt to take over the global markets sooner than expected.

Emissions Trading Scheme, a fairly new trading platform available on several countries around the globe, is expected to be one of the main contributors to limit global warming up to 2°C¹, as agreed in one of the most recent climate conferences in Paris 2015. However, several questions have been raised on how efficient carbon markets currently are and what is driving price changes.

To access how efficient is a scheme and, therefore, how likely it is to contribute to the abatement of emissions, I will perform an empirical model with the main goal to explain price movements of the European Carbon Price. I will evaluate the significance of external determinants, such as energy prices or macroeconomic environment and, at some extend, the impact of institutional changes on the spot price, throughout a 7-years period.

My results show empirical evidence of the impact of institutional changes on the European Union Allowance Spot price and the main key determinants, especially for the 3rd phase of the scheme.

¹ http://ec.europa.eu/clima/policies/international/negotiations/paris/index_en.htm

2. Terminology

Greenhouse gases (GHG) is used as a reference when describing gases that are trapped in the atmosphere. According with EPA², in 2014 Carbon Dioxide (CO₂) was responsible for 81% of the total GHG emissions in the U.S. The other relevant gases are Methane (CH₄) 11%, Nitrous Oxide (6%) and Fluorinated Gases (3%). Table 1, in the appendix, describes the level of global warming with CO₂ as indicator³. As it is possible to observe, 1kg of CH₄ causes 25 times more warming over a 100 year period than the same amount of CO₂, meaning that even if it is present in a smaller percentage, CH₄ is highly prejudicial.

An Emission Trading Scheme (ETS) is a policy instrument for managing GHG emissions⁴. It was simply described in a British newspaper article as an upper limit on the total amount of GHG emissions allowed for emitters within the ETS jurisdiction. Entities are obliged to measure and report their carbon emissions, while they are allowed to trade excesses.⁵

To do so, emitters acquire an Emission Allowance (EA), which was formal defined by the European Union Emissions Trading Scheme⁶ (EU ETS) as a permit to emit one ton of CO₂ equivalent during a specific period, which shall be transferable, therefore, tradable. The term has been extended to cover the other GHG throughout the years.

² www.epa.gov

³ www.ipcc.ch/

⁴ www.ieta.org

⁵ www.theguardian.com/environment/2011/jun/07/ets-emissions-trading

⁶ <http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex%3A32003L0087>

The Cap-and-Trade (CAT) strategy is a mechanism that sets an absolute limit on the total emissions while allows EAs to be traded among other covered entities. A common opposite example of this strategy is a Baseline-and-Credit system that defines a cap, such as relative target, only allowing emission reductions that go beyond it to be used as sellable credits, commonly described as an offset mechanism. ETS is used a reference for both these systems.




Fig. 1 - The cap-and-trade system. Source: The Government of Quebec.

The political feasibility of each scheme cannot be excluded from the discussion table since it is highly related to not only to the requirements for participation and consensus, but also to the transaction costs. As, in every scheme, players need to agree on a common regulatory framework, this is one of the most crucial aspects of my research as it institutional changes have a direct impact on the carbon price.

Helm (2003) argues that bargaining over burden-sharing becomes a strategic game on which self-interested players have an incentive to free-ride on the mitigations efforts by implementing lower targets, leading to negotiations of emissions budgets as the most

determinant blocking point in the creation of a climate policy, preventing high levels of participation in integrated trading schemes and, ultimately, the integration of multiple schemes into one unique framework. This is especially true when looking into the Western Climate Initiative, on which we observe a constant in-and-out flow of participants.

Dark spread is a measure used to evaluate the returns over fuel costs of coal-fired power plants.⁷ It accounts with the power price (\$/MWh) and the fuel costs, including both the cost of the fuel (\$/MMBtu) and the transportation costs (\$/MMBtu), the calorific value (MMBtu/ton) and the heat rate (MMBtu/MWh). Like the dark spread, the spark spread measures the returns from selling a unit of electricity over a gas-fired plant, take into consideration the power price, gas price and heat rate.

Clean Dark and Spark spreads were introduced as an adjustment to the original metrics described above. Both consider the indicative prices of emissions⁸, with the purpose to evaluate changes in production costs of electricity generation and the economic incentives in shifting to a less GHG heavy-based fuel⁹.

When an enterprise issue stocks or bonds for the first time and sell them directly to investors, those transactions take place on the primary market. Furthermore, any other transaction on the same assets is done on the secondary market. Both primary and secondary markets concepts are also applied to emissions trading and will be described in more detail in section 4.

⁷ www.eia.gov/todayinenergy/detail.php?id=10051

⁸ www.platts.com/IM.Platts.Content/methodologyreferences/methodologyspecs/european_power_methodology.pdf

⁹ www.cdeclimat.com/IMG/pdf/methodologie_tendances_carbone_en_v8.pdf

3. Emissions Trading

As part of a global effort to decrease of GHG emissions, the Kyoto Protocol signed in December 1997 was a major step in the recognition of the theoretical benefits of allowing emission reductions to be obtained at least cost through an international trading system of allowances. However, unlikely as it is wrongly refer to, the emission trading's roots were not introduced in Kyoto but by a pioneer American system back in 1972.

A computer-based system was used to compare the cost and effectiveness of various multiple strategies (Burton And Sanjour, 1967). With access to several American cities emissions data, each strategy was compared with the least costly combination to achieve a specific abatement level, a common procedure in multiple environment related experiences. In 1972, after several improvements on these computer-assisted models, the newly created U.S. Environmental Protection Agency (EPA) introduced in its annual report the concept of CAT.

After the Gestation phase, the second stage took off with the Proof of Principle and the Clean Air Act in 1977¹⁰, two of the most important marks in emissions trading history. The Clean Air Act consisted in an offset-mechanism where a company would be able to buy allowances from the Act after negotiate with another peer a decrease in the same degree, a similar mechanism is used today.

¹⁰ www.epa.gov/clean-air-act-overview/evolution-clean-air-act

In the first 15 years of the Amendments became law (1972-1987), intensive polluters industries faced several losses in their income due to the newly abatement ruling (Greenstone, 2001). Even if losses were substantial, they were modest when compared to the size of the entire manufacturing sector, which suggested that new regulation implemented deterred the growth of polluters, which contradicts the overall aim of the program, the reduction of air pollution yet, never at the expenses of a specific sector.

Moreover, the U.S. Acid Rain Program introduced in the 1990 Clean Air Act¹¹, part of the third stage, aimed to reduce the Sulfur Dioxide (SO₂) emissions of electricity and was the world's first large-scale implementation of such a program, introducing a banking behavior in which pollution allowances could be used or stored, and buyers were able to resell them after, one of the features observed in today's schemes. The European Union also undertook an ambitious effort to provide a carbon price signaling thanks to the introduction of an European tax on energy and carbon in the early 90's. Eventually, this effort would fail since an unanimous agreement between all member states was required but, unfortunately, not achieved. Nevertheless, the standpoints for the Kyoto Protocol were launched for what would be the revolution of emissions trading.

After the 1997 meeting, an agreement to reduce GHG emissions through different mechanisms was reached. Emissions trading schemes were part of the solution and started to be planned and developed by different regions all over the globe ever since. The Protocol

¹¹ www.epa.gov/airmarkets/acid-rain-program

was considered a landmark in environmental protection especially due to the collaboration of multiple nations, even without the ratification of the U.S.

The next figure summarizes the emissions trading history described until the Paris Agreement ratified in 2015.



Fig. 2 – Emissions trading timeline.

The implications of the Paris' Agreement will not be taken into detail. Regardless, it was a clear breakthrough to reduce GHG emissions and further necessary considerations regarding its mandates will be duly pointed out.

4. EU ETS

As previously stated, each ETS has different core fundamentals on its conception, mainly due to institutional legislation, which will eventually need to be carefully weighted for a better model approximation. However, since all the schemes, with the exception of the EU ETS, are fairly new there is not enough data to replicate the methodology used in this research for other schemes. As so, in this section I will emphasize the main features of the

program, while mentioning impactful institutional changes among the other trading schemes that should be taken into account for future research purposes.

The EU ETS was the first large-scale GHG trading program, launched back in 2005, being since then widely known as the more developed scheme in the emissions trading scope. It currently covers more than 11,000 energy-using installations within 3 major industrial sectors, such as power and heat stations, over 31 countries¹². On the other hand, one of its American peers, the Regional Greenhouse Gas Initiative (RGGI) only covers 9 United States, representing a total of about 23% of the GHG emissions¹³, while the Western Climate Initiative faced multiple changes in its affiliates during the years and, consequently, the total covered range has been adjusted since the start of the program.

Figure 3 shows the main sectors which contribute the most for GHG emissions in the Eurozone. Public power and heat sectors account for more than half of the 2015 emissions in Europe and Germany was responsible for about 25% of them followed closely by the U.K. and Poland as the main emitters. The weight and relevance of those countries is also applied for other sectors such as metals or oil and gas and it is the main reason for both Germany and the U.K. figures are the proxies used in some variables, in order to capture the main emitters inside the EU ETS and to analyze power prices and related spreads. For future developments, I would suggest to also include Poland's prices as a proxy for the EU energy market and heavier GHG emitters.

¹² www.ec.europa.eu

¹³ www.rggi.org/




Fig. 3 – Emissions in 2015 by Sector. Source: Reuters Point Carbon.

The European scheme is mandatory for all the 28 EU member states, with the additional participation of Norway, Iceland and Liechtenstein, covering approximately 45% of the total EU's GHG emissions, targeting 57% of the 2005 level by 2030, far more than any other scheme in place at the moment. The goal however, is to increase the total percentage year by year with the addition of new facilities or sectors.

Working under the CAT principle, the EU sets a threshold to limit GHG emissions and then, distributes or sells European Union Allowances (EUA). The total amount of permits is reduced over time and companies, which emitted less than the correspondent EUA acquired, can sell the excess to other facilities.¹⁴ There is no price floor, opposite to the 2\$ mark set by the RGGI in 2012, which increases annually at a rate of 2.5%. Another remarkable different mechanism in place is the New Zealand ETS, which sets a price ceiling of 25\$ to avoid constraints for local facilities that compete overseas¹⁵, alongside being the only scheme not working with the CAT mechanism. The scheme uses an intensity-based system which allows enterprises to charge the final client for the emission

¹⁴ www.bloomberg.com/quicktake/carbon-markets-2-0

¹⁵ www.mfe.govt.nz

cost, rather similar to a carbon tax. With great results so far in decreasing the GHG emissions, the success of this approach is being currently studied by other countries and schemes as an alternative to the CAT traditional approach.

Domestic and international offsets are possible until the end of the 3rd phase, meaning a company can invest in a project that lower GHG emissions, such as forestry, creating an offset credit that can be either used or sold, typically at a lower price than purchased.¹⁶ Borrowing is possible within the trading period but not between stages, while banking is unlimited. Trading is also possible on Over-The-Counter (OTC) markets and organized exchanges. As it will be explained later, the secondary market will be the one captured by the dependent variable of my empirical model. There are multiple exchanges offering EU ETS Allowances derivative products such as the European Energy Exchange (EEX) or the European Climate Exchange (ECX), futures contracts for example, traded at the ICE and other exchanges, which are more liquid, thus highly appreciated for hedging or speculation purposes.

Due to the price turmoil of the first two stages, a considerable shift in the EAs allocation strategy was taken to surpass the pricing mechanism established before. The first phase lasted until 2007, as a “learning by doing” trading period, characterized by an excessive number of EAs, freely distributed, resulting in a price sunk. Similar behaviors were observed in other schemes all around the globe, however on a much lower scale than the

¹⁶ www.nytimes.com/2014/05/30/science/a-price-tag-on-carbon-as-a-climate-rescue-plan.html?hp&_r=1

EU ETS, as they had the time to readjust the scheme accordingly with the European backlash.

Currently, auctions of EUAs are held by the EEX and ICE, depending on which country are the EUAs attributed to. Nevertheless, the most common auction is held for the whole EU by the EEX. Purchasing one contract entitles one EUA, which accounts for 1 ton of CO₂ equivalent. The tick size is 0.01€ per allowance and the delivery day is one day after the auction. For the sake of clarity, the primary market is a reference for these auctions, i.e., whenever a new EUA is launched.¹⁷ Secondary markets are available in emissions trading, specifically for the EUAs. In fact, due to daily quote availability, the secondary market will be the one under study, more precisely the one offered by EEX since 2005. I will consider EUA prices, meaning I will not include the aviation sector, due to its recent inclusion in the EU ETS scope and the fact they are traded separately.

Seen as a case study in what could go wrong and, as previously highlighted, EU legislators were not careful enough in setting the initial cap, letting companies to easily achieve their targets and permit prices quickly depreciated. Hintermann (2009) underlines the additional influence on the price volatility due to special weather conditions such as high summer temperatures and low precipitation. To confirm his claim, I use a proxy for temperature dispersions, which will allow me to either refute or accept his findings. Alongside, over-allocation started to become an issue, not only per country but also per sector (Neuhoff,

¹⁷ www.eex.com/en/products/environmental-markets/emissions-auctions/overview

Karsten et al., 2006), setting even more pressure on the EU to readjust the scheme accordingly to avoid more price turbulence.




Fig. 4 - Short and long positions by country and sector. Source: Kettner et al. (2006).

The electricity sector was short, while non-electricity industrial sectors were long. At the same time, a net short position is clearly seen among the EU15 member states has the major preference, while the vast majority of the new EU10 members, e.g., Lithuania and Latvia, were long.

During the second phase, free allocation represented about 92% of the total Cap¹⁸, while on the current stage it only accounts for about 43%, being auctions the main mechanism used to guarantee carbon permits. To achieve this, the regulators decreased by 6.5% the total number of EAs. However, once the global financial crisis hit, the economic downturn resulted in the cut of GHG emissions and thus demand. Carbon prices sunk once again yet showing a more stable pattern.

New Entrants Reserves (NER) are up to 5%, allowing for new participants in the scheme and cost containment and price support measures will be heavily supported in 2019, thanks

¹⁸ www.i4ce.org

to a Market Stability Reserve¹⁹ (MRS), a long-term solution with a special focus on providing indirect pricing support by removing surplus allowances. On contrast, the New Zealand ETS leaves no room for new entrants within each compliance period. Back-loading was introduced in the 3rd phase to postpone the auctioning off 900M allowances from 2014-2016 until 2019/2020, and is expected to rebalance the supply and demand equilibrium, reducing carbon pricing volatility. A linear reduction factor was applied to the decrease the overall cap by 1.74%, from 2008 until the beginning of the 3rd phase, eventually reaching 2.2% by 2030 accordingly within the climate and energy policy framework representing, on average, almost 2.0% per year, from 2013 until 2020, without accounting with commercial aviation. Such amendments have been proven to be highly impactful on the EUA price, especially on the primary market. However, they are phased, i.e., impossible to quantify their impact on daily data. As so, even if they are not included directly in my empirical model, they will be considered by splitting the sample per period accordingly.

As previously pointed out, the EU ETS is, without a doubt, a starting point on which other schemes proceeded to learn not only from its main accomplishments in the abatement of GHG emission, but also by its adjustments and continuous refurbishing. For future research, other significant scheme related aspects should be taken into account.

5. Price Driven Factors

The usage of Carbon Allowances is a function of the expected emissions per emitter. As so, the level of emissions depends on several factors such as fluctuations in energy

¹⁹ http://ec.europa.eu/clima/policies/ets/reform/index_en.htm

consumptions and production, traditional energy-based prices like coal, oil, etc., extreme weather conditions and finally, economic power. On the other hand, carbon prices are also determined by institutional decisions as mentioned. For example the amount available for emitters and further banking or borrowing limitations, new entrants reserves or price support measures, will have a direct effect on the auctioning price practiced.

Ellerman and Buchner (2007) argued the carbon price during the first stages of the European Scheme was mainly determined by allowances allocation issues – auctioning, benchmarking, new entrant provisions and over-allocation – institutional related mechanisms. In the next two sections, I will enunciate the main price determinants fact and, at the same time, group them by either supply or demand determinants, based on their source, either institutional or external, respectively.

5.1 Supply Determinants

As in the traditional energy based markets such as coal or oil, the demand and supply equilibrium is the main responsible for price movements of the respective underlying. On the supply side, as previously mentioned in this research, the number of allowances and their distribution is a key factor when assessing the final carbon price, much like Brent production cuts. Ellerman and Buchner (2007) argue the ratio between allocated allowances and actual emissions was the first signal of over-allocation which, according with the evidence presented, eventually led to a price drop during the first phase, as economics agents quickly realized too many allowances were being distributed. In accordance with their conclusions, evidence shows the close relationship between EUA spot and futures

price during the first phase, while that relationship slowly fade away after the first compliance break. (Alberola et al., 2008)

Another equally important institutional decision was the ban of transferring any banked or borrowed allowances between the first phases of EU ETS. Alberloa and Chevallier (2009) underline that due to the worthlessness of an allowance after December 2007, market imperfections found during the initial stage of the European regime, also impacted the cost-of-carry relationship between EUA spot and futures, which did not hold after the restrictions were implemented.

As there is no recent literature on the changes made between the 2nd and 3rd phases, I argue that the progressive cap reduction, alongside with changes in NER, International offsets credits, cost and price containment measures and the share of allowances freely distributed on the total EUA distributed will have a significant impact on the carbon price.

The annual cap, on average during the 2nd stage was about 2M ton per year, exactly the same as in the beginning of the 3rd phase. However, during the current stage this limit is reduced by 1.74% on a yearly basis, as mentioned in section 4. Auction allocations, which account for a total of only 3% during the 2nd phase are now about 57% of the total Cap. NER increased from 520M ton to 780M ton and the total credit limit in International offsets is also higher (more 200M ton than on the 2nd compliance period. Cost containment measures were not in place during the 2nd stage but there is now a 6-month period on which, if prices are three times higher than the average price of the previous two years,

member states may increase auction volumes directly from NER. Price support measures will be implemented slowly as stated in the previous sections²⁰.

The impact of these changes and how it will be considered in the empirical model will be explained in the respective section.

5.2 Demand Determinants

The link between ETS and more traditional energy markets is widely accepted in the academic research. According with Mansanet-Bataller et al. (2007), weather variables such as extreme temperatures have a direct influence on the EUA spot price. Furthermore, Alberola et al. (2008) argue that weather variations (high temperatures, rainfalls, strong winds), especially when not correctly anticipated, have a strong relationship with carbon price movements, on line with what we observed with other traditional energy markets. Cold winters and hot summers tend to increase the need for heating and, as so, the consumption of electricity hikes during these periods. The same principle applies to oil consumption during summer due to the holiday season, as people drive longer periods. Christiansen et al. (2005) and Hintermann (2010) researches help in the defense of these arguments, which taken together, explain why climate variations are widely accepted in the scientific and academic literature as one of the key carbon price driven factors. The reasoning behind is straight forward, if a fluctuation in the demand for electricity or fuel occurs, emitters need to acquire more EUA fulfill such demand thus, the carbon price will change. However, previous literature do not access when do entities hedge their emissions, which would be expected to affect the carbon spot price immediately and then, not capture by using an extreme weather proxy. My assumption is those fluctuations are explained by

²⁰ Point Carbon - Reuters

temperature deviations from the average directly, without accounting with the likeability of other severe weather phenomenon occur.

A given fact when discussing the demand for fossil fuels is the relationship between their absolute price and relatives or possible substitutes. As so, the fuel switching costs associated with a departure from an highly carbon-intensive source to lower ones constitute another important determinant for the carbon spot. Keppler and Mansanet-Bataller (2010) performed a Granger causality test to analyze the impact of gas, coal and electricity prices on the EUA spot and forward price, with statistical proven results for the first two phases. Multiple literatures also corroborate the same reasoning, as evidence suggests, Brent prices to be the main determinant for natural gas prices which, consequently, affect carbon prices (Kanen 2006), especially due to being one of the main fuels used by the larger emitters, who have an obvious interest in the price they are charged per ton of CO₂ equivalent emissions. As so, these variables will also be taken into account by my model.

With the introduction of the EU ETS, power operators need also to account with the possibility of making extraordinary profits if they switch from traditional energy sources such as coal and natural gas to cleaner sources. The now clean spreads²¹ introduces a new equilibrium in the old framework – as long as the carbon price is below this switching price, coal plants are more profitable than gas plants – which turns to be the three profitability indicators to determine the preferred fuel used by power plants (Alberola et al., 2008). Kanen (2006) argues the switching price is more sensitive to natural gas prices than

²¹ As calculated by the Caisse des Dépôts – Climate Task Force for Tendances carbone.

coal price changes and so, to measure this claim I will use a comparative metric between the two, which is described in section 7. The clean and dark spreads will also be used as a measurement of the impact in the gross profit of a power plant considering the carbon price.

Declercq et al. (2011) investigate how the economic turmoil during the financial crisis in 2008 and 2009 impacted the lower carbon price during the time, stressing the importance of the worldwide economy with a counterfactual simulation. There are also other links between macroeconomic and financial market indicators and carbon markets analyzed until today, from European electricity company returns to stock and bond markets, multiple literature emphasizes the possible correlation between external factors on the price of EUAs. Chevallier (2011) shows EUA prices move in the opposite direction if in the presence of a recessionary shock, meaning they are negatively correlated with macroeconomic global indicators. To take this into account, I will use a proxy for the European economy, the STOXX 600, which will give me an indicator of how well the main enterprises and the overall economy in Europe are doing throughout the period under study.

Finally, I will leave open questions and general considerations regarding other possible determinants of the EUA price in the last chapter.

6. Research Question

The objective of this research is to explain the carbon price movements from 2009 to 2016. To answer this properly it is necessary to include a set of variables (determinants) that might, or not, influence the price. To do so, I will account with all the drivers mentioned

before on this study, aiming to obtain a clear picture of what are the key determinants, and how impactful each one is.

As previously highlighted, due to the impossibility of extending this research to other trading schemes, I will base my study on the EU ETS only. My dependent variable is then the price traded in OTC, more precisely the one quoted by EEX. The reason behind this selection is purely related with access to a wider range of data, in contrast to the one available in the primary market. The motivation behind it is to strengthen the research in carbon markets, including an historical perspective on how prices have evolved and what is driving them. Further considerations regarding the model and data will be addressed in the next sections.

7. Empirical Methodology

The model used to describe the price variation of EU ETS prices over time is an ordinary least squares (OLS) regression.

Arguably the most widely used method for fitting linear statistical models, on which the robustness of the hypothesis tests and confidence interval depends on the extent to which the model's assumptions are verified (Hayes and Cai 2007). An OLS model assumes the coefficients are not random yet fixed values across the period, the standard errors are uncorrelated random variables and finally, assumes constant variance or, what is known as homoscedasticity. The final goal is to express EUAs prices, the dependent time-series, as a function of independent variables. As so, the following model expresses the one used as the starting point for this research.

$$\begin{aligned}
D(EUA) = & \alpha + \beta D(\mathbf{Brent}) + \gamma D(\mathbf{Coal}) + \delta D(\mathbf{NaturalGas}) + \eta D(\mathbf{PPDE}) + \theta D(\mathbf{PPUK}) \\
& + \iota D(\mathbf{CDSDE}) + \kappa D(\mathbf{CDSUK}) + \lambda D(\mathbf{SSDE}) + \mu D(\mathbf{SSUK}) + \nu D(\mathbf{S600}) + \tau \mathbf{TDE} \\
& + \omega \mathbf{TUK} + \psi D(\mathbf{SP}) + \epsilon
\end{aligned}$$

Equation 1 – OLS regression within all variables under scope.

Where α is the constant and ϵ the residuals of the regression, while other remaining Greeks represent the coefficient of each variable on the OLS regression. “*Brent*”, “*Coal*” and “*NaturalGas*” are the variables attributed to the respective commodities’ prices. “*PPDE*” and “*PPUK*” represent the power price on Germany and United Kingdom. “*CDSDE*”, “*CDSUK*”, “*SSDE*” and “*SSUK*” are the clean dark spread and the clean spark spread on Germany and in the U.K., respectively. “*S600*” is the close price of the STOXX Europe 600 Index. The “*TDE*” and “*TUK*” are “*temperature dispersion indices*”, with respect to Germany and U.K., separately and finally the “*SP*” represents the switching price from a Coal to a Natural Gas based plant, or vice-versa. Clean dark and spark spreads are calculated based on the methodology used by S&P Global Platts.

$$\text{Clean Dark Spread} = \text{Baseload Power Price} - \frac{\frac{\text{Fuel Price}}{\text{Energy Conversion Factor}}}{\text{Fuel Efficiency Factor}} - \text{Carbon Price} * \text{Emissions Factor}$$

Equation 2 – Clean Spread formula. Source: S&P Global Platts.

$$\text{Clean Spark Spread} = \text{Baseload Power Price} - \frac{\frac{\text{Fuel Price}}{\text{Fuel Efficiency Factor}}}{\text{Fuel Efficiency Factor}} - \text{Carbon Price} * \text{Emissions Factor}$$

Equation 3 – Clean Spark formula. Source: S&P Global Platts.

While the first part of equation 2 (eq. 2) is the widely used dark, or spark spread in case of equation 3, depending on the fuel used to generate power, the last entrance represents the influence of the carbon price on the overall gross profit per MWh of a power plant. For the Germany spreads the emissions factor used was 0.96 tCO₂/MWh and 0.73 tCO₂/MWh for dark and spark spreads, respectively. For the U.K., I used 0.98 tCO₂/MWh and 0.38

tCO₂/MWh, in accordance with the recommendations from the Tendances Carbone monthly bulletin.²² Energy conversion factor used for the Steam Coal power plant was 7.1 (converting 1 metric ton of coal into MWh) and the efficiency about 0.36 for Germany plants and 0.35 for U.K. ones. The fuel efficiency ratio already considers the heat rate for both fuels. For the Natural Gas based plants, the Fuel efficiency ratio used for Germany Natural Gas plants was 0.5 and 0.49 for the U.K. Once again, all the fixed figures are according with the last specifications published by S&P Global Platts report on European Electricity Assessments and Indices. I decided to use the same fuels for both the German and the U.K. market as recommended by the CDC Climat Research; however, for further research it can also be considered other sources of natural gas such as the TFT gas for the German Spark Spread or the NBP gas for the U.K. spread. Regarding the proxy used for Coal, it is still the more commonly used by U.K. and Germany plants.

Finally, to estimate the switching price, i.e., when it starts to be more profitable for a power plant to switch from Coal to Natural Gas and vice-versa, I follow the methodology from the Institute for Climate Economics (equation 4).

$$\text{Switching Price} = \frac{\text{cost(gas)}/\text{MWh} - \text{cost(coal)}/\text{MWh}}{t\text{CO}_2(\text{coal})/\text{MWh} - t\text{CO}_2(\text{gas})/\text{MWh}}$$

Equation 4 – Switching price, economically advantageous. Source: I4CE.

On which the “*cost(fuel)/MWh*” is the production cost of one MWh of electricity, using Natural Gas or Coal as fuels, similar to the costs computed for the Dark and Spark spread, while “*tCO₂(fuel)/MWh*” is the emissions factor of a conventional plant. All the four

²² www.cdcclimat.com/IMG/pdf/methodologie_tendances_carbone_en_v8.pdf

spreads considered and switching price metric were converted to €/MWh whenever necessary.

The temperature dispersion index was build considering the daily average temperature of the last 35 years (1970-2005) and the distance to the mean of the daily actual observed temperature each day of the period under study. As so, a negative value represents a colder day than expected and, the inverse for a positive one. As non-pricing variables, these are the only non-first logarithm difference in the model. The use of the STOXX Europe 600 is another deviations from previous literatures. To capture the influence of economic growth in carbon price movements, I decided to use this index to express the volatility in Europe throughout the whole period. Since the dataset comprehends a rough period for the financial markets in the old continent, it is expected that carbon prices are, at some degree, determined by changes in the production and output levels. Complementary details about each variable will be addressed in section 8.

The “ D ” stands for the first difference of the logarithm of each variable (equation 2), on which the “ L ” is the lag operator. The vast majority of price related data are rather stationary over time. As so, for these variables changes in prices are a function of the lag of the price. If the price increases, the change also increases, meaning the mean and variance are not constant along the period. To avoid the presence of heteroskedasticity, which will compromise the results of my regression, I use the following formula to assess the 1st difference of the logarithm for each pricing variable.

$$(1 - L) \log(X) = \log(X) - \log(X(-1))$$

Equation 5 – First difference of the logarithm. Source: www.eviews.com

In equation 1 (eq. 1) only determinants of demand are considered for this model. As mentioned, it is unlikely possible to quantify, on daily data, the impact of institutional changes such as the ones mentioned in the previous sections. To keep a wider sample, I decided to assess the impact of such adjustments in the EUAs price by splitting my sample in three distinctive ways:

1. The whole sample period, from 2009 until 2016.
2. Per compliance period, meaning the 2nd and 3rd phases.
3. Per year during the 3rd phase, from 2013 until 2016.

It is expected then, that my model will hopefully capture the impact on the price after amendments are applied, since they are mainly applied either per year or per compliance period, which will distance me from previous literature and is expected to capture significant changes in the coefficients of each independent variable.

The precision or robustness of an OLS estimation is given by its standard error. To access the viability of my model, I will focus on the residuals analysis by performing a series of tests. the presence of serial correlation in my model will be tested by the Breusch-Godfrey Serial Correlation LM Test. The null hypothesis is giving by $H_0: \rho_i = 0$, meaning no serial

correlation of any order bigger than p , where p is the number of lags of the error term. If present, would mean that possible wrong conclusions would be made.

To test for the presence of heteroskedasticity, I will use two different tests: the Breusch-Pagan-Godfrey and the White's test. The null hypothesis tests, for both, no heteroskedasticity against heteroskedasticity of unknown. If heteroscedasticity is present, the variability of the EUA Price is not constant across the regressors.

The Ramsey RESET test is a classical linear regression on which the disturbance is under the assumption of following a multivariate normal distribution. It will test if there are non-omitted variables, incorrect functional form and correlation between the independent variables and the disturbance vector. In other words, the Ramsey RESET test will provide intuition behind non-linear combinations of the regressors which, if present, indicates the model might be wrongly formulated.

The Recursive Least Squares tests if residuals lay outside the standard error bands, which would result in instability on the equation parameters. Moreover, the CUSUM test is based on the sum of these recursive residuals. Once again, departures from the critical lines suggest coefficient instability. The CUSUM of Squares test assesses the variance stability of the residuals by reference to a pair of parallel straight lines around the expected value

And, to evaluate the presence, or not, of a unit root, I will use the Dickey-Fuller test, more precisely, the Augmented version. This test shows that under the null hypothesis of a unit

root, its statistic does not follow a Student's t-distribution. If the series is correlated at higher order lags, the assumption of white noises disturbance is violated.

Further considerations regarding the empirical methodology and results interpretation will be addressed in sections 9 and 10.

8. Data

The data sample comprehends a period starting in 12-October-2009 until 25-November-2016, a total of 1743 observations. The historical end-of-day EU ETS Spot Price and the STOXX Europe 600 was downloaded through a Bloomberg terminal, with the last price “PX_LAST” mnemonic, as the last day quote and non-trading days were excluded. As properly highlighted before, I used the secondary market quote provided by EEX to avoid sample size restrictions and perform a as much realistic model as possible.

The same mechanism was then used to retrieve the end of the day quote for all energy related variables, ICE Brent Futures, Belgium Zeebrugge Natural Gas, CIF ARA Steam Coal Index, German's and U.K.'s baseload power price on high voltage grid network. For each one I downloaded the last price of the month-ahead futures contract and converted the non-Euro prices with the official exchange rate. Future implications of this procedure will be addressed last chapter.

While ICE Brent Futures are widely accepted by academic researches as the most liquid and traded crude oil contract in Europe²³, there is no consensus when discussing the same

²³ www.theice.com/publicdocs/ICE_Crude_Refined_Oil_Products.pdf

for Natural Gas or Coal contracts. As so, I decided to follow previous literature on this topic and based my research on the contracts stated before, alongside with S&P Global Platts²⁴ recommendations, which considers UK and German dark spreads based on CIF ARA Steam Coal. Regarding the gas-based spreads I decided to use the Belgian Zeebrugge gas as reference, since IP4C considers the same in their methodology, which will then be consistent with the clean spark spreads methodology used. Both temperature indices were calculated thanks to Bloomberg's Actual Observed Temperature Index. Each value is referred to the average temperature observed in the whole country, either Germany or the U.K., during the period from 6 a.m. until 11 p.m.

9. Results

All the following results were computed on Eviews (Econometric Views).²⁵ Before discussing the outcomes and their interpretation, I would like to point out some interesting behaviors of my variables during the period under study. The EUA Spot price, shown in figure 5, has two separated trends between 2009 and 2016. The first, a downward trend starting in 2011 until 2013, showing the evidence of the new adjustments on the legislation of the EU ETS as, after the EUA Spot Price seems to increase at a stable rate, if the price drop to zero in May 2015 is ignored, until the beginning of 2016. Due to these different behaviors, it is highly expected that the regressors' coefficients and even the explanatory variables themselves change accordingly.

²⁴ www.platts.com/IM.Platts.Content/methodologyreferences/methodologyspecs/european_power_methodology.pdf

²⁵ www.eviews.com




Fig. 5 – EUA Spot Price. Line & Symbol Eviews' graph.

Furthermore, when considering the first difference of the logarithm (figure 6), it is even more clear the higher volatile period during the compliance brake. There are some other periods with high volatility, mainly during the first months, which might be related to the newly adjustments made by the regulators.




Fig. 6 – EUA 1st logarithm difference. Line & Symbol Eviews' graph.

Table 2 in the appendix shows the plot of the 1st logarithm difference of the EUA prices. As common in other historical financial data, due the Kurtosis > 3 and Skewness $\neq 0$, I reject the null hypothesis of the normality test for the dependent variable. In fact, this is a non-symmetric distribution, in the presence of a “leptokurtic” distribution or, in other words, fat tails, meaning it is more clustered around the mean.²⁶ Moreover, the negative Skewness is emphasized on the left tail, i.e., the distribution is concentrated on the right side and the mode is greater than the arithmetic mean.

Regarding the energy based variables, figure 7 shows the distribution over time for the main variables under study. On the opposite of the EUA Spot price, the month-ahead prices for most of the energy independent variables show an upward trend during the 1st compliance period and a downward trend during the 3rd phase. The significant drop in the ICE Brent Futures price, due to the 2014 oil crisis seems to drag other prices down, especially in the case of the natural gas due to the high correlation between both (table 3). In fact, it is expected due to the correlation between some regressors, e.g., Brent and Natural Gas is about 0.76 or, for the temperature indices correlation is about 0.61, some of the variables will not be statistical significant and need to be set apart of the final model.

²⁶ www.itl.nist.gov/div898/handbook/eda/section3/eda35b.htm




Fig. 7 – Month-ahead energy prices. Line & Symbol Eviews' graph.

Finally, table 4 in the appendix shows the descriptive statistics for each variable. While, for all the variables the normality null hypothesis is also rejected, which is in line with previous literature and it is rather common among economic data with bigger samples, the standard deviation is below 0.10 for all except for the temperature indices, which are not in the 1st logarithm difference. For the remaining results, I will consider 5% as my confidence interval.

In accordance with what was expected, table 5 shows the OLS regression output for the whole period and considering all the variables under the scope of my research. Since the p-value for the $D(NATURALGAS)$, $D(CDSUK)$, $D(SSDE)$, $D(SSUK)$, $D(SP)$, TDE , TUK are higher than 2.5%, these are not statistically significant, meaning they will not be taken part in this research since they have no explanatory power.

These results are somehow surprising considering previous literature, which for example shows statistically significance levels for their weather. In my understanding, these means the simple dispersion of today's observed temperatures against the mean temperature is not a determinant factor of the EUA price. As adjustments were made in the core legislation of the EU ETS, it is fair to assume this effect was then corrected. Regardless further developments can be made to properly replicate the impact of such phenomenon.

In the next sections, I will start by analyzing the adjusted OLS regression for the whole period and then by splitting the sample and re-adjust the model, if necessary, for the remaining periods, in accordance with the methodology previously described.

9.1 OLS: whole sample 2009-2016

After dropping from eq. 1 the non-significant variables, the final OLS regression for the period under research is the following.

$$D(EUA) = \alpha + \beta D(\text{Brent}) + \gamma D(\text{Coal}) + \eta D(\text{PPDE}) + \theta D(\text{PPUK}) + \iota D(\text{CDSDE}) + \nu D(\text{S600}) + \epsilon$$

Equation 6 – OLS regression for the whole period.

The results shown in table 6 are according with the expectations. The low R-squared value (about 0.102) is explained by the turmoil of all variables under scope. From 2009 until 2016 there were several abnormal events which might lead to the results presented. From the financial crisis, still installed in the European economy, to the Crude Oil crisis starting in 2014, which led to an historical low-price for the Brent Oil, the volatility of the energy dependent variables was highly affected, resulting in unusual patterns during the last couple of years. By analyzing figure 7 it is possible to affirm that these dysfunctional price behaviors of the last year is even more clear.

The Baseload Power Price in Germany has a coefficient of 0.49, higher than all the remaining regressors, which emphasizes the EUA price dependence on the German market. There is also a negative correlation between the EUA price and the German Clean Dark Spread alongside with the CIF ARA Steam Coal price, which was also expected due to the simple logic that if the price of one of the raw materials associated with high emissions decreases, the EUA price increases in reaction to a cheaper access to it. Finally, the effects of institutional changes are still to be made, as it is not possible yet to analyze the impact on the EUA price within the whole period. For that, the next sections will provide a more concrete explanation.

9.2 OLS: second phase 2009 – 2013

For the 2nd phase of the EU ETS, the OLS regression shows an even lower R-squared value (0.08), meaning my regressors fail to properly explain the price movements between this period of the EUA price. Table 7 shows the OLS output generated by Eviews and, while it was fair to expect that more variables were statistically significant, the exact opposite happened. Only the German Baseload Power Price, the STOXX Europe 600 and the German Clean Dark Spread have a p-value lower than 2.5%.

The only apparent reason for these results is the downward trend observed from 2011 until the end of the 2nd phase. From 2011 until the end of the compliance period, the price dropped more than 38% and, if we consider the same metric just from May 2011 until November 2011, a 6-month period on which the price decreased almost 50%.

Taking these results into account, it is now evident that the final stage of the 2nd phase was highly impactful in the EUA price. Moreover, if I isolate the first years under study, from

2009 until May 2011, the U.K. Clean Spark Spread is now statistically significant, while the macroeconomic proxy is not. The R-squared (table 8) increased to 0.14, which underlines the impact of the high percentage of free allocation during this period. Then, it is possible to assume that the EU as regulator had tremendous impact in the EUA price, which was highly expected considering it was still implementing and testing new safety measures to avoid price instability.

9.3 OLS: third phase 2013 – 2016

By avoiding the EU ETS highly unstable program during the 2nd phase, especially the downward trend mentioned before, I expect a more stable and self-explanatory model for the current stage. As so, table 8 in the appendix show the OLS regression outputs for the 3rd compliance period, from 2013 until the last observable date, 25th of November 2016.

Even considering the anomaly observed on May 2015, on which the EUA priced dropped to 0, the R-squared is slightly higher for the current compliance period (about 0.10). The ICE Brent Futures and CIF ARA Steam Coal are statistically significant once again, which is somehow surprising considering the oil crisis, which started in 2014.

Both the Coal and German Clean Dark Spread still have a negative coefficient, coherent with the reasoning made before. On the other hand, the STOXX Europe 600, as the macroeconomic proxy is not significant once again, underlining the impact of the European crisis on the explanatory power of my model. It is also possible to assume that the index chosen either failed as an economic proxy of the industrial level and production or the

volatility observed ended up to have a direct influence in the results. For future research on this topic, other proxies might be considered.

Even if the results are still underwhelming, the impact of the legislation amends on the EU ETS is still observable on the price volatility of the EUA secondary market, with a more stable upward pattern which was the main objective of regulators.

The next section concludes the OLS analysis by splitting the last compliance period per year, which will isolate external impacts previously highlighted.

9.4 OLS: third phase, year by year

In the first year of the 3rd compliance period, the OLS model shows surprising results (table 10). Besides the increasing of the R-squared (almost 21%), which by itself shows a more powerful explanatory model, the inclusion of the Belgian Natural Gas as one of the statistically significant regressors, is the main take away from this year, alongside with the dropping the ICE Brent Futures series from the independent variables list. With the same coefficient signal of the Steam Coal series, the cheaper the Natural Gas is, the higher the EUA price, reflecting the tendency of the market to prevent GHG emissions. On the other hand, the positive relationship between the U.K. Clean Spark Spread and the EUA price is puzzling as it seems to indicate the benefits from switching from a coal based plant to a gas one, even if the switching price variable remains non-significant. The idea is if the EUA price increases and, due to the higher emission factor coefficient of a coal-based power

plant, there is an evident incentive for producers to switch to a more cleaner energy source, resulting in the opposite coefficient shown in table 10.

To conclude the observations regarding 2013 OLS results, the more stable pattern of the EUA price, mainly due to the changes in the Cap size available, the incorporation of price constrain measures and the devolvement of auctions as the main tool obtain a permit allowed for other external variables to explain price movements better than before, underlining the widely expected importance of legislation on the EU ETS.

On the other hand, in 2014 the explanatory power of the OLS regression decreased to about 14%. While, the Natural Gas proxy variable was once again non-significant, the U.K. Baseload Power Price was also not significant due to its high p-value. For the first time in this research, both Clean Dark Spreads are significant within this period, emphasizing the importance of Steam Coal prices and the gross profit of power plants when accessing the settlement price of the EUA secondary market. It seems the driven power of such indices and variables is highly related with hedging purposes, as the largest emitters are necessary interested in securing their investment and profits. Finally, the beginning of the oil crisis has a direct impact on almost whole energy prices, especially on Natural Gas, which ultimately will influence the results, driving results to a lower level.

When accessing the results for 2015, the remarkably lower R-squared, 0.07, is possibly related with the epicenter of the oil crisis, as energy prices reached low historical figures. Table 11 shows the ultimate impact of the energy crisis as not a single variable is

significant. The drop to zero in May 2015 is also non-relevant since, even if I exclude those two days, there is no increase in the explanatory power of the empirical model. The abnormal results are then purely related with changes in the external variables, since there were no legislative changes in the EU ETS and the pattern of the spot price seems stable enough to assume so.

Finally, for 2016 the results are astonishing high, with an R-squared of almost 45%. While the relative low number of observations (208) might indicate bias and higher results, there is no reason to think so as the time space used was close to the previous ones and if I extend the sample for 2-years period results remain high. Equation 12 shows the final OLS output with the substituted coefficients.

$$D(EUA) = 0.392186216059 * D(BRENT) - 0.474599109907 * D(COAL) + 0.834416065609 * D(PPDE) + 0.206078281731 * D(PPUK) - 0.0586547464128 * D(CDSDE) + 0.0573712885302 * D(SSUK)$$

Equation 7 – OLS estimation with substituted coefficients. Generated by Eviews.

On contrast to what was seen with the OLS estimation for 2014, the U.K. Clean Spark Spread has a positive coefficient, while the German Clean Dark Spread is negative. The increase explanatory power of the regressors seems to be correlated with the upward trend of energy related prices, as oil started to recover from its historical low. German Baseload Power Price reached an historical low as well but, in contrast, both the Steam Coal proxy and U.K. Baseload Power Price increased exponentially in 2016. These observed high variances seem to drive the EUA price, alongside with the lower Cap allowed on auctions

and the reinforcement of price constrain measures on the EU ETS scope. Nevertheless, the remarkable high explanatory power of the model is beyond expected, especially considering the lower observed values for previous periods. While energy prices recover, I consider the more stable environment under the EU ETS to be also decisive, as non-institutional determinants gain more preponderance in explaining EUA price movements.

9.5 Robustness Tests

In accordance with section 7, to access the robustness and the viability of my model I will focus on testing the OLS residuals, generated for the whole period under study. Figure 8 below shows the OLS residuals plot generated with Eviews.




Fig. 8 – OLS residuals, actual and fitted.

The high values of variability of the residuals, especially around the compliance break and during other unstable market periods indicate the possible violation of constant variance. Also, in the presence of high variability, the normality hypothesis might also be violated. As table 14 describes, I do reject that the OLS residuals are normally distributed due to

Kurtosis > 3 and Skewness $\neq 0$. As highlighted before, I expected this results due to the simple nature of the variables under study. For further research, the inclusion of dummy variables might help to correct for non-normality. Ultimately, a model which does not assumes normality could also be tested.

The Breusch-Godfrey Serial Correlation LM Test with 1 lag (table 15) shows that I do not reject the null hypothesis, p-value $> 2.5\%$, meaning there is no serial correlation. This test allows to infer that, in principle, the coefficient estimates derived are not bias and the standard errors were appropriated generated. However, the inclusion of more than 1 lag violates the assumption that the variables are non-stochastic.

Table 16 shows the Breusch-Pagan-Godfrey Heteroskedasticity test on the OLS residuals. Due to a high p-value (0.14) I do not reject the null hypothesis, meaning there is the presence of homoscedasticity. In other words, the error term or the “noise” in the relationship between the independent variables and the EUA Spot Price is the same across all values of the regressors. Therefore, it is possible to assume the coefficients are efficient and unbiased. The same reasoning is verified by the White test (table 17). Since p-value $> 2.5\%$, I do not reject the null hypothesis, hence the square residuals are a function of the regressors. If Heteroskedasticity was present, the standard errors could infer inappropriate results and further considerations could also be misleading. However, as in both tests we reject Heteroskedasticity, there is no need for further corrections in the model.

Figure 9 shows the test based on the recursive least squares residuals. While for most of the period, the confidence interval of the initial parameter covers the confidence interval for the remaining periods, it is possible to observe expected fluctuations around the compliance break due to the higher variance previously mentioned.




Fig. 9 – Recursive residuals tests generated by Eviews.

The CUSUM test (figure 10) makes a comparison between the cumulative sum of the standardized residual with 0. Since the parameters are constant, I cannot reject the null hypothesis, i.e., no break in the conditional mean.




Fig. 10 – Eview's CUSUM test created with Eviews.

However, it is important to notice that for almost the whole period values are negative.

To analyze the constant variance, I performed the CUSUM of Squares test (figure 11). The departures from the significance interval indicates a rejection of the null hypothesis, meaning that there might be a measurement error with the explanatory variables, i.e., they are non-stochastic and observations on independent variables are fixed in repeated samples.




Fig. 11 – CUSUM of Squares test, generated by Eviews.

The Ramsey RESET test (table 18) analyses the possibility of misspecification of functional form. Once again, due to the high p-value (about 0.34) I do not reject linearity.

Finally, Augmented Dickey-Fuller test (table 19), which accesses the presence of a unit root, I do reject the null hypothesis for the 1st logarithm difference, meaning the series is non-stationary and results are not spurious.

10. Conclusion

The results of this research show empirical evidence on the impact of several external variables on the EUA Spot Price. For the whole sample period, between 2009 and 2016, the price of the month-ahead Brent and Coal contracts, alongside with the Power Price practiced in Germany and in the U.K. are statistically significant, which is on line with previous literature. The economic growth proxy used, STOXX Europe 600 index is also significant, emphasizing the impact of the European economy on the EUA price and the Clean Dark Spread in Germany remains an important price drive factor during the whole period.

However, due to multiple changes in the EU ETS legislation and the unstable period, the model lacks sufficient explanatory power to be able to forecast future prices. Previous literature emphasizes the impact of extreme weather conditions on the EUA price, which is not verified for the period under study. Moreover, when the sample is divided by compliance period and then per year, results are significantly different. Not only the explanatory power of the model increases, especially in the 3rd phase of the EU ETS, but also the significant variables change, with the inclusion of Natural Gas and the Clean Dark and Spark Spreads, both for Germany and U.K. These, suggests the adjustments made by regulators on the core of the scheme reduced the impact of institutional changes in the EUA Spot price, allowing it to have a more independent behavior. The robustness tests provide statistical proof that the results are not spurious and the majority of the OLS regression assumptions are verified.

For further research on this topic, I would recommend to investigate the impact of several macroeconomic indicators and avoid the use of both a proxy and extreme weather proxies. Since I did the conversion to Euro whenever necessary, it is possible the effect of monetary policy might be implicit in the model, thus need to be taking in consideration. Finally, institutional changes are still to be fully weighted, even if results indicate the impact of such measures in the EUA price.

REFERENCES

- McKibbin, Warwick J., et al. "Emissions trading, capital flows and the Kyoto Protocol." *The Energy Journal* (1999): 287-333.
- Ellerman, A. Denny, and Barbara K. Buchner. "The European Union emissions trading scheme: origins, allocation, and early results." *Review of environmental economics and policy* 1.1 (2007): 66-87.
- Schennach, Susanne M. "The economics of pollution permit banking in the context of Title IV of the 1990 Clean Air Act Amendments." *Journal of Environmental Economics and Management* 40.3 (2000): 189-210.
- Convery, Frank J., and Luke Redmond. "Market and price developments in the European Union emissions trading scheme." *Review of environmental economics and policy* 1.1 (2007): 88-111.
- Flachsland, Christian, Robert Marschinski, and Ottmar Edenhofer. "Global trading versus linking: Architectures for international emissions trading." *Energy Policy* 37.5 (2009): 1637-1647.
- Böhringer, Christoph, Klaus Conrad, and Andreas Löschel. "Carbon taxes and joint implementation. an applied general equilibrium analysis for germany and india." *Environmental and Resource Economics* 24.1 (2003): 49-76.
- Aatola, Piia, Markku Ollikainen, and Anne Toppinen. "Price determination in the EU ETS market: Theory and econometric analysis with market fundamentals." *Energy Economics* 36 (2013): 380-395.
- Hintermann, Beat. "Allowance price drivers in the first phase of the EU ETS." *Journal of Environmental Economics and Management* 59.1 (2010): 43-56.
- Keppler, Jan Horst, and Maria Mansanet-Bataller. "Causalities between CO₂, electricity, and other energy variables during phase I and phase II of the EU ETS." *Energy Policy* 38.7 (2010): 3329-3341.
- Betz, Regina, and Misato Sato. "Emissions trading: lessons learnt from the 1st phase of the EU ETS and prospects for the 2nd phase." *Climate Policy* 6.4 (2006): 351-359.
- Alberola, Emilie, Julien Chevallier, and Benoît Chèze. "Price drivers and structural breaks in European carbon prices 2005–2007." *Energy policy* 36.2 (2008): 787-797.
- Alberola, Emilie, and Julien Chevallier. "European carbon prices and banking restrictions: Evidence from Phase I (2005-2007)." *The Energy Journal* (2009): 51-79.
- Masanet-Bataller, Maria, Angel Pardo, and Enric Valor. "CO₂ prices, energy and weather." *The Energy Journal* (2007): 73-92.
- Christiansen, Atle C., et al. "Price determinants in the EU emissions trading scheme." *Climate Policy* 5.1 (2005): 15-30.
- Alberola, Emilie, Julien Chevallier, and Benoît Chèze. "The EU emissions trading scheme: The effects of industrial production and CO₂ emissions on carbon prices." *Economie internationale* 4 (2008): 93-125.
- Declercq, Bruno, Erik Delarue, and William D'haeseleer. "Impact of the economic recession on the European power sector's CO₂ emissions." *Energy Policy* 39.3 (2011): 1677-1686.
- Kanen, Joost LM. "Carbon trading and pricing." Environmental Finance Publications, 2006.
- Hayes, Andrew F., and Li Cai. "Using heteroskedasticity-consistent standard error estimators in OLS regression: An introduction and software implementation." *Behavior research methods* 39.4 (2007): 709-722.

APPENDIX

Table 1 – Global Warming Potential Index. Source: Intergovernmental Panel on Climate Change.

GHG	GLOBAL WARMING POTENTIAL
CARBON DIOXIDE	1
METHANE	25
NITROUS OXIDE	298
HYDROFLUROCARBONS	124 - 14,800
PERFLUORCARBONS	7390 - 12,200
SULFUR HEXAFLUORIDE	22,800
NITROGEN TRIFLUORIDE	17,200

Table 2 – Normality test of the 1st Logarithm difference of the EUA, generated with Eviews software.




Table 3 – Correlation Matrix, generated with Eviews software.

	EUA	BRENT	COAL	NATGAS	DEPOWERPRICE	UKPOWERPRICE	S600	SP	SSDE	SSUK	CDSDE	CDSUK	TDE	TUK
EUA	1	-0.038201	0.511342	-0.247487	0.649882	-0.190856	-0.521005	-0.371252	-0.461591	-0.183172	-0.066771	0.345545	-0.113234	-0.102506
BRENT	-0.038201	1	0.607717	0.76358	0.524389	0.361088	-0.463853	0.699413	0.654828	0.826188	0.458598	-0.562003	-0.050762	0.020077
COAL	0.511342	0.607717	1	0.466241	0.893129	0.399627	-0.660034	0.298796	0.21761	0.480616	0.299181	-0.201398	-0.105217	-0.076245
NATGAS	-0.247487	0.76358	0.466241	1	0.393797	0.757348	-0.133309	0.98353	0.954709	0.976429	0.533939	-0.489479	-0.000282	0.004578
DEPOWERPRICE	0.649882	0.524389	0.893129	0.393797	1	0.310717	-0.74685	0.242558	0.105185	0.427266	0.565494	-0.143112	-0.131088	-0.083323
UKPOWERPRICE	-0.190856	0.361088	0.399627	0.757348	0.310717	1	0.155433	0.735394	0.719693	0.60683	0.37313	-0.19673	0.012981	-0.003438
S600	-0.521005	-0.463853	-0.660034	-0.133309	-0.74685	0.155433	1	-0.009169	0.100508	-0.245644	-0.402866	0.23042	0.143788	0.113066
SP	-0.371252	0.699413	0.298796	0.98353	0.242558	0.735394	-0.009169	1	0.985457	0.955171	0.514994	-0.486835	0.02107	0.020478
SSDE	-0.461591	0.654828	0.21761	0.954709	0.105185	0.719693	0.100508	0.985457	1	0.919504	0.382345	-0.47335	0.042478	0.031265
SSUK	-0.183172	0.826188	0.480616	0.976429	0.427266	0.60683	-0.245644	0.955171	0.919504	1	0.535011	-0.520771	-0.01105	0.001799
CDSDE	-0.066771	0.458598	0.299181	0.533939	0.565494	0.37313	-0.402866	0.514994	0.382345	0.535011	1	-0.386644	-0.064436	-0.00104
CDSUK	0.345545	-0.562003	-0.201398	-0.489479	-0.143112	-0.19673	0.23042	-0.486835	-0.47335	-0.520771	-0.386644	1	-0.115231	-0.223927
TDE	-0.113234	-0.050762	-0.105217	-0.000282	-0.131088	0.012981	0.143788	0.02107	0.042478	-0.01105	-0.064436	-0.115231	1	0.606741
TUK	-0.102506	0.020077	-0.076245	0.004578	-0.083323	-0.003438	0.113066	0.020478	0.031265	0.001799	-0.00104	-0.223927	0.606741	1

Table 4 – Descriptive statistics, generated with Eviews.

	DEUA	DBRENT	DCOAL	DNATURALG	DPPDE	DPPUK	DS600	DSP	DSSDE	DSSUK	DCDSDE	DCDSUK	TDE	TUK
Mean	-0.000683	-9.82E-05	0.000208	0.000123	-0.000258	0.000278	0.000235	8.56E-05	0.00042	-0.000134	-0.003262	0.000399	0.516001	0.235571
Median	0	-0.000314	0	0	-0.001102	-5.74E-05	0.000565	0	0	0	0	0	0.484714	0.171429
Maximum	0.201866	0.110715	0.097812	0.191533	0.157004	0.156581	0.069066	0.266751	0.267025	0.431152	1.751712	0.870813	9.369143	6.951714
Minimum	-0.409702	-0.094536	-0.07584	-0.142105	-0.172371	-0.125217	-0.072932	-0.189341	-0.221837	-0.280223	-1.707712	-0.685742	-14.88829	-8.970857
Std. Dev.	0.032307	0.019324	0.013907	0.021591	0.021843	0.01802	0.011349	0.028423	0.031122	0.03573	0.215387	0.095236	3.345847	2.291872
Skewness	-0.998193	0.157523	0.71888	1.018118	-0.029875	1.04964	-0.325486	1.1486	1.01096	1.482584	-0.340022	0.658082	-0.172252	-0.220045
Kurtosis	22.03873	6.433122	8.519187	16.2631	17.40588	15.51227	6.442127	18.20425	16.92323	29.15293	22.14747	17.20854	3.246348	3.694358
Jarque-Bera	26598.8	862.6949	2361.032	13069.08	15063.44	11683.3	890.743	17162.07	14367.48	50283.4	26644.47	14779.05	13.01933	49.05269
Probability	0	0	0	0	0	0	0	0	0	0	0	0	0.001489	0
Sum	-1.189052	-0.171067	0.361881	0.213636	-0.44914	0.484841	0.409202	0.149084	0.731141	-0.232604	-5.681963	0.694369	898.8737	410.364
Sum Sq. Dev.	1.817111	0.650105	0.336706	0.811587	0.83065	0.565314	0.224244	1.40651	1.686307	2.222674	80.76779	15.79073	19489.96	9144.907
Observations	1742	1742	1742	1742	1742	1742	1742	1742	1742	1742	1742	1742	1742	1742

Table 5 – OLS regression for the whole period and accounting with all dependent variables.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 16:52				
Sample (adjusted): 10/12/2009 11/25/2016				
Included observations: 1742 after adjustments				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-0.000647	0.000744	-0.869243	0.3848
DBRENT	0.131342	0.041312	3.179248	0.0015
DNATURALGAS	0.145112	0.239315	0.606363	0.5444
DCOAL	-0.330354	0.083108	-3.974994	0.0001
DPPDE	0.504246	0.05171	9.751333	0
DPPUK	0.151333	0.053075	2.851293	0.0044
DS600	0.292877	0.069862	4.192214	0
DCDSDE	-0.038297	0.004684	-8.176159	0
DCDSUK	0.006765	0.007732	0.874988	0.3817
DSSDE	0.050461	0.071899	0.701837	0.4829
DSSUK	0.066115	0.035395	1.867936	0.0619
DSP	-0.230372	0.192903	-1.194239	0.2325
TDE	-2.47E-05	0.000276	-0.089481	0.9287
TUK	-0.000257	0.000404	-0.635396	0.5253
R-squared	0.106098	Mean dependent var	-0.000683	
Adjusted R-squared	0.099373	S.D. dependent var	0.032307	
S.E. of regression	0.030659	Akaike info criterion	-4.12375	
Sum squared resid	1.624319	Schwarz criterion	-4.079847	
Log likelihood	3605.786	Hannan-Quinn criter.	-4.107517	
F-statistic	15.77672	Durbin-Watson stat	1.894803	
Prob(F-statistic)	0			

Table 6 – Adjusted OLS regression for the whole period.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 17:07				
Sample (adjusted): 10/12/2009 11/25/2016				
Included observations: 1742 after adjustments				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DBRENT	0.1341	0.041229	3.25259	0.0012
DCOAL	-0.260962	0.060074	-4.343987	0
DPPDE	0.493033	0.048704	10.1231	0
DPPUK	0.123341	0.04578	2.694229	0.0071
DS600	0.293069	0.069619	4.209596	0
DCDSDE	-0.038627	0.004668	-8.274334	0
R-squared	0.102073	Mean dependent var	-0.000683	
Adjusted R-squared	0.099487	S.D. dependent var	0.032307	
S.E. of regression	0.030657	Akaike info criterion	-4.128442	
Sum squared resid	1.631633	Schwarz criterion	-4.109627	
Log likelihood	3601.873	Hannan-Quinn criter.	-4.121485	
Durbin-Watson stat	1.891978			

Table 7 – Adjusted OLS regression for the 2nd phase of the EU ETS.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 17:48				
Sample (adjusted): 10/12/2009 12/30/2013				
Included observations: 1056 after adjustments				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DPPDE	0.537107	0.062012	8.661324	0
DS600	0.410528	0.094248	4.355809	0
DCDSDE	-0.036848	0.006098	-6.042968	0
R-squared	0.081531	Mean dependent var	-0.001055	
Adjusted R-squared	0.079786	S.D. dependent var	0.035158	
S.E. of regression	0.033726	Akaike info criterion	-3.938257	
Sum squared resid	1.19773	Schwarz criterion	-3.924159	
Log likelihood	2082.4	Hannan-Quinn criter.	-3.932913	
Durbin-Watson stat	1.832467			

Table 8 – Adjusted OLS regression from 2009 until May 2011.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 18:03				
Sample (adjusted): 10/12/2009 5/31/2011				
Included observations: 408 after adjustments				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DPPDE	0.342979	0.042617	8.047927	0
DCDSDE	-0.015025	0.003076	-4.883991	0
DSSUK	-0.045572	0.018851	-2.417474	0.0161
R-squared	0.14197	Mean dependent var	0.00029	
Adjusted R-squared	0.137733	S.D. dependent var	0.01617	
S.E. of regression	0.015015	Akaike info criterion	-5.552214	
Sum squared resid	0.091307	Schwarz criterion	-5.52272	
Log likelihood	1135.652	Hannan-Quinn criter.	-5.540543	
Durbin-Watson stat	2.003066			

Table 9 – Adjusted OLS regression for the third phase.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 18:17				
Sample: 1/02/2013 11/25/2016				
Included observations: 935				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DBRENT	0.188248	0.05259	3.579533	0.0004
DCOAL	-0.339603	0.090035	-3.771884	0.0002
DPPDE	0.552391	0.072529	7.616121	0
DPPUK	0.151026	0.062206	2.427847	0.0154
DCDSDE	-0.050434	0.008144	-6.192712	0
R-squared	0.09789	Mean dependent var	-0.000385	
Adjusted R-squared	0.09401	S.D. dependent var	0.036706	
S.E. of regression	0.034938	Akaike info criterion	-3.865134	
Sum squared resid	1.135235	Schwarz criterion	-3.839249	
Log likelihood	1811.95	Hannan-Quinn criter.	-3.855264	
Durbin-Watson stat	1.895995			

Table 10 – Adjusted OLS regression for the 3rd phase, 1st year.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 18:32				
Sample: 1/02/2013 12/30/2013				
Included observations: 249				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DCOAL	-1.263961	0.343969	-3.674631	0.0003
DNATURALGAS	-2.964615	1.180917	-2.510434	0.0127
DPPDE	1.81041	0.263635	6.867104	0
DPPUK	1.036755	0.431056	2.405152	0.0169
DCDSDE	-0.354514	0.056333	-6.293178	0
DSSUK	2.224432	0.876921	2.53664	0.0118
R-squared	0.202933	Mean dependent var	-0.001145	
Adjusted R-squared	0.186532	S.D. dependent var	0.054829	
S.E. of regression	0.049451	Akaike info criterion	-3.151851	
Sum squared resid	0.594243	Schwarz criterion	-3.067093	
Log likelihood	398.4054	Hannan-Quinn criter.	-3.117734	
Durbin-Watson stat	1.930519			

Table 11 – Adjusted OLS regression for the 2nd year of the 3rd phase.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 18:58				
Sample: 1/02/2014 12/30/2014				
Included observations: 253				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DCOAL	-0.746896	0.217434	-3.435041	0.0007
DPPDE	0.687128	0.135499	5.071077	0
DCDSDE	-0.127826	0.02201	-5.807651	0
DCDSUK	0.115982	0.044816	2.587962	0.0102
DSSUK	0.137831	0.056971	2.41933	0.0163
R-squared	0.142305	Mean dependent var		0.001513
Adjusted R-squared	0.128471	S.D. dependent var		0.029542
S.E. of regression	0.027579	Akaike info criterion		-4.323946
Sum squared resid	0.188632	Schwarz criterion		-4.254117
Log likelihood	551.9792	Hannan-Quinn criter.		-4.295851
Durbin-Watson stat	2.124519			

Table 12 – Adjusted OLS regression for the 3rd phase, 2015.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 19:12				
Sample: 1/02/2015 12/30/2015				
Included observations: 225				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-0.000151	0.001132	-0.133592	0.8939
DBRENT	0.040828	0.039097	1.044271	0.2976
DCOAL	0.023278	1.010189	0.023044	0.9816
DNATURALGAS	-1.190496	5.864828	-0.202989	0.8393
DPPDE	0.093522	0.064491	1.450155	0.1485
DPPUK	0.095681	0.098334	0.973021	0.3317
DS600	0.139228	0.091787	1.516867	0.1308
DCDSDE	-0.005532	0.005327	-1.038524	0.3002
DCDSUK	0.002178	0.035054	0.062134	0.9505
DSSDE	0.028047	0.137082	0.204601	0.8381
DSSUK	0.152931	0.160639	0.95202	0.3422
DSP	0.843738	4.953614	0.170328	0.8649
TDE	0.000503	0.000429	1.173458	0.2419
TUK	-0.000618	0.000647	-0.955183	0.3406
R-squared	0.065379	Mean dependent var		0.000157
Adjusted R-squared	0.007795	S.D. dependent var		0.015749
S.E. of regression	0.015687	Akaike info criterion		-5.411718
Sum squared resid	0.051926	Schwarz criterion		-5.199161
Log likelihood	622.8183	Hannan-Quinn criter.		-5.325929
F-statistic	1.135378	Durbin-Watson stat		2.233821
Prob(F-statistic)	0.330743			

Table 13 – Adjusted OLS regression for current year of the 3rd phase.

Dependent Variable: DEUA				
Method: Least Squares				
Date: 01/02/17 Time: 19:20				
Sample: 1/05/2016 11/25/2016				
Included observations: 208				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DBRENT	0.392186	0.06086	6.444042	0
DCOAL	-0.474599	0.110169	-4.307901	0
DPPDE	0.834416	0.109861	7.595185	0
DPPUK	0.206078	0.067665	3.045578	0.0026
DCDSDE	-0.058655	0.010542	-5.564106	0
DSSUK	0.057371	0.02592	2.213415	0.028
R-squared	0.446239	Mean dependent var		-0.002371
Adjusted R-squared	0.432532	S.D. dependent var		0.033726
S.E. of regression	0.025406	Akaike info criterion		-4.47922
Sum squared resid	0.130387	Schwarz criterion		-4.382945
Log likelihood	471.8389	Hannan-Quinn criter.		-4.440291
Durbin-Watson stat	1.864868			

Table 14 – Normality test of the OLS residuals.




Table 15 – Breusch-Godfrey Serial Correlation LM Test.

Breusch-Godfrey Serial Correlation LM Test:				
F-statistic	4.991785	Prob. F(1,1735)	0.0256	
Obs*R-squared	4.042996	Prob. Chi-Square(1)	0.0444	
Test Equation:				
Dependent Variable: RESID				
Method: Least Squares				
Date: 01/02/17 Time: 20:51				
Sample: 10/12/2009 11/25/2016				
Included observations: 1742				
Presample and interior missing value lagged residuals set to zero.				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DBRENT	-0.00147	0.041187	-0.035689	0.9715
DCOAL	0.00256	0.060016	0.042659	0.966
DPPDE	-0.000761	0.048649	-0.015637	0.9875
DPPIUK	-0.004439	0.04577	-0.096974	0.9228
DS600	0.004737	0.069572	0.068088	0.9457
DCDSDE	0.000429	0.004667	0.091859	0.9268
RESID(-1)	0.053783	0.024072	2.23423	0.0256
R-squared	0.002321	Mean dependent var	-0.000717	
Adjusted R-squared	-0.001129	S.D. dependent var	0.030605	
S.E. of regression	0.030622	Akaike info criterion	-4.130167	
Sum squared resid	1.626952	Schwarz criterion	-4.108216	
Log likelihood	3604.376	Hannan-Quinn criter.	-4.122051	
Durbin-Watson stat	1.98366			

Table 16 – Breusch-Pagan-Godfrey Heteroskedacity Test.

Heteroskedasticity Test: Breusch-Pagan-Godfrey				
F-statistic	1.599766	Prob. F(6,1735)		0.1433
Obs*R-squared	9.584298	Prob. Chi-Square(6)		0.1433
Scaled explained	99.99435	Prob. Chi-Square(6)		0
Test Equation:				
Dependent Variable: RESID^2				
Method: Least Squares				
Date: 12/22/16 Time: 18:38				
Sample: 10/12/2009 11/25/2016				
Included observations: 1742				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.000932	0.000103	9.062853	0
DBRENT	0.000181	0.00577	0.031415	0.9749
DCOAL	0.009986	0.008407	1.187759	0.2351
DPPDE	-0.020967	0.006816	-3.076055	0.0021
DPPIUK	0.007021	0.006407	1.095776	0.2733
DCDSDE	0.001372	0.000653	2.100772	0.0358
DS600	-0.002272	0.009745	-0.233142	0.8157
R-squared	0.005502	Mean dependent var		0.000937
Adjusted R-s	0.002063	S.D. dependent var		0.004295
S.E. of regres	0.00429	Akaike info criterion		-8.060984
Sum squared	0.031933	Schwarz criterion		-8.039032
Log likelihoo	7028.117	Hannan-Quinn criter.		-8.052867
F-statistic	1.599766	Durbin-Watson stat		1.739906
Prob(F-statist	0.143339			

Table 17 – Heteroskedasticity Test: White test.

Heteroskedasticity Test: White				
F-statistic	1.455829	Prob. F(21,1720)		0.0829
Obs*R-squared	30.4227	Prob. Chi-Square(21)		0.0838
Scaled explained SS	317.4044	Prob. Chi-Square(21)		0
Test Equation:				
Dependent Variable: RESID^2				
Method: Least Squares				
Date: 12/22/16 Time: 18:42				
Sample: 10/12/2009 11/25/2016				
Included observations: 1742				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.000914	0.000129	7.073222	0
DBRENT^2	-0.289356	0.154991	-1.866915	0.0621
DBRENT*DCOAL	-0.083228	0.43046	-0.193347	0.8467
DBRENT*DPPDE	0.173367	0.316356	0.548013	0.5838
DBRENT*DPPUK	0.296707	0.307189	0.965879	0.3342
DBRENT*DCDSDE	-0.016593	0.029099	-0.570226	0.5686
DBRENT*DS600	0.481485	0.519076	0.927582	0.3538
DCOAL^2	-0.103097	0.322332	-0.319849	0.7491
DCOAL*DPPDE	-0.012662	0.430654	-0.029402	0.9765
DCOAL*DPPUK	-0.19733	0.384291	-0.513491	0.6077
DCOAL*DCDSDE	0.020637	0.03629	0.568668	0.5697
DCOAL*DS600	0.326985	0.770332	0.424473	0.6713
DPPDE^2	0.53042	0.139405	3.804891	0.0001
DPPDE*DPPUK	0.057478	0.286259	0.200789	0.8409
DPPDE*DCDSDE	-0.081359	0.022835	-3.562919	0.0004
DPPDE*DS600	0.338209	0.670603	0.504336	0.6141
DPPUK^2	0.050654	0.11451	0.44235	0.6583
DPPUK*DCDSDE	-0.015976	0.038	-0.420417	0.6742
DPPUK*DS600	-0.405475	0.610523	-0.664144	0.5067
DCDSDE^2	0.001925	0.000888	2.166775	0.0304
DCDSDE*DS600	-0.026786	0.063805	-0.419812	0.6747
DS600^2	-0.036369	0.438814	-0.082881	0.934
R-squared	0.017464	Mean dependent var		0.000937
Adjusted R-squared	0.005468	S.D. dependent var		0.004295
S.E. of regression	0.004283	Akaike info criterion		-8.055864
Sum squared resid	0.031549	Schwarz criterion		-7.986873
Log likelihood	7038.657	Hannan-Quinn criter.		-8.030355
F-statistic	1.455829	Durbin-Watson stat		1.737134
Prob(F-statistic)	0.082927			

Table 18 – Ramsey RESET Test.

Ramsey RESET Test				
Equation: UNTITLED				
Specification: DEUA DBRENT DCOAL DPPDE DPPUK DCDSDE DEU600				
Omitted Variables: Squares of fitted values				
	Value	df	Probability	
t-statistic	0.952105	1735	0.3412	
F-statistic	0.906504	(1, 1735)	0.3412	
Likelihood ratio	0.909923	1	0.3401	
F-test summary:				
	Sum of Sq.	df	Mean Squares	
Test SSR	0.000852	1	0.000852	
Restricted SSR	1.631633	1736	0.00094	
Unrestricted SSR	1.630781	1735	0.00094	
Unrestricted SSR	1.630781	1735	0.00094	
LR test summary:				
	Value	df		
Restricted LogL	3601.873	1736		
Unrestricted LogL	3602.328	1735		
Unrestricted Test Equation:				
Dependent Variable: DEUA				
Method: Least Squares				
Date: 12/22/16 Time: 18:51				
Sample: 10/12/2009 11/25/2016				
Included observations: 1742				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
DBRENT	0.134014	0.04123	3.250397	0.0012
DCOAL	-0.26053	0.060078	-4.336556	0
DPPDE	0.493496	0.048707	10.13184	0
DPPUK	0.123256	0.045781	2.692288	0.0072
DCDSDE	-0.038837	0.004674	-8.309736	0
D6600	0.293397	0.069622	4.214133	0
FITTED^2	-2.134819	2.242211	-0.952105	0.3412
R-squared	0.102542	Mean dependent var	-0.000683	
Adjusted R-squared	0.099438	S.D. dependent var	0.032307	
S.E. of regression	0.030658	Akaike info criterion	-4.127816	
Sum squared resid	1.630781	Schwarz criterion	-4.105865	
Log likelihood	3602.328	Hannan-Quinn criter.	-4.1197	

Table 19 – Augmented Dickey-Fuller test.

Null Hypothesis: RESEQ1 has a unit root				
Exogenous: Constant				
Lag Length: 1 (Automatic - based on SIC, maxlag=24)				
				Prob.*
			t-Statistic	0
Augmented Dickey-Fuller test statistic				
Test critical values:				
	1% level		-3.433927	
	5% level		-2.863007	
	10% level		-2.567598	
*MacKinnon (1996) one-sided p-values.				
Augmented Dickey-Fuller Test Equation				
Dependent Variable: D(RESEQ1)				
Method: Least Squares				
Date: 12/24/16 Time: 15:09				
Sample (adjusted): 10/14/2009 11/25/2016				
Included observations: 1730 after adjustments				
				Prob.
Variable	Coefficient	Std. Error	t-Statistic	0
				0
RESEQ1(-1)	-1.08395	0.032791	-33.0562	0.2466
D(RESEQ1(-1))	0.144832	0.023811	6.082596	
C	-0.000845	0.000729	-1.159005	-9.38E-05
				0.042146
R-squared	0.483816	Mean dependent var		-4.153756
Adjusted R-squared	0.483218	S.D. dependent var		-4.144295
S.E. of regression	0.030298	Akaike info criterion		-4.150257
Sum squared resid	1.585303	Schwarz criterion		2.011478
Log likelihood	3595.999	Hannan-Quinn criter.		
F-statistic	809.3534	Durbin-Watson stat		
Prob(F-statistic)	0			